Commonly Administered Pediatric Vaccines

Vaccine	Separately report the administration with Current Procedural Terminology (CPT®) codes 90460-90461 or 90471-90474 [Please see table below]	Manufacturer	Brand	ICD-9- CM‡	Number of Vaccine Components
90633	Hepatitis A vaccine, pediatric/adolescent dosage, 2 dose, for intramuscular use	GlaxoSmithKline Merck	HAVRIX® VAQTA®	V05.3	1
90644	Meningococcal conjugate vaccine, serogroups C & Y and Hemophilus influenza B vaccine (MenCY-Hib), 4-dose schedule, when administered to children 2-15 months of age, for intramuscular use	GlaxoSmithKline	MenHibrix™	V06.8	2
90647	Hemophilus influenza B vaccine (Hib), PRP-OMP conjugate, 3 dose, for intramuscular use	Merck	PedvaxHIB®	V03.81	1
90648	Hemophilus influenza B vaccine (Hib), PRP-T conjugate, 4 dose, for intramuscular use	sanofi pasteur GlaxoSmithKline	ActHIB® HIBERIX®	V03.81	1
90649	Human Papilloma virus (HPV) vaccine, types 6, 11, 16, 18 (quadrivalent), 3 dose schedule, for intramuscular use	Merck	GARDASIL®	V04.89	1
90650	Human Papilloma virus (HPV) vaccine, types 16 and 18, bivalent, 3 dose schedule, for intramuscular use	GlaxoSmithKline	CERVARIX™	V04.89	1
90655	Influenza virus vaccine, trivalent, split virus, preservative free, for children 6-35 months of age, for intramuscular use	sanofi pasteur	Fluzone No Preservative Pediatric®	V04.81	1
90656	Influenza virus vaccine, trivalent, split virus, preservative free, when administered to 3 years of age and above, for intramuscular use	Merck sanofi pasteur Novatis GlaxoSmithKline	Afluria® Fluzone No Preservative® Fluvirin® FLUARIX™	V04.81	1
90657	Influenza virus vaccine, trivalent, split virus, 6-35 months dosage, for intramuscular use	sanofi pasteur	Fluzone®	V04.81	1
90658	Influenza virus vaccine, trivalent, split virus, 3 years and older dosage, for intramuscular use	Merck sanofi pasteur Novartis	Afluria® Fluzone® Fluvirin®	V04.81	1
90670	Pneumococcal conjugate vaccine, 13 valent, for intramuscular use	Pfizer	PREVNAR 13TM	V03.82	1
90672	Influenza virus vaccine, quadrivalent, live, intranasal use	MedImmune	Flumist® Quadrivalent	V04.81	1
90680	Rotavirus vaccine, pentavalent, 3 dose schedule, live, for oral use	Merck	RotaTeq®	V04.89	1
90681	Rotavirus vaccine, human, attenuated, 2 dose schedule, live, for oral use	GlaxoSmithKline	ROTARIX®	V04.89	1
90685	Influenza virus vaccine, quadrivalent, split virus, preservative free, for children 6-35 months of age, for intramuscular use	Sanofi Pasteur	Fluzone Quadrivalent	V04.81	1
90686	Influenza virus vaccine, quadrivalent, split virus, preservative free, when administered to 3 years of age and above, for intramuscular use	GlaxoSmithKline	FLUARIX Quadrivalent	V04.81	1
90687	Influenza virus vaccine, quadrivalent, split virus, 6-35 months dosage, for intramuscular use	~	<i>M</i>	V04.81	1
90688	Influenza virus vaccine, quadrivalent, split virus, 3 years and older dosage, for intramuscular use	GlaxoSmithKline	FLULAVAL	V04.81	1
90696	Diphtheria, tetanus toxoids, and acellular pertussis vaccine and poliovirus vaccine, inactivated (DTaP-IPV), when administered to children 4 years through 6 years of age, for intramuscular use	GlaxoSmithKline	KINRIX TM	V06.3	4
90698	Diphtheria, tetanus toxoids, acellular pertussis vaccine, haemophilus influenza Type B, and poliovirus vaccine, inactivated (DTaP-Hib-IPV), for intramuscular use	sanofi pasteur	Pentacel®	V06.8	5
90700	Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered to younger than seven years, for intramuscular use	sanofi pasteur sanofi pasteur GlaxoSmithKline	DAPTACEL® INFANRIX®	V06.1	3

Vaccine	Separately report the administration with codes 90460-90461 or 90471-90474 [Please see table below]	Manufacturer	Brand	ICD-9- CM‡	Number of Vaccine Components		
90702	Diphtheria and tetanus toxoids (DT), adsorbed when administered to younger than seven years, for intramuscular use	sanofi pasteur	Diphtheria and Tetanus Toxoids Adsorbed	V06.5	2		
90707	Measles, mumps, and rubella virus vaccine (MMR), live, for subcutaneous use	Merck	M-M-R II®	V06.4	3		
90710	Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use	Merck	ProQuad®	V06.8	4		
90713	Poliovirus vaccine (IPV), inactivated, for subcutaneous or intramuscular use	sanofi pasteur	IPOL®	V04.0	1		
90714	Tetanus and diphtheria toxoids (Td) adsorbed, preservative free, when administered to seven years or older, for intramuscular use	sanofi pasteur	TENIVAC®	V06.5	2		
90715	Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to 7 years or older, for intramuscular use	sanofi pasteur GlaxoSmithKline	ADACEL® BOOSTRIX®	V06.1	3		
90716	Varicella virus vaccine, live, for subcutaneous use	Merck	VARIVAX®	V05.4	1		
90723	Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hepatitis B, and poliovirus vaccine (DTaP-Hep B-IPV), for intramuscular use	GlaxoSmithKline	PEDIARIX®	V06.8	5		
90732	Pneumococcal polysaccharide vaccine, 23-valent, adult or immunosuppressed patient dosage, when administered to 2 years or older, for subcutaneous or intramuscular use	Merck	PNEUMOVAX 23®	V03.82	1		
90733	Meningococcal polysaccharide vaccine, for subcutaneous use	sanofi pasteur	Menomune®	V03.89	1		
90734	Meningococcal conjugate vaccine, serogroups A, C, Y and W-135 (tetravalent), for intramuscular use	sanofi pasteur Novartis	Menactra® Menveo®	V03.89	1		
90740	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage, 3 dose, for intramuscular use	Merck	RECOMBIVAX HB®	V05.3	1		
90743	Hepatitis B vaccine, adolescent, 2 dose, for intramuscular use	Merck	RECOMBIVAX HB®	V05.3	1		
90744	Hepatitis B, pediatric/adolescent dosage, 3 dose, for intramuscular use	Merck GlaxoSmithKline	RECOMBIVAX HB® ENERGIX-B®	V05.3	1		
90746	Hepatitis B vaccine, adult dosage, for intramuscular use	Merck GlaxoSmithKline	RECOMBIVAX HB® ENERGIX-B®	V05.3	1		
90747	Hepatitis B vaccine, dialysis or immunosuppressed patient dosage, 4 dose, for intramuscular use	GlaxoSmithKline	ENERGIX-B®	V05.3	1		
90748	Hepatitis B and Hib (Hep B-Hib), for intramuscular use	Merck	COMVAX®	V06.8	2		
90749	Unlisted vaccine or toxoid	Please	See	ICD	Manual		
	Toronto Con Advisor Code						
	Immunization Administration Codes	^CPT 2012 manual	^CPT 2012 manual has defined an "other qualified healthcare				
00460	Immunization Administration Through Age 18 With Counseling^	 professional " as one who is qualified by education and training, licensure/regulation, and facility privileging who performs a professional service within his/her scope of practice and 					
90460	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first or only component of each vaccine or toxoid component administered						
90461	Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; each additional vaccine or toxoid component administered	independently reports that service. These professionals are distinct from "clinical staff." A clinical staff member is a person who works under the supervision of a physician or other qualified healthcare professional and who is allowed by law, regulation and					
00.454	Immunization Administration	facility policy to perform or assist in the performance of a specified					
90471	Immunization administration, one vaccine	professional service, but who does not individually report that					
90472	Immunization administration, each additional vaccine	professional service.					
90473 90474	Immunization administration by intranasal/oral route; one vaccine	Therefore based on these new restrictions, if clinical staff alone performs vaccine counseling, you must defer to codes 90471-90474 .					
QL1/11/7	Immunization administration by intranasal/oral route; each additional vaccine	I norforma vaccina c	arragalina rrarr marrak	dafanta aad	00471 00474		

‡ ICD-9-CM guidelines indicate that immunizations administered as part of a routine well baby or child check should be reported with code V20.2. The codes listed above can be reported in addition to the V20.2 code if specific payers request them. Immunizations administered in encounters **other than those for a routine well baby or child check** should be reported only with the codes listed above.

★Vaccine pending FDA approval [http://www.ama-assn.org/ama/pub/category/10902.html]
Developed and maintained by the American Academy of Pediatrics. For reporting purposes only.
CPT Copyright 2012 American Medical Association. All rights reserved.