

*DC Community Health  
Needs Assessment  
Appendices, 2016*

## Appendix 1: Progress to Date on 2013 Community Health Improvement Plan

2013-2016 Community Health Improvement Plan - Status													
Health Priority	Goal Short Description	Obj #	Objective Short Description	By CY end,	Leader	Collaborator	Status	Overall Status: Complete ● Pending ● Not Started ●	Top 3 Highlighted Outputs (define time period since last report out) (Output: activities or products that support the outcomes. Ex. Hosting a meeting, generating a report, convening with experts)	Are there any barriers?	Resolution/ Next Steps	How have/has the Collaborator(s) been involved? (Ex. Meetings, teleconference, experts provided, data submission) / Is there an "Ask" of the Collaborative?	
Sexual Health	Integrate Sexually Transmitted Infection screenings into Primary Care setting	1A	Create data repository	2014	Children's	Howard	On Target; data on STI's has been uploaded on DCHM	●	This initiative is ongoing. DCHM will consistently be used as a vehicle to disseminate as a credible data repository to guide and inform evidence based clinical, policy and community advocacy.				
		1B	Develop continuing education	2015	Howard	Providence	In Progress.	●	Since the last report: (1) Reached out to experts in the fields of infectious disease for CE presentation/curriculum. (2) Convene meetings on 10/20 and 11/10. (3) Collaborator (Providence)	No barriers they are aware of.	Review CE Presentation/ curriculum	Collaborator have been involved in meetings and submissions	
		1C	Advocate for funding sources for screening	2014	Howard	Unity, Patricia Quinn, Justin Palmer	In Progress.	●	Members within Howard and other DCHCC member groups have been identified as community champions.				
		1D	DCHCC adopt insurance billing for HIV testing where appropriate	2016	Providence	Children's Sibley	Completed	●	Insurance billing for HIV testing has been adopted.				
		1E	Create framework for best practices	2016	Howard	Unity	Completed	●	A Hepatitis C framework for best practices has been developed.				
Sexual Health	Strengthen partnerships for Maternal and Infant Health	2A	Develop Community Assets Map	2016	Children's	Providence	On Target; a starter list of assets has been identified as well as work on ESRI mapping software is taking place to create the foundational maps. Static maps are being created and being adapted to	●	Asset mapping is moving forward and is on track.				
		2B	Support Implementation of CMMI Strong Start partnership	2016	Providence	Unity, Howard, Sibley, Community of Hope		●	The National Capital Strong Start program 1) Has enrolled over 800 pregnant women in the program through December 2014. 2) Since the last report, all 6 partner organizations are enrolling and providing services across the District. 3) Successfully attained a \$250,000 in supplemental funding from CMS to meet grant reporting requirements	The NCSS is working to enroll even more pregnant women into the program to increase our enrollment numbers for this second year of the grant. More publicity about these resources is needed to engage women into early prenatal care.	Increase enrollment to meet the NCSS program year 2 goal of enrolling an additional 1,380 pregnant women.	The NCSS program has six partners: Providence, Unity, Howard, Community of Hope, Mary's Center and Washington Hospital Center. These partners work together and communicate via email and phone calls regarding the program. The program is now reaching year two enrollment (of a three year program), the partners would like assistance in making these programs permanent through an enhanced Medicaid reimbursement.	
						Howard Sibley							
Mental Health and Substance Abuse	Advocate for routine MH screen in PC	1A	Facilitate sharing of integration strategies	2014	Children's	Providence	Completed	●	Members of Mental Health Collaborative came and spoke to DCHCC members and shared strategies on city-wide level.				
						Community of Hope							
						Unity Sibley							
		1B	Advocate for funding sources for screening	2015	Howard	Providence	Ongoing	●	Ongoing discussion and advocacy taking place to the Council of the District of Columbia for funding sources for mental health and substance abuse screenings.				

## 2013-2016 Community Health Improvement Plan - Status

Health Priority	Goal Short Description	Obj #	Objective Short Description	By CY end,	Leader	Collaborator	Status	Overall Status: Complete <span style="color: green;">●</span> Pending <span style="color: yellow;">●</span> Not Started <span style="color: red;">●</span>	Top 3 Highlighted Outputs (define time period since last report out) (Output: activities or products that support the outcomes. Ex. Hosting a meeting, generating a report, convening with experts)	Are there any barriers?	Resolution/ Next Steps	How have/has the Collaborator(s) been involved? (Ex. Meetings, teleconference, experts provided, data submission) / Is there an "Ask" of the Collaborative?
Mental Health and Substance Abuse	Advocate for access points for service	2A	Advocate for scope of practice expansion	2015	Howard	Unity	Ongoing	<span style="color: yellow;">●</span>	Scope of practice expansion letter for social workers has been developed.			
		2B	Advocate for Mental Health/Substance Abuse questions in Electronic Health Record	2015	Unity	Howard, Community of Hope	Completed	<span style="color: green;">●</span>	All CHC's now have incorporated mental health and substance abuse question in the electronic medical records.	The current barrier to universal adoption by all health care providers relates to individual requirements and capacity. Also, a common complaint concerning universal screening is the lack of resources to make a referral once a concern	Unity will work with the other CHCs to draft a memo on how they implemented the universal screening. In addition Unity will monitor the screening and our ability to make mental health referrals. Work with other CHCs to develop one page best practice memo on implementing screen.	Other community health centers have implemented the depression screens. The ask of the collaborative is to determine who is screening for mental health issues in their EMR and to share the memo with appropriate individuals when developed.
		2C	Advocate for enhanced reimbursement for Dx and Tx of Mental Health/Substance Abuse	2016	Howard	Providence	In progress.	<span style="color: yellow;">●</span>	DCHA will assist in advocating for enhanced reimbursement for Dx and Tx of Mental Health/Substance Abuse.			
		2D	Convene experts to recommend best practices	2016	Sibley	Children's	In Progress	<span style="color: yellow;">●</span>	A meeting is in progress with the Behavioral Health Director.			
		2E	Develop Community Assets Map	2015	Children's	Sibley	In Progress	<span style="color: yellow;">●</span>	Asset mapping is underway for the Mental Health priority area.			
					Howard	Providence						
Mental Health and Substance Abuse	Promote provider Mental Health and Substance Abuse competency	3A	Promote existing CE and develop CE where needed	2015	Sibley	Children's	In Progress	<span style="color: yellow;">●</span>	Sibley is coordinating a meeting to promote CE and develop continuing education for clinicians. Overcome by events so there is no need for development for any CE so there for anyone who wants to use it.			
Obesity/Overweight	Advocate with DC Govt to integrate public/private partnerships for prevention of obesity and other conditions	1A	Facilitate sharing of integration strategies	2016	Howard	Sibley	In Progress	<span style="color: yellow;">●</span>	Howard to provide an update after scheduled meeting.			
					Providence	Unity	In Progress					
						Children's						
							In Progress	<span style="color: yellow;">●</span>				
		1B	Develop Community Assets Map	2015	Children's	Providence			Asset mapping is underway for the Obesity/Overweight priority area.			
					Howard	Sibley						
						Unity						

### 2013-2016 Community Health Improvement Plan - Status

Health Priority	Goal Short Description	Obj #	Objective Short Description	By CY end,	Leader	Collaborator	Status	Overall Status: Complete Pending Not Started	Top 3 Highlighted Outputs (define time period since last report out) (Output: activities or products that support the outcomes. Ex. Hosting a meeting, generating a report, convening with experts)	Are there any barriers?	Resolution/ Next Steps	How have/has the Collaborator(s) been involved? (Ex. Meetings, teleconference, experts provided, data submission) / Is there an "Ask" of the Collaborative?
Asthma	Advocate for policy changes in asthma care reimbursement	2A	Advocate for reimbursement change	2016	Howard	Unity	In progress		Howard to follow-up with DC Appleseed and DC Impact regarding status of reimbursement change.			
Obesity/Overweight	Network of sharing best practices	2A	Identify/Disseminate best practices	2016	Providence Sibley	Children's Unity	In Progress		Sibley to provide an update after meeting with new staff member that focuses on the treatment of obesity and other related conditions.			
						Howard Comm of H						
		1B	Identify/Utilize best practices	2016	Howard	Unity Sibley	In progress					
						Community of Hope						
		1C	Create framework to replicate best practice	2016	Children's	Howard	In progress		Initial meetings have taken place with CNMC leadership involved in Asthma work. Collaborators will be convened to begin developing replicable framework of best practice asthma care.			
						Community of Hope						
						Community of Hope						
		2B	Advocate for funding for tobacco cessation	2016	Sibley	Unity	In progress		Breathe DC is currently working on Healthy Breathing Policies. Sibley spoke to Pfizer to see if they can assist with smoking cessation programs. Tobacco money is gone so have to find new sources of funding; Quit DC participant			
						Howard						
						Providence						

## Appendix 2: Population Profile

Population Characteristics in DC, 2010 - 2015				
Characteristic	2010		2015	
	N	% of Total	N	% of Total
<b>Total</b>	601,723	100%	666,395	100%
<b>Gender</b>				
Male	284,222	47%	315,763	47%
Female	317,501	53%	350,632	53%
<b>Age Group</b>				
00-04	32,613	5%	39,463	6%
05-17	68,202	11%	81,542	12%
18-44	292,419	49%	312,138	47%
45-64	139,680	23%	151,835	23%
65+	68,809	11%	81,417	12%
<b>Race and Ethnicity</b>				
Black, Non-Hispanic	301,053	50%	310,305	47%
White, Non-Hispanic	209,464	35%	238,882	36%
Asian, Non-Hispanic	20,818	3%	25,243	4%
Hispanic	54,749	9%	72,773	11%
Foreign Born		14%		14%
Foreign Language Spoken at Home	83,073	15%	100,098	16%
<b>Family Income</b>				
Individuals in Poverty		18%		19%
Under 18 yrs in Poverty		30%		29%
Unemployed		12%		11%
Female Head of Household		14%		16%
Median Household Income (\$)	\$60,903		\$70,354	
<b>Education (adults aged 25 and older)</b>				
Less than High School	52,392	13%	55,682	12%
High School Diploma or Equivalent	84,569	20%	88,049	19%
Some College	71,039	17%	80,624	17%
College Graduate	208,824	50%	246,384	52%
<b>DC Ward</b>				
Ward 1	76,197	13%	84,367	13%
Ward 2	79,915	13%	86,666	13%
Ward 3	77,152	13%	82,826	12%
Ward 4	75,773	13%	84,210	13%
Ward 5	74,308	12%	80,461	12%
Ward 6	76,598	13%	86,120	13%
Ward 7	71,068	12%	78,010	12%
Ward 8	70,712	12%	77,483	12%
Sources: U.S. Census Bureau, American Community Survey, DC Office of Planning				

### Population Characteristics in DC by Ward, 2015

Characteristic	DC	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8
<b>Total</b>	666,395	84,367	86,666	82,826	84,210	80,461	86,120	78,010	77,483
<b>Gender (%)</b>									
Male	47%	50%	49%	44%	48%	47%	50%	45%	46%
Female	53%	50%	51%	56%	52%	53%	50%	55%	54%
<b>Age Group (%)</b>									
0-04	6%	5%	3%	5%	7%	6%	6%	8%	9%
05-17	12%	9%	6%	11%	14%	12%	10%	18%	19%
18-44	47%	58%	63%	45%	37%	42%	50%	36%	39%
45-64	23%	20%	18%	23%	26%	25%	24%	25%	23%
65+	12%	8%	10%	16%	16%	15%	11%	12%	10%
<b>Race and Ethnicity (%)</b>									
Black, Non-Hispanic	47%	24%	14%	5%	51%	62%	43%	93%	92%
White, Non-Hispanic	36%	48%	63%	76%	22%	23%	43%	2%	3%
Asian, Non-Hispanic	4%	5%	8%	7%	2%	2%	4%	0%	0%
Hispanic/Latino	11%	21%	12%	9%	22%	10%	7%	3%	3%
Foreign Language Spoken at Home	16%	24%	21%	21%	26%	13%	12%	4%	4%
<b>Family Income</b>									
Unemployed (%)	11%	7%	5%	4%	11%	14%	9%	22%	23%
Families in Poverty (%)	14%	10%	6%	2%	10%	13%	13%	25%	29%
Median Household Income (\$)	\$70,354	\$82,664	\$93,218	\$116,001	\$70,465	\$63,502	\$88,639	\$39,276	\$36,722
<b>Education (adults aged 25 and older) (%)</b>									
Less than High School	12%	13%	7%	2%	15%	15%	11%	18%	18%
High School Diploma or Equivalent	19%	11%	7%	4%	21%	24%	16%	39%	38%
Some College	17%	12%	10%	9%	20%	22%	15%	27%	28%
College Graduate	52%	64%	77%	85%	44%	40%	59%	16%	16%


Sources: U.S. Census Bureau, American Community Survey, DC Office of Planning

### Income Characteristics in DC by Race and Ethnicity

	DC	Black Alone	White Alone	Asian Alone	Hispanic/Latino
Individuals in Poverty (%)	19%	28%	8%	14%	18%
Under 18 yrs in Poverty (%)	29%	40%	5%	13%	21%
Unemployed (%)	11%	20%	4%	2%	11%
Female Head of Household (%)	16%	30%	3%	5%	14%
Median Household Income (\$)	\$70,354	\$41,394	\$113,631	\$84,146	\$62,631


Sources: American Community Survey 2011-2013

DC Population Among Non-Hispanic Black, 2015




Source: U.S. Census Bureau (Claritas).

DC Population Among Non-Hispanic White - 2015




Source: U.S. Census Bureau (Claritas).

DC Population Among Hispanic/Latino - 2015




Source: U.S. Census Bureau (Claritas).

DC Population Among Children 0-17 Yrs Old - 2015












Source: U.S. Census Bureau (Claritas).

DC Population Among Elderly 65 Yrs and Older - 2015










Source: U.S. Census Bureau (Claritas).

## Appendix 3: Map Gallery of Community Assets







## Appendix 4: Key Informant Interview Questions

1. Can we start by you providing your name, title, and the organization you represent?
2. When you hear the words “healthy community,” what comes to your mind?
  - a. *Probe: To you, what would a healthy community look like?*
3. What keeps people healthy in our community?
  - a. *Probe: What are the assets in our city, like parks or community centers, that keep people healthy?*
4. What are barriers to health in our community?
  - a. *Probe: What are the barriers, like food choices, that make it difficult to be healthy in our community?*
5. What are the top two social conditions that impact the health of our community?
  - a. *Probe: For example, health is impacted by education, poverty, housing conditions, employment, and culture and language.*
6. What actions, programs, and strategies do you think would make the biggest difference in the health of our community? Why?
7. What is your top suggestion for what health care organizations – such as hospitals, community health centers, and public organizations – can do to improve health in our city?
8. In closing, what is the best way to reach people in DC with information about health and health care resources?
  - a. *Probe: Some avenues may be local newspapers, radio, cable TV, internet, word of mouth, churches, and/or other organizations.*
9. Are there any additional comments you would like to make regarding healthy communities based on the discussion we’ve had here today?

## Appendix 5: Focus Group Questions

1. When you hear the words “healthy community,” what comes to your mind?
  - a. *Probe: To you, what would a healthy community look like?*
2. What keeps people healthy in our community?
  - a. *Probe: What are the assets in our city, like parks or community centers, that keep people healthy?*
3. What are barriers to health in our community?
  - a. *Probe: What are the barriers, like food choices, that make it difficult to be healthy in our community?*
4. What are the top two social conditions that impact the health of our community?
  - a. *Probe: For example, health is impacted by education, poverty, housing conditions, employment, and culture and language.*
5. What actions, programs, and strategies do you think would make the biggest difference in the health of our community? Why?
6. What is your top suggestion for what health care organizations – such as hospitals, community health centers, and public organizations – can do to improve health in our city?
7. In closing, what is the best way to reach people in DC with information about health and health care resources?
  - a. *Probe: Some avenues may be local newspapers, radio, cable TV, internet, word of mouth, churches, and/or other organizations.*
8. Are there any additional comments you would like to make regarding healthy communities based on the discussion we’ve had here today?

## Appendix 6: Town Hall Meeting Discussion Protocol

**DCHCC Table Captains:** Hi, Everyone! My name is \_\_\_\_\_ and I am with \_\_\_\_\_ organization, a member of the DC Healthy Communities Collaborative. I've been with the Collaborative for a couple of years and am happy to be your table facilitator (captain).

We will discuss 6 questions, but let's pay particular attention to question #1 and also question \_\_ [insert question numbers] as we need to report back to the group on these two questions! Please feel free to eat while I read through the questions. [DCHCC member reads questions from the foam boards.]

1. When you hear the words "healthy community," what comes to your mind? [ALL TABLES REPORT OUT]
  - a. *Probe: To you, what would a healthy community look like?*
2. What keeps people healthy in our community? [TABLE 1]
  - a. *Probe: What are the assets in our city, like parks or community centers, that keep people healthy?*
3. What are barriers to health in our community? [TABLE 2]
  - a. *Probe: What are the barriers, like food choices, that make it difficult to be healthy in our community?*
4. What are the top two social conditions that impact the health of our community? [TABLE 3]
5. *Probe: For example, health is impacted by education, poverty, housing conditions, employment, and culture and language.*
6. What actions, programs, and strategies do you think would make the biggest difference in the health of our community? Why? [TABLE 4]
7. What is your top suggestion for what health care organizations – such as hospitals and community health centers – can do to improve health in our city? [TABLE 5]
8. I am happy to take notes for the group on our flipchart unless someone else wants to be the scribe. Also, if someone wants to report out to the larger group, remember that there is a small (but nice!) gift for you. No pressure though, if you would rather that I report out, I will keep your gift.
9. How about we start with question 1: So, when you hear the words "healthy community," what comes to your mind?
10. *[Repeat this process for all questions, but spend more time on the question that is assigned to your table.]*

## Appendix 7: Online Survey Questions

### Demographic Questions:

1. Gender
2. Age
3. Race
4. Ethnicity
5. Home ZIP Code
6. Work ZIP Code (if applicable)
7. Live in DC
8. Work in DC
9. Student in DC
10. Work in Health Care: Provide clinical services
11. Work in Health Care: Provide non-clinical services
12. Work in Other Job Industry
13. What is your job industry?
14. Name of Organization
15. Department
16. Job Title

### Open-Ended Questions

1. When you hear the words “healthy community,” what comes to your mind? To you, what would a healthy community look like?
2. What keeps people healthy in our community? What are the assets in our city, like parks or community centers, that keep people healthy?
3. What are the barriers, like access to healthy food choices, that make it difficult to be healthy in our community?
4. Select the top two social (non-health) conditions that impact health in our community.
  - a. Tell us why you selected these two conditions.
  - b. If you selected "other" tell us what other main non-health conditions impact health in DC.
5. What actions, programs, and strategies do you think would make the biggest difference in the health of our community? Why?

6. What is your top suggestion for what health care organizations – such as hospitals and community health centers – can do to improve health in our city? Please be as specific as possible.
7. In closing, what is the best way to reach people in DC with information about health and health care resources? Some avenues may be local newspapers, radio, cable TV, internet, word of mouth, churches, and/or other organizations.
8. Are there any additional comments you would like to make regarding healthy communities?

## Appendix 8: Health Behavior and Status Indicators (Survey Data)

Behavioral Risk Factor Surveillance System, 2013							
Question (%)	Citywide (DC)	Gender		Race/Ethnicity			
		Male	Female	White	African American	Other	Hispanic
Adults who had no health care coverage	8.7	12.1	5.8	3.2	12.8	6.6	17.7
Adults who do not have one person they think of as their personal health care provider	23.8	31.1	17.4	22.0	23.3	30.5	31.1
Adults who could not see a doctor due to cost	10.8	11.5	10.1	5.7	14.4	9.1	14.7
Adults who are binge drinkers	22.4	28.2	17.1	32.2	14.5	19.7	25.1
Adults heavy drinkers	6.4	5.8	7.0	11.7	2.6	N/A	N/A
Adults who were overweight	30.9	38.0	24.3	29.9	31.4	29.5	39.1
Adults who were obese	22.8	20.6	24.9	9.8	36.4	17.4	15.3
Adults who did not participate in any physical activities within past 30 days	19.5	16.5	22.2	9.3	29.5	17.4	17.3
Adults who were current smokers	18.8	23.4	14.7	9.9	28.4	13.7	14.2
Adults who were diagnosed with arthritis	19.5	16.2	22.4	13.7	27.3	15.8	5.4
Adults who currently have asthma	11.9	9.5	13.9	7.8	14.1	18.8	10.8
Adults who rated their health as fair or poor	12.8	12.8	12.7	3.9	21.9	7.7	7.2
Adults who delayed getting medical care because could not get an appointment soon enough	9.7	7.4	11.6	11.5	6.9	14.1	8.8
Adults who delayed getting medical care because did not have transportation	6.0	5.7	6.3	1.3	10.6	N/A	N/A
Adults who could not get their medicine due to cost	6.9	7.0	6.7	3.5	8.4	N/A	N/A
Adults who had high cholesterol	34.0	35.6	32.6	30.0	38.4	34.0	22.6
Adults who never had their cholesterol checked	16.4	19.5	13.6	10.2	18.4	26.1	23.5
Adults who had hypertension	28.4	28.9	28.0	20.6	40.0	19.1	7.4
Adults who did not have a flu shot/spray within past 12 months	61.5	63.8	59.6	52.1	68.4	67.4	66.4
Adults who never had a pneumonia shot	69.2	68.2	70.1	70.0	67.5	70.6	75.9
Adults who were diagnosed with diabetes	7.8	7.0	8.5	2.3	13.3	6.2	N/A
Adults who were diagnosed with kidney disease	2.4	2.1	2.7	0.9	4.0	N/A	N/A
Adults who were diagnosed with depression	20.9	18.1	23.4	22.8	18.6	21.7	20.7
Adults who were diagnosed with COPD	5.8	4.5	7.0	3.1	8.7	N/A	N/A
Adults who had a stroke	3.2	2.8	3.5	1.0	5.2	N/A	N/A
Adults who were diagnosed with heart disease	2.6	2.7	2.5	1.8	3.8	N/A	N/A
Adults who had a heart attack	4.1	3.7	4.5	1.3	7.1	N/A	N/A
Adults who were either blind or had difficult seeing	4.4	3.7	5.0	0.8	6.9	N/A	N/A
Adults who had difficulty concentrating or remembering	9.6	9.7	9.5	3.6	15.0	6.4	N/A
Adults who had difficulty walking or climbing stairs	11.7	8.2	14.9	3.7	19.9	9.3	N/A
Adults who had difficulty dressing or bathing	3.7	3.5	3.9	1.0	6.3	N/A	N/A
Adults who had difficulty doing errands	6.6	5.3	7.8	2.4	11.2	6.4	N/A
Adults who are limited in their activities due to physical, mental or emotional problems	17.7	17.3	18.0	12.7	23.3	14.7	8.4
Adults who have health problems that requires the use of special equipment	10.1	8.5	11.4	4.4	15.8	9.6	N/A
Adults who always or usually worry or stress about having enough money to pay rent/mortgage	7.9	7.3	8.4	1.8	13.7	4.5	6.3
Adults who usually or sometimes worry or stress about having enough money to buy nutritious meals	12.9	11.9	14.2	5.6	19.1	11.1	15.5
Adults who have not been tested for HIV	29.3	27.1	31.2	36.8	21.8	31.9	29.7
Adults who consumed fruit less than one time per day	34.8	38.9	31.1	27.1	40.6	31.7	41.2
Adults who consumed vegetable less than one time per day	20.9	23.1	19.0	11.0	30.4	19.9	N/A
Source: DC Department of Health.							

### Behavioral Risk Factor Surveillance System, 2013

Question (%)	Citywide	Ward							
	(DC)	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8
Adults who had no health care coverage	8.7	8.1	4.7	4.8	8.9	8.6	4.4	15.3	7.6
Adults who do not have one person they think of as their personal health care provider	23.8	17.7	19.8	11.7	18.6	23.9	16.1	22.4	20.7
Adults who could not see a doctor due to cost	10.8	7.7	N/A	5.2	10.3	13.9	8.2	11.4	17.3
Adults who are binge drinkers	22.4	25.5	25.1	18.5	14.7	15.8	18.9	14.2	16.2
Adults heavy drinkers	6.4	7.0	5.5	11.2	N/A	N/A	N/A	N/A	N/A
Adults who were overweight	30.9	27.8	33.3	28.8	32.3	36.6	30.5	36.3	27.0
Adults who were obese	22.8	24.9	15.3	12.0	27.2	32.1	22.1	35.0	42.8
Adults who did not participate in any physical activities within past 30 days	19.5	16.4	12.1	10.5	19.2	21.0	16.1	27.7	34.5
Adults who were current smokers	18.8	15.5	8.6	9.3	14.4	20.4	17.3	24.1	41.0
Adults who were diagnosed with arthritis	19.5	17.0	20.2	19.8	23.2	27.6	23.0	27.8	28.6
Adults who currently have asthma	11.9	9.9	12.5	7.2	9.5	10.7	12.3	14.2	20.6
Adults who rated their health as fair or poor	12.8	12.6	8.9	4.2	17.4	17.0	7.9	17.6	29.5
Adults who delayed getting medical care because could not get an appointment soon enough	9.7	14.2	10.9	6.8	6.0	10.4	12.3	6.1	10.5
Adults who delayed getting medical care because did not have transportation	6.0	N/A	N/A	N/A	N/A	7.2	2.7	11.4	13.5
Adults who could not get their medicine due to cost	6.9	N/A	N/A	N/A	5.6	6.5	6.5	10.1	15.5
Adults who had high cholesterol	34.0	29.7	33.2	37.4	35.9	35.5	40.5	40.6	42.3
Adults who never had their cholesterol checked	16.4	N/A	N/A	8.4	14.6	13.0	11.7	20.4	18.8
Adults who had hypertension	28.4	28.6	23.8	24.0	32.3	37.2	29.6	42.9	37.7
Adults who did not have a flu shot/spray within past 12 months	61.5	60.9	54.1	46.5	57.5	65.6	57.5	69.9	67.5
Adults who never had a pneumonia shot	69.2	73.1	67.6	58.5	61.8	69.6	69.1	71.0	68.9
Adults who were diagnosed with diabetes	7.8	6.6	4.8	3.1	8.4	10.9	6.5	14.5	16.0
Adults who were diagnosed with kidney disease	2.4	N/A	N/A	N/A	N/A	3.2	2.0	3.8	4.2
Adults who were diagnosed with depression	20.9	22.4	18.7	23.7	15.4	16.4	23.2	18.4	28.0
Adults who were diagnosed with COPD	5.8	3.5	2.4	5.4	4.2	5.9	3.7	8.5	16.4
Adults who had a stroke	3.2	N/A	N/A	N/A	4.5	3.7	N/A	5.7	5.5
Adults who were diagnosed with heart disease	2.6	N/A	N/A	3.3	3.1	3.1	N/A	3.2	4.5
Adults who had a heart attack	4.1	N/A	N/A	2.3	3.7	5.7	2.9	7.3	12.3
Adults who were either blind or had difficult seeing	4.4	4.4	N/A	N/A	2.5	6.6	N/A	8.4	11.5
Adults who had difficulty concentrating or remembering	9.6	8.2	N/A	5.8	8.6	8.7	9.4	12.9	25.2
Adults who had difficulty walking or climbing stairs	11.7	9.8	8.5	5.6	10.4	15.8	11.8	17.5	28.0
Adults who had difficulty dressing or bathing	3.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Adults who had difficulty doing errands	6.6	N/A	N/A	1.8	6.4	8.9	4.7	10.5	16.7
Adults who are limited in their activities due to physical, mental or emotional problems	17.7	17.3	11.2	15.4	19.4	21.0	14.8	17.9	31.8
Adults who have health problems that requires the use of special equipment	10.1	8.4	5.0	6.8	9.2	13.9	9.8	14.0	22.0
Adults who always or usually worry or stress about having enough money to pay rent/mortgage	7.9	6.4	4.1	3.5	8.8	14.3	4.6	12.9	14.4
Adults who usually or sometimes worry or stress about having enough money to buy nutritious meals	12.9	13.9	7.9	6.7	9.6	14.1	12.2	17.5	19.4
Adults who have not been tested for HIV	29.3	19.7	33.2	44.5	32.1	25.9	33.2	23.0	16.6
Adults who consumed fruit less than one time per day	34.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Adults who consumed vegetable less than one time per day	20.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Source: DC Department of Health.



### Behavioral Risk Factor Surveillance System, 2013

Question (%)	Citywide (DC)	Age Group				
		18-34	35-44	45-54	55-64	65+
Adults who had no health care coverage	8.7	10.8	9.6	10.7	6.1	3.0
Adults who do not have one person they think of as their personal health care provider	23.8	36.7	21.9	16.3	11.4	9.3
Adults who could not see a doctor due to cost	10.8	12.6	10.3	15.1	7.2	5.1
Adults who are binge drinkers	22.4	33.5	25.0	18.1	10.5	5.1
Adults heavy drinkers	6.4	7.5	5.8	6.4	4.9	5.8
Adults who were overweight	30.9	27.7	29.2	35.9	35.3	32.5
Adults who were obese	22.8	15.4	26.8	29.9	31.0	23.8
Adults who did not participate in any physical activities within past 30 days	19.5	15.5	16.2	23.3	22.8	25.6
Adults who were current smokers	18.8	17.4	20.9	24.1	26.9	8.0
Adults who were diagnosed with arthritis	19.5	5.5	10.1	21.2	38.1	49.6
Adults who currently have asthma	11.9	12.7	12.2	11.8	11.3	9.2

Source: DC Department of Health.

### Behavioral Risk Factor Surveillance System, 2013

Question (%)	Citywide (DC)	Age Group		
		18-39	40-64	65+
Adults who rated their health as fair or poor	12.8	5.0	18.4	24.2
Adults who delayed getting medical care because could not get an appointment soon enough	9.7	11.5	9.9	3.1
Adults who delayed getting medical care because did not have transportation	6.0	5.6	6.6	5.5
Adults who could not get their medicine due to cost	6.9	8.1	7.1	2.9
Adults who had high cholesterol	34.0	17.2	42.2	55.2
Adults who never had their cholesterol checked	16.4	26.5	8.6	4.2
Adults who had hypertension	28.4	11.4	37.2	62.8
Adults who did not have a flu shot/spray within past 12 months	61.5	69.3	59.7	41.5
Adults who never had a pneumonia shot	69.2	78.7	74.3	35.6
Adults who were diagnosed with diabetes	7.8	N/A	11.8	19.7
Adults who were diagnosed with kidney disease	2.4	N/A	3.1	6.2
Adults who were diagnosed with depression	20.9	20.6	25.4	11.9
Adults who were diagnosed with COPD	5.8	3.2	8.3	8.8
Adults who had a stroke	3.2	N/A	4.1	7.4
Adults who were diagnosed with heart disease	2.6	N/A	3.1	9.1
Adults who had a heart attack	4.1	N/A	4.5	10.9
Adults who were either blind or had difficult seeing	4.4	N/A	5.7	7.2
Adults who had difficulty concentrating or remembering	9.6	7.7	13.2	7.3
Adults who had difficulty walking or climbing stairs	11.7	3.7	17.3	23.7
Adults who had difficulty dressing or bathing	3.7	0.8	6.4	6.2
Adults who had difficulty doing errands	6.6	2.7	10.1	10.3
Adults who are limited in their activities due to physical, mental or emotional problems	17.7	9.9	24.6	25.7
Adults who have health problems that requires the use of special equipment	10.1	2.6	13.4	25.4

Source: DC Department of Health.

### Behavioral Risk Factor Surveillance System, 2013

Question (%)	Citywide (DC)	Age Group					
		18-24	25-34	35-44	45-54	55-64	65+
Adults who always or usually worry or stress about having enough money to pay rent/mortgage	7.9	12.9	6.0	10.2	10.1	9.2	3.0
Adults who usually or sometimes worry or stress about having enough money to buy nutritious meals	12.9	20.9	10.9	10.9	16.4	13.8	9.5
Adults who have not been tested for HIV	29.3	35.0	22.4	13.4	19.2	28.3	66.5
Adults who consumed fruit less than one time per day	34.8	40.9	37.1	34.1	36.6	33.5	25.5
Adults who consumed vegetable less than one time per day	20.9	34.0	17.1	17.2	20.8	25.3	18.8

Source: DC Department of Health.

### Behavioral Risk Factor Surveillance System, 2012

Question (%)	Citywide (DC)	Gender		Race/Ethnicity			
		Male	Female	White	African American	Other	Hispanic
Visited a dentist or dental clinic within past year for any reason	71.9	69.8	73.7	78.9	66.0	69.1	70.7
Men aged 40+ who have had a PSA test within the past 2 years	44.5	44.5	N/A	49.5	43.1	N/A	N/A
Women aged 50+ who have had a mammogram within the past 2 years	83.7	N/A	83.7	80.4	84.6	N/A	N/A
Women aged 18+ who have had a pap test within the past 3 years	81.2	N/A	81.2	83.6	83.8	N/A	N/A

Source: DC Department of Health.

# Youth Risk Behavior Surveillance Survey, 2013

Question (%)	Citywide	Gender		Race/Ethnicity					
	(DC)	Male	Female	Am Indian/ AK Native	Asian	Black	Hispanic	White	Multiple Races
Never or Rarely Wore Seat Belt	15.0	16.5	13.1	28.4	13.7	14.0	18.6	4.2	13.9
Drove when Drinking Alcohol	11.2	12.6	8.9	N/A	N/A	8.7	13.7	15.6	14.2
Carried a Weapon in Past 30 Days	20.0	26.9	13.1	30.2	13.5	20.0	18.1	11.0	19.1
Were in Physical Fight on School Property	15.3	16.7	13.8	17.3	10.8	16.2	13.2	5.7	15.0
Did Not Go To School Because Felt Unsafe	9.0	9.0	8.2	10.3	8.1	7.7	12.7	2.4	7.0
Electronically Bullied	7.9	6.3	9.3	8.3	8.4	6.7	10.7	9.6	9.2
Experienced Physical Dating Violence	12.0	8.0	15.0	22.5	14.9	11.5	10.5	5.2	14.3
Felt Sad or Hopeless	25.5	19.0	31.3	35.0	24.6	23.4	32.7	18.7	31.2
Considered Attempting Suicide	14.8	9.9	18.9	21.1	11.3	13.5	17.0	11.8	23.5
Smoked Before Age 13 Yrs	9.7	11.7	7.3	13.5	9.6	8.4	13.8	5.4	8.9
Drank Alcohol Before Age 13 Yrs	22.0	23.4	20.4	25.4	19.9	21.2	24.2	14.1	26.0
Currently Drank Alcohol	31.4	28.7	33.5	33.4	24.6	29.6	32.4	45.3	36.9
Binge Drinking in Past 30 Days	12.3	12.0	12.4	11.1	5.7	10.2	16.0	23.9	15.6
Currently Used Marijuana	32.2	33.9	30.4	43.8	19.8	32.7	28.3	26.2	35.5
Took Prescription Drugs Without Doctor's Prescription	13.5	14.9	11.6	16.1	9.3	12.5	12.5	14.0	18.8
Ever Had Sexual Intercourse	53.5	61.5	46.7	N/A	23.8	57.2	47.1	21.5	55.2
Had Sexual Intercourse Before Age 13 Yrs	14.9	25.2	6.1	N/A	7.6	16.1	12.5	1.2	13.0
Did Not Use Condom During Last Sexual Intercourse	29.9	21.8	38.0	N/A	N/A	28.0	37.0	N/A	36.7
Drank Alcohol or Used Drugs Before Last Sexual Intercourse	20.5	24.9	16.0	N/A	N/A	20.3	20.6	N/A	18.5
Not Physically Active at Least 60 Minutes Per Day 5+ Days/Wk	71.9	63.9	78.8	77.5	71.4	72.1	76.9	55.9	67.9
Played Video or Computer Games 3+ Hrs Per Day	40.4	40.3	40.6	39.0	44.5	41.7	38.9	27.3	44.2
Watched TV 3+ Hrs Per Day	40.1	39.5	40.8	40.5	18.4	44.0	38.0	8.7	34.5
Obese	14.8	15.4	14.2	15.2	6.9	15.4	18.2	2.3	12.4
Overweight	17.5	15.5	19.4	14.3	17.6	17.7	19.9	9.0	17.2
Ever Told by Doctor or Nurse That They Have Asthma	31.0	33.5	28.8	33.6	27.8	32.1	28.8	20.5	31.3

Source: Centers for Disease Control and Prevention.

**CDC Wonder - Age-Adjusted Incidence Rate per 100,000 for the Most Common Cancers, 2011**

Leading Cancer Site	U.S.	Race		
		Citywide (DC)	White	Black/African American
All Invasive Cancer Sites Combined *	450.6	509.3	407	556
Brain and Other Nervous System	6.4	5.5	N/A	N/A
Breast *	65.6	84.7	77.3	89.4
Cervix Uteri	7.5	13.7	N/A	N/A
Colon and Rectum	39.9	43.7	24.6	53.6
Corpus Uteri	24.6	24.8	17.3	28.6
Esophagus	4.6	5.6	N/A	N/A
Kidney and Renal Pelvis	15.6	16.4	12.7	18.5
Larynx	3.5	3.5	N/A	N/A
Leukemias	13	12.1	11.1	12.2
Liver	6.5	14.7	N/A	N/A
Lung and Bronchus	61	55.8	30	71.1
Melanoma of the Skin	19.7	9	N/A	N/A
Myeloma	6.1	9.7	8.3	10.4
Non-Hodgkin Lymphoma	18.6	15.3	16.2	15.3
Oral Cavity and Pharynx	11.2	12.6	11.8	13.1
Ovary	11.3	14.9	N/A	N/A
Pancreas	12.2	16.1	9.3	19.9
Prostate	128.3	195	124.2	229
Stomach	6.6	9.4	N/A	N/A
Thyroid	13.8	13.9	12.3	12.4
Urinary Bladder, invasive and in situ	20.2	15.3	16.6	14.5
Female Breast *	122	153.1	155.3	153.2
Female Breast, In Situ *	30	44.2	55.2	37.6

\* Data for in situ breast cancers are listed separately and are not included in the "All Invasive Cancer Sites Combined" or "Male and Female Breast" cancer categories.  
Source: Centers for Disease Control and Prevention.

## National Survey of Children's Health, 2011-2012

Question (%)	U.S.	Citywide (DC)	Gender		Race/Ethnicity			
			Male	Female	Hispanic	White, Non-Hispanic	Black, Non-Hispanic	Other, Non-Hispanic
Children with One or More Preventive Medical Visits	84.4	89.8	89.3	90.4	87.5	98.0	88.8	95.6
Children with One or More Preventive Dental Care Visits, Age 1-17 Years	77.2	82.3	80.1	84.6	68.1	78.6	86.9	81.2
Children's Overall Health Status (Good, Excellent, or Very Good)	96.9	96.3	95.2	97.5	89.8	100	96.3	100
Children Weight Status, Age 10-17 Years (Overweight or Obese)	31.3	35.0	32.7	37.3	SS	SS	41.5	SS
Children who have Personal Doctor or Nurse	90.3	89.8	89.7	89.8	88.8	95.6	87.4	96.7
Note: SS indicated small sample size.								
Source: National Survey of Children's Health.								

## National Survey of Children with Special Health Care Needs, 2009-2010

Question (%)	U.S.	Citywide (DC)	Gender		Race/Ethnicity			
			Male	Female	Hispanic	White, Non-Hispanic	Black, Non-Hispanic	Other, Non-Hispanic
Prevalence of ADD in ADHD, Age 2-17 Years (Currently have condition)	30.2	27.3	30	23.5	SS	33	27.5	SS
CSHCN without any personal doctor or nurse	6.9	11.6	16	SS	SS	SS	13.5	SS
Prevalence of Autism or Other Autism Spectrum Disorder, Age 2-17 Years (Currently have condition)	7.9	5.9	NA	NA	NA	NA	NA	NA
Note: SS indicated small sample size.								
Source: National Survey of Children with Special Health Care Needs.								

### Senior Needs Assessment, 2012

Question (%)	Citywide (DC)	Gender		Age Group							
		Male	Female	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95+
Seniors with Physical Health Problems	54.7	57.6	53.1	49.1	48.3	58.0	53.2	58.7	62.0	62.7	46.2
Seniors with Problems Getting Needed Healthcare	13.9	11.4	15.5	14.0	12.2	20.5	12.9	9.8	1.1	11.8	0.0
Seniors with Inadequate Transportation	18.7	12.7	22.9	18.7	15.1	18.1	16.4	21.0	21.7	21.6	23.1
Seniors Feeling Lonely, Sad, or Isolated	17.2	15.9	18.1	19.3	16.1	18.0	14.0	16.0	17.8	15.7	15.4
Seniors with Problems Affording Medication	16.3	12.9	18.5	17.6	18.0	21.1	18.0	15.9	13.2	13.7	7.7
Seniors with Problems Performing Everyday Activities such as Walking and Bathing	20.4	18.8	21.9	15.4	16.0	18.0	21.1	23.0	25.3	33.3	46.2
Seniors who Engage in Moderate Physical Activity (for at least 30 mins a day, at least 1 day per week)	79.0	76.2	80.1	88.2	79.4	82.0	78.8	81.3	79.4	81.9	40.0
Seniors with Arthritis	NA	19.9	27.6	21.6	22.6	27.8	24.2	28.2	25.0	22.4	36.4
Seniors with High Blood Pressure	NA	32.0	31.1	33.1	33.3	30.9	32.5	32.0	29.7	25.9	18.2
Seniors with Diabetes	NA	14.3	13.9	16.0	16.7	11.1	18.0	11.2	10.8	10.3	0.0
Seniors Needed Help Trying to Get Enough Food or Right Kinds of Food to Eat	NA	13.5	16.7	16.6	18.0	16.0	19.1	12.7	7.9	4.0	8.3
Note: Survey from DC residents ages 60 years and older.											
Source: DC Office on Aging.											

### Senior Needs Assessment, 2012

Question (%)	Citywide (DC)	Race/Ethnicity			
		Caucasian	Black/African American	Hispanic/Latino	Asian
Seniors with Physical Health Problems	54.7	48.7	58.1	26.7	31.9
Seniors with Problems Getting Needed Healthcare	13.9	5.5	15.5	6.7	23.4
Seniors with Inadequate Transportation	18.7	7.0	22.0	13.3	13.0
Seniors Feeling Lonely, Sad, or Isolated	17.2	12.1	18.5	33.3	12.8
Seniors with Problems Affording Medication	16.3	7.5	18.2	26.7	17.0
Seniors with Problems Performing Everyday Activities such as Walking and Bathing	20.4	7.5	24.4	20.0	8.5
Seniors who Engage in Moderate Physical Activity (for at least 30 mins a day, at least 1 day per week)	79.0	84.6	77.8	100.0	78.6
Seniors with Arthritis	NA	23.6	24.6	40.9	23.7

Seniors with High Blood Pressure	NA	30.2	31.9	18.2	27.6
Seniors with Diabetes	NA	12.0	14.1	27.3	19.7
Seniors Needed Help Trying to Get Enough Food or Right Kinds of Food to Eat	NA	7.1	16.1	21.4	45.1

Note: Survey from DC residents ages 60 years and older.

Source: DC Office on Aging.

### Senior Needs Assessment, 2012

Question (%)	Citywide (DC)	Ward							
		Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8
Seniors with Physical Health Problems	54.7	47.9	46.7	48.7	52.6	59.9	59.5	77.8	53.8
Seniors with Problems Getting Needed Healthcare	13.9	12.3	15.4	6.4	8.8	15.6	14.7	33.3	15.4
Seniors with Inadequate Transportation	18.7	20.5	13.3	2.6	16.7	19.2	22.4	41.7	23.1
Seniors Feeling Lonely, Sad, or Isolated	17.2	16.4	23.1	10.3	16.3	16.8	19.3	19.4	19.2
Seniors with Problems Affording Medication	16.3	11.0	17.6	12.8	13.5	18.0	17.8	25.0	21.2
Seniors with Problems Performing Everyday Activities such as Walking and Bathing	20.4	26.0	17.6	8.9	17.2	21.7	25.2	22.9	21.2
Seniors who Engage in Moderate Physical Activity (for at least 30 mins a day, at least 1 day per week)	79.0	55.0	81.6	100.0	79.6	81.4	76.4	72.0	94.3
Seniors with Arthritis	NA	26.1	24.4	27.7	25.6	23.1	26.1	25.3	22.9
Seniors with High Blood Pressure	NA	31.9	29.4	30.9	33.9	31.6	31.3	28.7	33.0
Seniors with Diabetes	NA	13.0	20.0	13.8	11.7	14.7	12.9	14.9	16.5
Seniors Needed Help Trying to Get Enough Food or Right Kinds of Food to Eat	NA	16.7	23.5	11.7	5.6	21.5	17.1	20.0	17.3

Note: Survey from DC residents ages 60 years and older.

Source: DC Office on Aging.

### Infant Mortality Report, 2013

Question	Citywide (DC)	Race/Ethnicity				Ward							
		White	Black	Asian	Hispanic	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8
Infant Mortality Rate (per 1,000 live births)	6.8	1.7	9.9	N/A	6.4	5.7	0	1.2	5.1	11.9	4	9.7	10.9
Low Birth Weight among all Births (%)	9.7	6.1	12.4	7.1	7.6	7.7	8.4	5.1	9	10.1	8.3	14	11.8
Premature Births (%)	10.6	7.5	12.8	7.1	8.9	8.7	6.7	7.8	9.4	10.0	10.5	16.2	11.9

Note: Low birth weight defined as under 2,500 grams or 5lbs. 8 oz. Premature births defined as births under 37 weeks of gestation.

Source: DC Department of Health.

### Annual Epidemiology and Surveillance Report, 2013

Question	Citywide (DC)	Gender		Age Group					
		Male	Female	00-14	15-19	20-24	25-29	30-39	>=40
Rate of Chlamydia, 2013 (per 100,000 pop)	1,028	812	1,215	130	5,448	3,852	1,337	684	140
Rate of Gonorrhea, 5 Yrs Average 2009-2013 (per 100,000 pop)	407	472	343	48	1,906	1,312	554	309	89
Rate of Syphilis, primary & secondary, 5 Yrs Average 2009-2013 (per 100,000 pop)	25	50	3	N/A	18	43	39	44	20

Source: DC Department of Health.

### Annual Epidemiology and Surveillance Report, 2013

Question	Race/Ethnicity				Ward							
	Black	White	Hispanic	Other/Unknown	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8
Rate of Chlamydia, 2013 (per 100,000 pop)	1,088	106	201	232	413	258	76	339	667	333	1,446	1,173
Rate of Gonorrhea, 5 Yrs Average 2009-2013 (per 100,000 pop)	532	59	85	108	250	180	23	162	389	241	628	755
Rate of Syphilis, primary & secondary, 5 Yrs Average 2009-2013 (per 100,000 pop)	30	21	20	12	32	38	4	15	27	23	31	26

Note: Chlamydia and gonorrhea rates by race/ethnicity should be interpreted with caution as large number of cases had unknown race/ethnicity.  
Source: DC Department of Health.

### Annual Epidemiology and Surveillance Report, 2013

Question	Citywide (DC)	Gender		Race/Ethnicity				Age Group						
		Male	Female	Black	White	Hispanic	Other/Unknown	<13	13-19	20-29	30-39	40-49	50-59	>=60
Number of New Chronic Hepatitis B Cases, 2009-2013	2,241	1,405	802	460	67	18	1,635	18	35	297	528	533	472	357
Number of New Chronic Hepatitis C Cases, 2009-2013	8,933	6,044	2,806	1,844	214	35	6,826	34	39	364	538	1,569	4,141	2,237
Rate of New HIV Infections, 2013 (per 100,000 pop)	106	149	68	166	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Rate of Living HIV Cases, 2013 (per 100,000 pop)	2,540	3,921	1,298	3,949	1,195	1,586	959	43	200	1,056	2,373	6,006	6,689	2,173

Source: DC Department of Health.



## Appendix 9: List of Organizations Involved in Interviews, Focus Groups and/or Town Halls

Academy of Hope  
Bread for the City  
Breathe DC  
Bright Beginnings  
Capital Area Food Bank  
Catholic Charities Archdiocese of Washington  
Children's Law Center  
Children's National Health System  
Community of Hope  
Community Partnership for the Prevention of Homelessness  
Congress Heights Senior Wellness Center  
DC Action for Children  
DC Aging-in-Place Villages  
DC Appleseed  
DC Behavioral Health  
DC Child and Family Services, Infant and Maternal Health  
DC Coalition on Long Term Care  
DC Interagency Council of Homelessness  
DC Office on Aging  
DC Public Schools  
DC Rape Crisis Center  
Department of Behavioral Health / DC Behavioral Health Association  
District Department of Transportation  
East River Family Strengthening Collaborative  
Family Matters DC  
Greater Brookland Business Association  
Greater Washington Hispanic Chamber of Commerce  
Horton's Kids  
House of Ruth  
Howard University Hospital  
Interfaith Conference of Metropolitan Washington  
IONA Senior Services  
La Clinica del Pueblo  
Mary's Center  
Mautner Project  
Metro Teen Aids  
MetroAccess  
Michigan Park Civic Association

Model Cities Senior Wellness Center  
National Alliance to Advance Adolescent Health  
National Association of Development Organizations  
Office of Latino Affairs  
Peer Health Exchange  
Perry Family Health Center  
Providence Hospital  
Seabury - DC Office on Aging  
Seraaj DC  
Sibley Memorial Hospital  
So Others Might Eat  
State Board of Education  
The McClendon Center  
Unity Health Care  
University of the District of Columbia  
Washington Lawyers' Committee  
YMCA

## Appendix 10: Hospital Profile Reports: Inpatient and Emergency Department Utilization

### All Hospitals – All Patients

Inpatient Hospital Discharges - All Patients Utilization by Demographics, 2010-2014										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	138,736	139,653	139,705	137,422	134,479	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	78,514	78,519	78,743	77,180	75,745	57%	56%	56%	56%	56%
Male	60,222	61,134	60,962	60,242	58,734	43%	44%	44%	44%	44%
<b>Age Group</b>										
00-17	29,435	30,245	30,314	29,842	29,209	21%	22%	22%	22%	22%
18-44	36,878	37,092	37,130	36,425	35,777	27%	27%	27%	27%	27%
45-64	38,785	39,149	38,536	37,868	37,096	28%	28%	28%	28%	28%
65+	33,638	33,167	33,725	33,287	32,397	24%	24%	24%	24%	24%
<b>State of Residence</b>										
DC	76,558	77,368	77,561	75,479	74,092	55%	55%	56%	55%	55%
MD	46,589	47,130	46,869	46,372	45,514	34%	34%	34%	34%	34%
VA	11,665	12,114	12,303	12,444	11,807	8%	9%	9%	9%	9%
OT	3,924	3,041	2,972	3,127	3,066	3%	2%	2%	2%	2%
<b>Race</b>										
Asian	2,878	2,170	2,067	1,778	1,602	2%	2%	1%	1%	1%
Black	80,878	80,836	79,495	78,082	76,417	58%	58%	57%	57%	57%
White	35,706	35,885	36,406	35,261	34,149	26%	26%	26%	26%	25%
Other/Unknown	19,274	20,762	21,737	22,301	22,311	14%	15%	16%	16%	17%
<b>Ethnicity</b>										
Hispanic	8,995	7,394	9,545	11,787		6%	5%	7%	9%	
Non-Hispanic	124,056	123,758	122,806	115,882	N/A	89%	89%	88%	84%	N/A
Unknown	5,685	8,501	7,354	9,753		4%	6%	5%	7%	
<b>Insurance</b>										
Commercial	56,564	58,165	57,320	57,294	56,388	41%	42%	41%	42%	42%
Medicaid	36,846	35,991	36,659	35,461	35,862	27%	26%	26%	26%	27%
Medicare	38,516	38,675	39,431	39,239	38,135	28%	28%	28%	29%	28%
Other/Unknown	6,810	6,822	6,295	5,428	4,094	5%	5%	5%	4%	3%
<b>Hospital</b>										
Children's National	13,925	14,659	14,457	14,941	14,680	10%	10%	10%	11%	11%
George Washington Univ Hospital	18,000	19,427	20,045	20,654	21,454	13%	14%	14%	15%	16%
Georgetown Univ Hospital	16,107	16,148	16,770	17,018	17,019	12%	12%	12%	12%	13%
Howard University Hospital	13,039	12,537	11,067	9,691	9,555	9%	9%	8%	7%	7%
National Rehab Hospital	2,157	2,145	2,042	2,221	2,176	2%	2%	1%	2%	2%
Providence Hospital	15,022	14,047	14,068	12,823	12,378	11%	10%	10%	9%	9%
Sibley Memorial Hospital	14,877	14,738	14,062	12,854	11,914	11%	11%	10%	9%	9%
United Medical Center	5,460	5,587	5,709	6,176	6,906	4%	4%	4%	4%	5%
Washington Hospital Center	40,149	40,365	41,485	41,044	38,397	29%	29%	30%	30%	29%
Source: DC Hospital Association.										

**Inpatient Hospital Discharges - All Patients  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	12,756	9.5%	9.5%
2	657	Mood disorders	4,273	3.2%	12.7%
3	108	Congestive heart failure; nonhypertensive	3,493	2.6%	15.3%
4	237	Complication of device; implant or graft	3,187	2.4%	17.6%
5	195	Other complications of birth; puerperium affecting	2,856	2.1%	19.8%
6	122	Pneumonia (except that caused by TB or STI)	2,748	2.0%	21.8%
7	659	Schizophrenia and other psychotic disorders	2,703	2.0%	23.8%
8	2	Septicemia (except in labor)	2,698	2.0%	25.8%
9	254	Rehabilitation care; fitting of prostheses; and ad	2,435	1.8%	27.6%
10	203	Osteoarthritis	2,389	1.8%	29.4%
11	50	Diabetes mellitus with complications	2,257	1.7%	31.1%
12	109	Acute cerebrovascular disease	2,185	1.6%	32.7%
13	193	OB-related trauma to perineum and vulva	2,111	1.6%	34.3%
14	238	Complications of surgical procedures or medical ca	2,017	1.5%	35.8%
15	205	Spondylosis; intervertebral disc disorders; other	2,012	1.5%	37.3%
16	128	Asthma	1,980	1.5%	38.7%
17	185	Prolonged pregnancy	1,970	1.5%	40.2%
18	100	Acute myocardial infarction	1,921	1.4%	41.6%
19	55	Fluid and electrolyte disorders	1,856	1.4%	43.0%
20	83	Epilepsy; convulsions	1,855	1.4%	44.4%
21	181	Other complications of pregnancy	1,845	1.4%	45.8%
22	197	Skin and subcutaneous tissue infections	1,687	1.3%	47.0%
23	106	Cardiac dysrhythmias	1,602	1.2%	48.2%
24	157	Acute and unspecified renal failure	1,554	1.2%	49.4%
25	159	Urinary tract infections	1,551	1.2%	50.5%
		All Other	66,538	49.5%	

Source: DC Hospital Association.

**Outpatient ED Visits - All Patients**  
**Utilization by Demographics, CY 2010 - 2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	331,452	365,839	373,812	365,901	377,493	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	180,169	198,016	201,585	195,578	200,393	54%	54%	54%	53%	53%
Male	151,283	167,823	172,227	170,323	177,100	46%	46%	46%	47%	47%
<b>Age Group</b>										
00-17	85,304	108,266	114,673	113,070	117,101	26%	30%	31%	31%	31%
18-44	132,598	138,136	139,669	134,291	134,748	40%	38%	37%	37%	36%
45-64	83,213	87,493	87,003	85,314	88,668	25%	24%	23%	23%	23%
65+	30,337	31,944	32,467	33,226	36,976	9%	9%	9%	9%	10%
<b>State of Residence</b>										
DC	230,106	254,313	257,385	249,966	258,890	69%	70%	69%	68%	69%
MD	73,547	82,862	87,708	86,955	89,283	22%	23%	23%	24%	24%
VA	13,549	14,618	14,628	14,261	13,923	4%	4%	4%	4%	4%
OT	14,250	14,046	14,091	14,719	15,397	4%	4%	4%	4%	4%
<b>Race</b>										
Asian	3,430	3,176	3,282	3,469	3,456	1%	1%	1%	1%	1%
Black	224,097	248,671	255,897	248,255	255,018	68%	68%	68%	68%	68%
White	55,812	60,574	60,689	59,591	60,276	17%	17%	16%	16%	16%
Other/Unknown	48,113	53,418	53,944	54,586	58,743	15%	15%	14%	15%	16%
<b>Ethnicity</b>										
Hispanic	26,648	25,492	31,026	33,481		8%	7%	8%	9%	
Non-Hispanic	294,170	324,236	332,970	323,510	N/A	89%	89%	89%	88%	N/A
Unknown	10,634	16,111	9,816	8,910		3%	4%	3%	2%	
<b>Insurance</b>										
Commercial	129,807	137,552	136,677	131,603	130,296	39%	38%	37%	36%	35%
Medicaid	127,031	147,531	155,570	154,504	165,614	38%	40%	42%	42%	44%
Medicare	36,334	39,367	40,738	41,744	46,106	11%	11%	11%	11%	12%
Other/Unknown	38,280	41,389	40,827	38,050	35,477	12%	11%	11%	10%	9%
<b>Hospital</b>										
Children's National	75,669	98,193	106,072	105,426	109,968	33%	39%	41%	42%	42%
George Washington Univ Hospital	57,240	60,462	58,271	59,911	64,888	25%	24%	23%	24%	25%
Georgetown Univ Hospital	28,126	27,935	28,277	27,406	26,851	12%	11%	11%	11%	10%
Howard University Hospital	44,341	44,976	44,022	42,089	42,830	19%	18%	17%	17%	17%
Providence Hospital	37,507	38,517	38,043	35,542	35,330	16%	15%	15%	14%	14%
Sibley Memorial Hospital	22,060	26,528	28,559	29,133	30,638	10%	10%	11%	12%	12%
Washington Hospital Center	66,509	69,228	70,568	66,394	66,988	29%	27%	27%	27%	26%

Source: DC Hospital Association.

**Outpatient ED Visits - All Patients  
Utilization by Top Health Conditions, CY 2014**

Rank	CCS Category	Description	Outpatient ED Visits	% of Total	Cumulative %
1	126	Other upper respiratory infections	24,631	6.5%	6.5%
2	239	Superficial injury; contusion	17,199	4.6%	11.1%
3	251	Abdominal pain	15,047	4.0%	15.1%
4	232	Sprains and strains	14,791	3.9%	19.0%
5	244	Other injuries and conditions due to external cause	13,681	3.6%	22.6%
6	102	Nonspecific chest pain	11,472	3.0%	25.6%
7	205	Spondylosis; intervertebral disc disorders; other	10,360	2.7%	28.4%
8	128	Asthma	10,074	2.7%	31.1%
9	211	Other connective tissue disease	9,128	2.4%	33.5%
10	660	Alcohol-related disorders	8,842	2.3%	35.8%
11	84	Headache; including migraine	8,213	2.2%	38.0%
12	235	Open wounds of head; neck; and trunk	7,766	2.1%	40.1%
13	197	Skin and subcutaneous tissue infections	7,528	2.0%	42.0%
14	133	Other lower respiratory disease	7,483	2.0%	44.0%
15	7	Viral infection	7,299	1.9%	46.0%
16	236	Open wounds of extremities	7,243	1.9%	47.9%
17	204	Other non-traumatic joint disorders	7,227	1.9%	49.8%
18	159	Urinary tract infections	6,961	1.8%	51.6%
19	253	Allergic reactions	6,545	1.7%	53.4%
20	246	Fever of unknown origin	6,336	1.7%	55.1%
21	155	Other gastrointestinal disorders	6,124	1.6%	56.7%
22	154	Noninfectious gastroenteritis	6,037	1.6%	58.3%
23	257	Other aftercare	5,348	1.4%	59.7%
24	92	Otitis media and related conditions	5,205	1.4%	61.1%
25	229	Fracture of upper limb	5,118	1.4%	62.4%
		All Other	141,835	37.6%	

*All Hospitals – DC Residents Only (Inpatient Hospital Discharges)*

<b>Inpatient Hospital Discharges – All DC Residents</b> <b>Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	76,132	76,951	77,143	75,074	73,763	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	44,057	44,453	44,581	43,089	42,553	58%	58%	58%	57%	58%
Male	32,075	32,498	32,562	31,984	31,210	42%	42%	42%	43%	42%
<b>Age Group</b>										
00-17	12,614	13,043	12,978	12,206	11,979	17%	17%	17%	16%	16%
18-44	21,393	21,924	21,942	21,509	21,168	28%	28%	28%	29%	29%
45-64	22,772	23,179	22,940	22,632	22,516	30%	30%	30%	30%	31%
65+	19,353	18,805	19,284	18,728	18,100	25%	24%	25%	25%	25%
<b>Race</b>										
Asian	1,042	827	798	666	587	1%	1%	1%	1%	1%
Black	55,908	55,669	54,952	53,680	52,447	73%	72%	71%	72%	71%
White	11,316	11,893	12,319	11,649	11,347	15%	15%	16%	16%	15%
Other/Unknown	7,866	8,562	9,075	9,079	9,383	10%	11%	12%	12%	13%
<b>Ethnicity</b>										
Hispanic	4,353	3,276	4,149	7,245		6%	4%	5%	10%	
Non-Hispanic	70,042	70,299	70,218	63,353	N/A	92%	91%	91%	84%	N/A
Unknown	1,737	3,376	2,776	4,477		2%	4%	4%	6%	
<b>Insurance</b>										
Commercial	22,562	23,578	23,037	23,418	23,327	30%	31%	30%	31%	32%
Medicaid	27,178	27,274	27,451	26,032	26,033	36%	35%	36%	35%	35%
Medicare	23,152	23,176	23,919	23,451	22,645	30%	30%	31%	31%	31%
Other/Unknown	3,239	2,924	2,736	2,174	1,759	4%	4%	4%	3%	2%
<b>DC Ward</b>										
Ward 1	8,531	8,419	8,510	7,855	7,675	11%	11%	11%	10%	10%
Ward 2	5,740	5,882	5,858	5,700	5,392	8%	8%	8%	8%	7%
Ward 3	4,799	4,847	4,793	4,527	4,382	6%	6%	6%	6%	6%
Ward 4	9,963	10,031	10,373	9,972	9,637	13%	13%	13%	13%	13%
Ward 5	11,672	11,659	11,544	11,048	10,918	15%	15%	15%	15%	15%
Ward 6	10,122	10,016	9,948	9,524	9,207	13%	13%	13%	13%	12%
Ward 7	12,595	13,074	12,873	13,080	13,058	17%	17%	17%	17%	18%
Ward 8	12,708	13,023	13,243	13,368	13,494	17%	17%	17%	18%	18%
<b>Hospital</b>										
Children's National	3,761	4,011	3,887	3,662	3,751	5%	5%	5%	5%	5%
George Washington Univ Hospital	10,917	12,311	12,728	13,171	13,535	14%	16%	16%	18%	18%
Georgetown Univ Hospital	4,746	4,868	5,298	5,543	5,657	6%	6%	7%	7%	8%
Howard University Hospital	11,008	10,724	9,524	8,353	8,339	14%	14%	12%	11%	11%
National Rehab Hospital	872	872	850	968	892	1%	1%	1%	1%	1%
Providence Hospital	10,972	10,162	9,967	8,941	8,730	14%	13%	13%	12%	12%
Sibley Memorial Hospital	6,499	6,480	6,249	5,770	5,597	9%	8%	8%	8%	8%
United Medical Center	4,846	4,910	5,023	5,413	5,672	6%	6%	7%	7%	8%
Washington Hospital Center	22,512	22,613	23,616	23,254	21,591	30%	29%	31%	31%	29%
Source: DC Hospital Association.										

**Inpatient Hospital Discharges – All DC Residents  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	7,852	10.6%	10.6%
2	657	Mood disorders	2,854	3.9%	14.5%
3	108	Congestive heart failure; nonhypertensive	2,366	3.2%	17.7%
4	659	Schizophrenia and other psychotic disorders	2,305	3.1%	20.8%
5	2	Septicemia (except in labor)	1,788	2.4%	23.3%
6	122	Pneumonia (except that caused by TB or STI)	1,684	2.3%	25.6%
7	195	Other complications of birth; puerperium affecting	1,667	2.3%	27.8%
8	50	Diabetes mellitus with complications	1,564	2.1%	29.9%
9	237	Complication of device; implant or graft	1,312	1.8%	31.7%
10	128	Asthma	1,279	1.7%	33.4%
11	55	Fluid and electrolyte disorders	1,230	1.7%	35.1%
12	193	OB-related trauma to perineum and vulva	1,216	1.6%	36.8%
13	109	Acute cerebrovascular disease	1,209	1.6%	38.4%
14	185	Prolonged pregnancy	1,206	1.6%	40.0%
15	181	Other complications of pregnancy	1,197	1.6%	41.7%
16	157	Acute and unspecified renal failure	1,096	1.5%	43.1%
17	254	Rehabilitation care; fitting of prostheses; and ad	1,038	1.4%	44.6%
18	203	Osteoarthritis	1,037	1.4%	46.0%
19	197	Skin and subcutaneous tissue infections	1,028	1.4%	47.4%
20	159	Urinary tract infections	990	1.3%	48.7%
21	99	Hypertension with complications and secondary hype	954	1.3%	50.0%
22	127	Chronic obstructive pulmonary disease and bronchie	938	1.3%	51.3%
23	660	Alcohol-related disorders	900	1.2%	52.5%
24	83	Epilepsy; convulsions	883	1.2%	53.7%
25	189	Previous C-section	864	1.2%	54.8%
		All Other	33,306	45.2%	

Source: DC Hospital Association.



**Inpatient Hospital Discharges – DC Residents in Ward 1  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	967	12.6%	12.6%
2	657	Mood disorders	315	4.1%	16.7%
3	659	Schizophrenia and other psychotic disorders	274	3.6%	20.3%
4	195	Other complications of birth; puerperium affecting	217	2.8%	23.1%
5	193	OB-related trauma to perineum and vulva	190	2.5%	25.6%
6	122	Pneumonia (except that caused by TB or STI)	174	2.3%	27.9%
7	2	Septicemia (except in labor)	166	2.2%	30.0%
8	108	Congestive heart failure; nonhypertensive	161	2.1%	32.1%
9	50	Diabetes mellitus with complications	158	2.1%	34.2%
10	185	Prolonged pregnancy	153	2.0%	36.2%
11	181	Other complications of pregnancy	135	1.8%	37.9%
12	55	Fluid and electrolyte disorders	129	1.7%	39.6%
13	660	Alcohol-related disorders	128	1.7%	41.3%
14	109	Acute cerebrovascular disease	124	1.6%	42.9%
15	197	Skin and subcutaneous tissue infections	114	1.5%	44.4%
16	128	Asthma	110	1.4%	45.8%
17	237	Complication of device; implant or graft	97	1.3%	47.1%
18	157	Acute and unspecified renal failure	93	1.2%	48.3%
19	159	Urinary tract infections	92	1.2%	49.5%
20	203	Osteoarthritis	91	1.2%	50.7%
21	254	Rehabilitation care; fitting of prostheses; and ad	91	1.2%	51.8%
22	127	Chronic obstructive pulmonary disease and bronchie	86	1.1%	53.0%
23	238	Complications of surgical procedures or medical ca	82	1.1%	54.0%
24	99	Hypertension with complications and secondary hype	80	1.0%	55.1%
25	83	Epilepsy; convulsions	78	1.0%	56.1%
		All Other	3,370	43.9%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents in Ward 2  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	646	12.0%	12.0%
2	657	Mood disorders	228	4.2%	16.2%
3	195	Other complications of birth; puerperium affecting	147	2.7%	18.9%
4	659	Schizophrenia and other psychotic disorders	140	2.6%	21.5%
5	193	OB-related trauma to perineum and vulva	127	2.4%	23.9%
6	2	Septicemia (except in labor)	122	2.3%	26.1%
7	108	Congestive heart failure; nonhypertensive	114	2.1%	28.2%
8	185	Prolonged pregnancy	112	2.1%	30.3%
9	122	Pneumonia (except that caused by TB or STI)	112	2.1%	32.4%
10	203	Osteoarthritis	99	1.8%	34.2%
11	55	Fluid and electrolyte disorders	84	1.6%	35.8%
12	660	Alcohol-related disorders	84	1.5%	37.3%
13	109	Acute cerebrovascular disease	82	1.5%	38.8%
14	197	Skin and subcutaneous tissue infections	82	1.5%	40.3%
15	50	Diabetes mellitus with complications	81	1.5%	41.8%
16	181	Other complications of pregnancy	81	1.5%	43.3%
17	157	Acute and unspecified renal failure	74	1.4%	44.7%
18	106	Cardiac dysrhythmias	74	1.4%	46.1%
19	159	Urinary tract infections	73	1.4%	47.4%
20	254	Rehabilitation care; fitting of prostheses; and ad	73	1.3%	48.8%
21	238	Complications of surgical procedures or medical ca	70	1.3%	50.1%
22	237	Complication of device; implant or graft	69	1.3%	51.4%
23	127	Chronic obstructive pulmonary disease and bronchie	62	1.2%	52.5%
24	128	Asthma	56	1.0%	53.6%
25	205	Spondylosis; intervertebral disc disorders; other	55	1.0%	54.6%
		All Other	2,449	45.4%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents in Ward 3  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	465	10.6%	10.6%
2	203	Osteoarthritis	172	3.9%	14.5%
3	657	Mood disorders	138	3.2%	17.7%
4	195	Other complications of birth; puerperium affecting	138	3.2%	20.8%
5	122	Pneumonia (except that caused by TB or STI)	124	2.8%	23.7%
6	193	OB-related trauma to perineum and vulva	123	2.8%	26.5%
7	2	Septicemia (except in labor)	114	2.6%	29.1%
8	185	Prolonged pregnancy	87	2.0%	31.1%
9	159	Urinary tract infections	86	2.0%	33.0%
10	109	Acute cerebrovascular disease	85	1.9%	35.0%
11	108	Congestive heart failure; nonhypertensive	83	1.9%	36.8%
12	226	Fracture of neck of femur (hip)	82	1.9%	38.7%
13	254	Rehabilitation care; fitting of prostheses; and ad	79	1.8%	40.5%
14	106	Cardiac dysrhythmias	74	1.7%	42.2%
15	237	Complication of device; implant or graft	72	1.6%	43.9%
16	189	Previous C-section	71	1.6%	45.5%
17	197	Skin and subcutaneous tissue infections	71	1.6%	47.1%
18	205	Spondylosis; intervertebral disc disorders; other	67	1.5%	48.6%
19	153	Gastrointestinal hemorrhage	58	1.3%	49.9%
20	145	Intestinal obstruction without hernia	53	1.2%	51.2%
21	659	Schizophrenia and other psychotic disorders	52	1.2%	52.3%
22	157	Acute and unspecified renal failure	50	1.1%	53.5%
23	100	Acute myocardial infarction	50	1.1%	54.6%
24	181	Other complications of pregnancy	48	1.1%	55.7%
25	238	Complications of surgical procedures or medical ca	47	1.1%	56.8%
		All Other	1,895	43.2%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents in Ward 4  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	1,183	12.3%	12.3%
2	108	Congestive heart failure; nonhypertensive	378	3.9%	16.2%
3	657	Mood disorders	319	3.3%	19.5%
4	195	Other complications of birth; puerperium affecting	255	2.6%	22.1%
5	659	Schizophrenia and other psychotic disorders	232	2.4%	24.6%
6	2	Septicemia (except in labor)	216	2.2%	26.8%
7	122	Pneumonia (except that caused by TB or STI)	202	2.1%	28.9%
8	185	Prolonged pregnancy	197	2.0%	30.9%
9	50	Diabetes mellitus with complications	180	1.9%	32.8%
10	193	OB-related trauma to perineum and vulva	177	1.8%	34.6%
11	181	Other complications of pregnancy	161	1.7%	36.3%
12	254	Rehabilitation care; fitting of prostheses; and ad	159	1.7%	38.0%
13	237	Complication of device; implant or graft	156	1.6%	39.6%
14	55	Fluid and electrolyte disorders	149	1.5%	41.1%
15	109	Acute cerebrovascular disease	148	1.5%	42.7%
16	159	Urinary tract infections	140	1.5%	44.1%
17	106	Cardiac dysrhythmias	139	1.4%	45.6%
18	189	Previous C-section	137	1.4%	47.0%
19	157	Acute and unspecified renal failure	133	1.4%	48.4%
20	203	Osteoarthritis	131	1.4%	49.7%
21	128	Asthma	126	1.3%	51.0%
22	99	Hypertension with complications and secondary hype	121	1.3%	52.3%
23	197	Skin and subcutaneous tissue infections	120	1.2%	53.5%
24	100	Acute myocardial infarction	115	1.2%	54.7%
25	238	Complications of surgical procedures or medical ca	115	1.2%	55.9%
		All Other	4,250	44.1%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents in Ward 5  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	1,012	9.3%	9.3%
2	657	Mood disorders	400	3.7%	12.9%
3	108	Congestive heart failure; nonhypertensive	375	3.4%	16.4%
4	659	Schizophrenia and other psychotic disorders	373	3.4%	19.8%
5	2	Septicemia (except in labor)	317	2.9%	22.7%
6	50	Diabetes mellitus with complications	254	2.3%	25.0%
7	122	Pneumonia (except that caused by TB or STI)	229	2.1%	27.1%
8	195	Other complications of birth; puerperium affecting	215	2.0%	29.1%
9	237	Complication of device; implant or graft	213	1.9%	31.0%
10	109	Acute cerebrovascular disease	193	1.8%	32.8%
11	55	Fluid and electrolyte disorders	186	1.7%	34.5%
12	127	Chronic obstructive pulmonary disease and bronchie	174	1.6%	36.1%
13	254	Rehabilitation care; fitting of prostheses; and ad	174	1.6%	37.7%
14	157	Acute and unspecified renal failure	172	1.6%	39.3%
15	128	Asthma	170	1.6%	40.8%
16	185	Prolonged pregnancy	166	1.5%	42.3%
17	193	OB-related trauma to perineum and vulva	164	1.5%	43.8%
18	197	Skin and subcutaneous tissue infections	163	1.5%	45.3%
19	203	Osteoarthritis	155	1.4%	46.7%
20	99	Hypertension with complications and secondary hype	151	1.4%	48.1%
21	660	Alcohol-related disorders	146	1.3%	49.5%
22	159	Urinary tract infections	140	1.3%	50.7%
23	181	Other complications of pregnancy	135	1.2%	52.0%
24	83	Epilepsy; convulsions	133	1.2%	53.2%
25	153	Gastrointestinal hemorrhage	132	1.2%	54.4%
		All Other	4,978	45.6%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents in Ward 6  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	993	10.8%	10.8%
2	657	Mood disorders	362	3.9%	14.7%
3	659	Schizophrenia and other psychotic disorders	323	3.5%	18.2%
4	108	Congestive heart failure; nonhypertensive	263	2.9%	21.1%
5	195	Other complications of birth; puerperium affecting	225	2.4%	23.5%
6	122	Pneumonia (except that caused by TB or STI)	213	2.3%	25.8%
7	193	OB-related trauma to perineum and vulva	198	2.2%	28.0%
8	50	Diabetes mellitus with complications	198	2.1%	30.1%
9	2	Septicemia (except in labor)	194	2.1%	32.2%
10	237	Complication of device; implant or graft	172	1.9%	34.1%
11	185	Prolonged pregnancy	170	1.8%	36.0%
12	128	Asthma	161	1.7%	37.7%
13	109	Acute cerebrovascular disease	156	1.7%	39.4%
14	55	Fluid and electrolyte disorders	142	1.5%	40.9%
15	197	Skin and subcutaneous tissue infections	138	1.5%	42.4%
16	660	Alcohol-related disorders	133	1.4%	43.9%
17	203	Osteoarthritis	131	1.4%	45.3%
18	157	Acute and unspecified renal failure	129	1.4%	46.7%
19	127	Chronic obstructive pulmonary disease and bronchie	126	1.4%	48.1%
20	99	Hypertension with complications and secondary hype	123	1.3%	49.4%
21	181	Other complications of pregnancy	122	1.3%	50.7%
22	254	Rehabilitation care; fitting of prostheses; and ad	116	1.3%	52.0%
23	238	Complications of surgical procedures or medical ca	109	1.2%	53.2%
24	83	Epilepsy; convulsions	105	1.1%	54.3%
25	159	Urinary tract infections	100	1.1%	55.4%
		All Other	4,106	44.6%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents in Ward 7  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	1,260	9.7%	9.7%
2	108	Congestive heart failure; nonhypertensive	486	3.7%	13.4%
3	657	Mood disorders	471	3.6%	17.0%
4	659	Schizophrenia and other psychotic disorders	372	2.8%	19.8%
5	2	Septicemia (except in labor)	319	2.4%	22.3%
6	128	Asthma	311	2.4%	24.7%
7	50	Diabetes mellitus with complications	308	2.4%	27.0%
8	122	Pneumonia (except that caused by TB or STI)	296	2.3%	29.3%
9	181	Other complications of pregnancy	259	2.0%	31.3%
10	237	Complication of device; implant or graft	258	2.0%	33.2%
11	55	Fluid and electrolyte disorders	239	1.8%	35.1%
12	109	Acute cerebrovascular disease	216	1.7%	36.7%
13	195	Other complications of birth; puerperium affecting	213	1.6%	38.4%
14	157	Acute and unspecified renal failure	209	1.6%	40.0%
15	99	Hypertension with complications and secondary hype	194	1.5%	41.4%
16	254	Rehabilitation care; fitting of prostheses; and ad	192	1.5%	42.9%
17	61	Sickle cell anemia	187	1.4%	44.3%
18	159	Urinary tract infections	181	1.4%	45.7%
19	83	Epilepsy; convulsions	178	1.4%	47.1%
20	127	Chronic obstructive pulmonary disease and bronchie	178	1.4%	48.5%
21	185	Prolonged pregnancy	171	1.3%	49.8%
22	152	Pancreatic disorders (not diabetes)	167	1.3%	51.0%
23	660	Alcohol-related disorders	158	1.2%	52.2%
24	197	Skin and subcutaneous tissue infections	154	1.2%	53.4%
25	189	Previous C-section	152	1.2%	54.6%
		All Other	5,930	45.4%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents in Ward 8  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	1,303	9.7%	9.7%
2	657	Mood disorders	592	4.4%	14.0%
3	659	Schizophrenia and other psychotic disorders	525	3.9%	17.9%
4	108	Congestive heart failure; nonhypertensive	499	3.7%	21.6%
5	50	Diabetes mellitus with complications	355	2.6%	24.3%
6	2	Septicemia (except in labor)	332	2.5%	26.7%
7	122	Pneumonia (except that caused by TB or STI)	328	2.4%	29.2%
8	128	Asthma	323	2.4%	31.5%
9	237	Complication of device; implant or graft	273	2.0%	33.6%
10	55	Fluid and electrolyte disorders	257	1.9%	35.5%
11	195	Other complications of birth; puerperium affecting	253	1.9%	37.3%
12	181	Other complications of pregnancy	252	1.9%	39.2%
13	157	Acute and unspecified renal failure	230	1.7%	40.9%
14	99	Hypertension with complications and secondary hype	214	1.6%	42.5%
15	83	Epilepsy; convulsions	207	1.5%	44.0%
16	109	Acute cerebrovascular disease	199	1.5%	45.5%
17	197	Skin and subcutaneous tissue infections	182	1.3%	46.9%
18	127	Chronic obstructive pulmonary disease and bronchie	179	1.3%	48.2%
19	61	Sickle cell anemia	178	1.3%	49.5%
20	189	Previous C-section	177	1.3%	50.8%
21	159	Urinary tract infections	176	1.3%	52.1%
22	102	Nonspecific chest pain	161	1.2%	53.3%
23	238	Complications of surgical procedures or medical ca	161	1.2%	54.5%
24	254	Rehabilitation care; fitting of prostheses; and ad	153	1.1%	55.6%
25	100	Acute myocardial infarction	152	1.1%	56.8%
		All Other	5,835	43.2%	

Source: DC Hospital Association.



**Inpatient Hospital Discharges – DC Residents Ages 0-17  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	7,852	65.5%	65.5%
2	128	Asthma	354	3.0%	68.5%
3	657	Mood disorders	256	2.1%	70.6%
4	125	Acute bronchitis	221	1.8%	72.5%
5	122	Pneumonia (except that caused by TB or STI)	200	1.7%	74.2%
6	83	Epilepsy; convulsions	184	1.5%	75.7%
7	61	Sickle cell anemia	175	1.5%	77.2%
8	224	Other perinatal conditions	119	1.0%	78.1%
9	652	Attention-deficit, conduct, and disruptive behavior	84	0.7%	78.8%
10	126	Other upper respiratory infections	77	0.6%	79.5%
11	131	Respiratory failure; insufficiency; arrest (adult)	76	0.6%	80.1%
12	197	Skin and subcutaneous tissue infections	76	0.6%	80.8%
13	222	Hemolytic jaundice and perinatal jaundice	67	0.6%	81.3%
14	213	Cardiac and circulatory congenital anomalies	66	0.6%	81.9%
15	217	Other congenital anomalies	66	0.6%	82.4%
16	55	Fluid and electrolyte disorders	62	0.5%	82.9%
17	237	Complication of device; implant or graft	58	0.5%	83.4%
18	159	Urinary tract infections	54	0.5%	83.9%
19	2	Septicemia (except in labor)	52	0.4%	84.3%
20	7	Viral infection	49	0.4%	84.7%
21	155	Other gastrointestinal disorders	48	0.4%	85.1%
22	58	Other nutritional; endocrine; and metabolic disorder	47	0.4%	85.5%
23	238	Complications of surgical procedures or medical care	46	0.4%	85.9%
24	142	Appendicitis and other appendiceal conditions	42	0.4%	86.2%
25	95	Other nervous system disorders	41	0.3%	86.6%
		All Other	1,607	13.4%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents Ages 18-44  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	195	Other complications of birth; puerperium affecting	1,621	7.7%	7.7%
2	657	Mood disorders	1,290	6.1%	13.8%
3	193	OB-related trauma to perineum and vulva	1,191	5.6%	19.4%
4	185	Prolonged pregnancy	1,180	5.6%	25.0%
5	181	Other complications of pregnancy	1,163	5.5%	30.4%
6	659	Schizophrenia and other psychotic disorders	895	4.2%	34.7%
7	189	Previous C-section	851	4.0%	38.7%
8	183	Hypertension complicating pregnancy; childbirth an	608	2.9%	41.6%
9	191	Polyhydramnios and other problems of amniotic cavi	531	2.5%	44.1%
10	50	Diabetes mellitus with complications	467	2.2%	46.3%
11	61	Sickle cell anemia	438	2.1%	48.4%
12	184	Early or threatened labor	392	1.9%	50.2%
13	190	Fetal distress and abnormal forces of labor	347	1.6%	51.8%
14	187	Malposition; malpresentation	302	1.4%	53.3%
15	660	Alcohol-related disorders	254	1.2%	54.5%
16	122	Pneumonia (except that caused by TB or STI)	250	1.2%	55.6%
17	152	Pancreatic disorders (not diabetes)	247	1.2%	56.8%
18	197	Skin and subcutaneous tissue infections	247	1.2%	58.0%
19	142	Appendicitis and other appendiceal conditions	235	1.1%	59.1%
20	196	Normal pregnancy and/or delivery	233	1.1%	60.2%
21	2	Septicemia (except in labor)	231	1.1%	61.3%
22	237	Complication of device; implant or graft	227	1.1%	62.4%
23	55	Fluid and electrolyte disorders	223	1.1%	63.4%
24	83	Epilepsy; convulsions	211	1.0%	64.4%
25	192	Umbilical cord complication	203	1.0%	65.4%
		All Other	7,331	34.6%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents Ages 45-64  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	659	Schizophrenia and other psychotic disorders	1,207	5.4%	5.4%
2	657	Mood disorders	1,161	5.2%	10.5%
3	108	Congestive heart failure; nonhypertensive	1,012	4.5%	15.0%
4	50	Diabetes mellitus with complications	718	3.2%	18.2%
5	122	Pneumonia (except that caused by TB or STI)	655	2.9%	21.1%
6	2	Septicemia (except in labor)	653	2.9%	24.0%
7	237	Complication of device; implant or graft	627	2.8%	26.8%
8	660	Alcohol-related disorders	567	2.5%	29.3%
9	128	Asthma	540	2.4%	31.7%
10	127	Chronic obstructive pulmonary disease and bronchie	520	2.3%	34.0%
11	55	Fluid and electrolyte disorders	486	2.2%	36.2%
12	203	Osteoarthritis	466	2.1%	38.2%
13	254	Rehabilitation care; fitting of prostheses; and ad	446	2.0%	40.2%
14	197	Skin and subcutaneous tissue infections	444	2.0%	42.2%
15	99	Hypertension with complications and secondary hype	443	2.0%	44.2%
16	109	Acute cerebrovascular disease	434	1.9%	46.1%
17	157	Acute and unspecified renal failure	404	1.8%	47.9%
18	205	Spondylosis; intervertebral disc disorders; other	385	1.7%	49.6%
19	102	Nonspecific chest pain	370	1.6%	51.2%
20	152	Pancreatic disorders (not diabetes)	360	1.6%	52.8%
21	238	Complications of surgical procedures or medical ca	359	1.6%	54.4%
22	83	Epilepsy; convulsions	338	1.5%	55.9%
23	106	Cardiac dysrhythmias	331	1.5%	57.4%
24	661	Substance-related disorders	314	1.4%	58.8%
25	100	Acute myocardial infarction	307	1.4%	60.2%
		All Other	8,969	39.8%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – DC Residents Ages 65 and Older  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	108	Congestive heart failure; nonhypertensive	1,149	6.3%	6.3%
2	2	Septicemia (except in labor)	852	4.7%	11.1%
3	109	Acute cerebrovascular disease	700	3.9%	14.9%
4	157	Acute and unspecified renal failure	591	3.3%	18.2%
5	122	Pneumonia (except that caused by TB or STI)	579	3.2%	21.4%
6	203	Osteoarthritis	555	3.1%	24.5%
7	159	Urinary tract infections	514	2.8%	27.3%
8	55	Fluid and electrolyte disorders	459	2.5%	29.8%
9	106	Cardiac dysrhythmias	438	2.4%	32.2%
10	254	Rehabilitation care; fitting of prostheses; and ad	438	2.4%	34.7%
11	100	Acute myocardial infarction	413	2.3%	37.0%
12	237	Complication of device; implant or graft	400	2.2%	39.2%
13	127	Chronic obstructive pulmonary disease and bronchie	397	2.2%	41.4%
14	153	Gastrointestinal hemorrhage	384	2.1%	43.5%
15	50	Diabetes mellitus with complications	347	1.9%	45.4%
16	99	Hypertension with complications and secondary hype	331	1.8%	47.2%
17	205	Spondylosis; intervertebral disc disorders; other	275	1.5%	48.7%
18	59	Deficiency and other anemia	275	1.5%	50.3%
19	238	Complications of surgical procedures or medical ca	268	1.5%	51.7%
20	197	Skin and subcutaneous tissue infections	261	1.4%	53.2%
21	145	Intestinal obstruction without hernia	257	1.4%	54.6%
22	146	Diverticulosis and diverticulitis	252	1.4%	56.0%
23	226	Fracture of neck of femur (hip)	249	1.4%	57.4%
24	102	Nonspecific chest pain	219	1.2%	58.6%
25	101	Coronary atherosclerosis and other heart disease	217	1.2%	59.8%
		All Other	7,280	40.2%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – Black DC Residents  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	3,959	7.5%	7.5%
2	657	Mood disorders	2,168	4.1%	11.7%
3	108	Congestive heart failure; nonhypertensive	2,082	4.0%	15.7%
4	659	Schizophrenia and other psychotic disorders	1,980	3.8%	19.4%
5	2	Septicemia (except in labor)	1,403	2.7%	22.1%
6	50	Diabetes mellitus with complications	1,391	2.7%	24.8%
7	122	Pneumonia (except that caused by TB or STI)	1,270	2.4%	27.2%
8	128	Asthma	1,163	2.2%	29.4%
9	237	Complication of device; implant or graft	1,081	2.1%	31.5%
10	55	Fluid and electrolyte disorders	1,043	2.0%	33.4%
11	109	Acute cerebrovascular disease	953	1.8%	35.3%
12	157	Acute and unspecified renal failure	936	1.8%	37.0%
13	99	Hypertension with complications and secondary hype	864	1.6%	38.7%
14	127	Chronic obstructive pulmonary disease and bronchie	830	1.6%	40.3%
15	195	Other complications of birth; puerperium affecting	783	1.5%	41.8%
16	181	Other complications of pregnancy	772	1.5%	43.2%
17	254	Rehabilitation care; fitting of prostheses; and ad	769	1.5%	44.7%
18	197	Skin and subcutaneous tissue infections	748	1.4%	46.1%
19	159	Urinary tract infections	727	1.4%	47.5%
20	83	Epilepsy; convulsions	695	1.3%	48.8%
21	61	Sickle cell anemia	659	1.3%	50.1%
22	238	Complications of surgical procedures or medical ca	638	1.2%	51.3%
23	203	Osteoarthritis	627	1.2%	52.5%
24	106	Cardiac dysrhythmias	615	1.2%	53.7%
25	102	Nonspecific chest pain	600	1.1%	54.8%
		All Other	23,691	45.2%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – White DC Residents  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	1,343	11.8%	11.8%
2	193	OB-related trauma to perineum and vulva	502	4.4%	16.3%
3	195	Other complications of birth; puerperium affecting	488	4.3%	20.6%
4	657	Mood disorders	434	3.8%	24.4%
5	185	Prolonged pregnancy	370	3.3%	27.6%
6	203	Osteoarthritis	340	3.0%	30.6%
7	122	Pneumonia (except that caused by TB or STI)	254	2.2%	32.9%
8	2	Septicemia (except in labor)	235	2.1%	35.0%
9	181	Other complications of pregnancy	192	1.7%	36.6%
10	197	Skin and subcutaneous tissue infections	181	1.6%	38.2%
11	106	Cardiac dysrhythmias	176	1.6%	39.8%
12	108	Congestive heart failure; nonhypertensive	164	1.4%	41.2%
13	191	Polyhydramnios and other problems of amniotic cavi	163	1.4%	42.7%
14	205	Spondylosis; intervertebral disc disorders; other	162	1.4%	44.1%
15	189	Previous C-section	161	1.4%	45.5%
16	659	Schizophrenia and other psychotic disorders	161	1.4%	46.9%
17	159	Urinary tract infections	153	1.3%	48.3%
18	183	Hypertension complicating pregnancy; childbirth an	152	1.3%	49.6%
19	254	Rehabilitation care; fitting of prostheses; and ad	147	1.3%	50.9%
20	660	Alcohol-related disorders	146	1.3%	52.2%
21	238	Complications of surgical procedures or medical ca	145	1.3%	53.5%
22	109	Acute cerebrovascular disease	143	1.3%	54.7%
23	187	Malposition; malpresentation	142	1.3%	56.0%
24	226	Fracture of neck of femur (hip)	142	1.3%	57.3%
25	237	Complication of device; implant or graft	138	1.2%	58.5%
		All Other	4,713	41.5%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges – Hispanic DC Residents  
Utilization by Top Health Conditions, 2013**

Rank	CCS Category	Description	Discharges	% of Total	Cumulative %
1	218	Liveborn	596	8.2%	8.2%
2	659	Schizophrenia and other psychotic disorders	445	6.1%	14.4%
3	657	Mood disorders	329	4.5%	18.9%
4	108	Congestive heart failure; nonhypertensive	303	4.2%	23.1%
5	2	Septicemia (except in labor)	280	3.9%	27.0%
6	50	Diabetes mellitus with complications	201	2.8%	29.7%
7	122	Pneumonia (except that caused by TB or STI)	184	2.5%	32.3%
8	660	Alcohol-related disorders	173	2.4%	34.7%
9	181	Other complications of pregnancy	161	2.2%	36.9%
10	193	OB-related trauma to perineum and vulva	160	2.2%	39.1%
11	128	Asthma	158	2.2%	41.3%
12	195	Other complications of birth; puerperium affecting	151	2.1%	43.4%
13	55	Fluid and electrolyte disorders	127	1.8%	45.1%
14	152	Pancreatic disorders (not diabetes)	123	1.7%	46.8%
15	189	Previous C-section	109	1.5%	48.3%
16	159	Urinary tract infections	105	1.4%	49.8%
17	83	Epilepsy; convulsions	105	1.4%	51.2%
18	197	Skin and subcutaneous tissue infections	103	1.4%	52.6%
19	102	Nonspecific chest pain	101	1.4%	54.0%
20	99	Hypertension with complications and secondary hype	98	1.4%	55.4%
21	185	Prolonged pregnancy	97	1.3%	56.7%
22	127	Chronic obstructive pulmonary disease and bronchie	91	1.3%	58.0%
23	157	Acute and unspecified renal failure	89	1.2%	59.2%
24	661	Substance-related disorders	83	1.1%	60.3%
25	237	Complication of device; implant or graft	80	1.1%	61.4%
		All Other	2,793	38.6%	

Source: DC Hospital Association.

*All Hospitals – DC Residents Only (Outpatient ED Visits)*

<b>Outpatient ED Visits - All DC Residents</b> <b>Utilization by Demographics, 2010-2014</b>										
	ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	228,023	252,204	255,406	248,051	257,113	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	125,273	137,791	139,181	133,199	136,896	55%	55%	54%	54%	53%
Male	102,749	114,413	116,226	114,852	120,218	45%	45%	46%	46%	47%
<b>Age Group</b>										
00-17	51,892	67,463	69,441	67,227	68,853	23%	27%	27%	27%	27%
18-44	91,806	95,985	97,274	93,279	94,355	40%	38%	38%	38%	37%
45-64	61,756	65,361	65,190	63,695	67,028	27%	26%	26%	26%	26%
65+	22,568	23,394	23,501	23,850	26,877	10%	9%	9%	10%	10%
<b>Race</b>										
Asian	1,805	1,664	1,638	1,784	1,670	1%	1%	1%	1%	1%
Black	171,959	189,901	193,347	187,004	193,451	75%	75%	76%	75%	75%
White	27,346	29,892	30,176	29,445	30,271	12%	12%	12%	12%	12%
Other/Unknown	26,913	30,747	30,246	29,817	31,722	12%	12%	12%	12%	12%
<b>Ethnicity</b>									0%	
Hispanic	15,946	14,501	16,805	19,832		7%	6%	7%	8%	
Non-Hispanic	207,074	227,914	232,579	222,727	N/A	91%	90%	91%	90%	N/A
Unknown	5,003	9,789	6,022	5,492		2%	4%	2%	2%	
<b>Insurance</b>										
Commercial	76,751	80,685	78,662	74,554	74,061	34%	32%	31%	30%	29%
Medicaid	102,176	119,459	123,998	121,566	128,322	45%	47%	49%	49%	50%
Medicare	28,380	30,551	31,556	32,081	35,811	12%	12%	12%	13%	14%
Other/Unknown	20,716	21,509	21,190	19,849	18,920	9%	9%	8%	8%	7%
<b>DC Ward</b>										
Ward 1	27,860	29,990	28,719	27,128	27,629	12%	12%	11%	11%	11%
Ward 2	17,567	18,762	18,884	18,504	18,953	8%	7%	7%	7%	7%
Ward 3	12,093	13,233	13,506	13,036	13,526	5%	5%	5%	5%	5%
Ward 4	30,960	33,445	33,851	32,902	33,463	14%	13%	13%	13%	13%
Ward 5	38,008	40,424	40,455	38,671	39,852	17%	16%	16%	16%	15%
Ward 6	30,793	32,089	32,147	30,654	31,513	14%	13%	13%	12%	12%
Ward 7	39,160	44,118	45,233	45,239	48,272	17%	17%	18%	18%	19%
Ward 8	31,582	40,143	42,613	41,916	43,905	14%	16%	17%	17%	17%
<b>Hospital</b>										
Children's National	45,358	60,750	63,654	62,106	64,150	20%	24%	25%	25%	25%
George Washington Univ Hospital	36,931	39,070	38,218	39,561	44,076	16%	15%	15%	16%	17%
Georgetown Univ Hospital	15,830	15,731	15,858	15,600	15,605	7%	6%	6%	6%	6%
Howard University Hospital	36,784	37,787	36,947	35,535	36,081	16%	15%	14%	14%	14%
Providence Hospital	30,411	31,140	30,671	28,607	28,322	13%	12%	12%	12%	11%
Sibley Memorial Hospital	12,643	15,165	16,504	16,600	17,711	6%	6%	6%	7%	7%
Washington Hospital Center	50,065	52,560	53,554	50,042	51,169	22%	21%	21%	20%	20%
Source: DC Hospital Association.										



**Outpatient ED Visits - All DC Residents  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	16,425	6.4%	6.4%
2	239	Superficial injury; contusion	11,974	4.7%	11.0%
3	251	Abdominal pain	10,317	4.0%	15.1%
4	232	Sprains and strains	10,245	4.0%	19.0%
5	244	Other injuries and conditions due to external causes	8,847	3.4%	22.5%
6	102	Nonspecific chest pain	8,062	3.1%	25.6%
7	205	Spondylosis; intervertebral disc disorders; other	7,665	3.0%	28.6%
8	128	Asthma	7,137	2.8%	31.4%
9	211	Other connective tissue disease	6,821	2.7%	34.0%
10	660	Alcohol-related disorders	6,778	2.6%	36.7%
11	204	Other non-traumatic joint disorders	5,647	2.2%	38.9%
12	84	Headache; including migraine	5,614	2.2%	41.0%
13	197	Skin and subcutaneous tissue infections	5,419	2.1%	43.2%
14	133	Other lower respiratory disease	5,324	2.1%	45.2%
15	159	Urinary tract infections	5,019	2.0%	47.2%
16	235	Open wounds of head; neck; and trunk	5,014	2.0%	49.1%
17	7	Viral infection	4,795	1.9%	51.0%
18	236	Open wounds of extremities	4,742	1.8%	52.8%
19	253	Allergic reactions	4,394	1.7%	54.5%
20	155	Other gastrointestinal disorders	3,869	1.5%	56.0%
21	257	Other aftercare	3,863	1.5%	57.6%
22	154	Noninfectious gastroenteritis	3,635	1.4%	59.0%
23	246	Fever of unknown origin	3,538	1.4%	60.3%
24	92	Otitis media and related conditions	3,263	1.3%	61.6%
25	259	Residual codes; unclassified	3,257	1.3%	62.9%
		All Other	95,449	37.1%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents in Ward 1  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	1,486	5.4%	5.4%
2	251	Abdominal pain	1,214	4.4%	9.8%
3	239	Superficial injury; contusion	1,201	4.3%	14.1%
4	660	Alcohol-related disorders	1,193	4.3%	18.4%
5	244	Other injuries and conditions due to external causes	987	3.6%	22.0%
6	232	Sprains and strains	986	3.6%	25.6%
7	102	Nonspecific chest pain	922	3.3%	28.9%
8	205	Spondylosis; intervertebral disc disorders; other	832	3.0%	31.9%
9	211	Other connective tissue disease	713	2.6%	34.5%
10	84	Headache; including migraine	648	2.3%	36.8%
11	204	Other non-traumatic joint disorders	599	2.2%	39.0%
12	128	Asthma	594	2.1%	41.2%
13	236	Open wounds of extremities	583	2.1%	43.3%
14	235	Open wounds of head; neck; and trunk	562	2.0%	45.3%
15	133	Other lower respiratory disease	545	2.0%	47.3%
16	159	Urinary tract infections	545	2.0%	49.2%
17	197	Skin and subcutaneous tissue infections	534	1.9%	51.2%
18	7	Viral infection	506	1.8%	53.0%
19	257	Other aftercare	451	1.6%	54.6%
20	253	Allergic reactions	399	1.4%	56.1%
21	259	Residual codes; unclassified	398	1.4%	57.5%
22	154	Noninfectious gastroenteritis	382	1.4%	58.9%
23	246	Fever of unknown origin	378	1.4%	60.3%
24	155	Other gastrointestinal disorders	370	1.3%	61.6%
25	136	Disorders of teeth and jaw	343	1.2%	62.9%
		All Other	10,263	37.1%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents in Ward 2  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	660	Alcohol-related disorders	992	5.2%	5.2%
2	239	Superficial injury; contusion	888	4.7%	9.9%
3	251	Abdominal pain	783	4.1%	14.0%
4	126	Other upper respiratory infections	761	4.0%	18.1%
5	232	Sprains and strains	708	3.7%	21.8%
6	244	Other injuries and conditions due to external causes	673	3.6%	25.3%
7	102	Nonspecific chest pain	643	3.4%	28.7%
8	205	Spondylosis; intervertebral disc disorders; other	578	3.1%	31.8%
9	211	Other connective tissue disease	533	2.8%	34.6%
10	236	Open wounds of extremities	486	2.6%	37.2%
11	84	Headache; including migraine	467	2.5%	39.6%
12	204	Other non-traumatic joint disorders	440	2.3%	41.9%
13	235	Open wounds of head; neck; and trunk	424	2.2%	44.2%
14	197	Skin and subcutaneous tissue infections	417	2.2%	46.4%
15	159	Urinary tract infections	370	2.0%	48.3%
16	133	Other lower respiratory disease	366	1.9%	50.3%
17	257	Other aftercare	306	1.6%	51.9%
18	253	Allergic reactions	306	1.6%	53.5%
19	128	Asthma	298	1.6%	55.1%
20	7	Viral infection	284	1.5%	56.6%
21	229	Fracture of upper limb	282	1.5%	58.0%
22	259	Residual codes; unclassified	263	1.4%	59.4%
23	155	Other gastrointestinal disorders	237	1.3%	60.7%
24	93	Conditions associated with dizziness or vertigo	224	1.2%	61.9%
25	250	Nausea and vomiting	224	1.2%	63.0%
		All Other	7,004	37.0%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents in Ward 3  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	239	Superficial injury; contusion	689	5.1%	5.1%
2	660	Alcohol-related disorders	684	5.1%	10.1%
3	244	Other injuries and conditions due to external causes	675	5.0%	15.1%
4	236	Open wounds of extremities	557	4.1%	19.3%
5	251	Abdominal pain	507	3.8%	23.0%
6	232	Sprains and strains	505	3.7%	26.7%
7	235	Open wounds of head; neck; and trunk	478	3.5%	30.3%
8	126	Other upper respiratory infections	363	2.7%	33.0%
9	229	Fracture of upper limb	341	2.5%	35.5%
10	102	Nonspecific chest pain	338	2.5%	38.0%
11	205	Spondylosis; intervertebral disc disorders; other	329	2.4%	40.4%
12	211	Other connective tissue disease	326	2.4%	42.8%
13	197	Skin and subcutaneous tissue infections	314	2.3%	45.1%
14	133	Other lower respiratory disease	292	2.2%	47.3%
15	84	Headache; including migraine	278	2.1%	49.3%
16	159	Urinary tract infections	276	2.0%	51.4%
17	204	Other non-traumatic joint disorders	268	2.0%	53.4%
18	257	Other aftercare	231	1.7%	55.1%
19	253	Allergic reactions	219	1.6%	56.7%
20	250	Nausea and vomiting	199	1.5%	58.2%
21	245	Syncope	192	1.4%	59.6%
22	93	Conditions associated with dizziness or vertigo	190	1.4%	61.0%
23	230	Fracture of lower limb	178	1.3%	62.3%
24	155	Other gastrointestinal disorders	173	1.3%	63.6%
25	7	Viral infection	165	1.2%	64.8%
		All Other	4,762	35.2%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents in Ward 4  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	2,131	6.4%	6.4%
2	239	Superficial injury; contusion	1,527	4.6%	10.9%
3	251	Abdominal pain	1,464	4.4%	15.3%
4	232	Sprains and strains	1,302	3.9%	19.2%
5	244	Other injuries and conditions due to external causes	1,184	3.5%	22.7%
6	205	Spondylosis; intervertebral disc disorders; other	1,021	3.1%	25.8%
7	102	Nonspecific chest pain	964	2.9%	28.7%
8	211	Other connective tissue disease	861	2.6%	31.2%
9	128	Asthma	798	2.4%	33.6%
10	84	Headache; including migraine	776	2.3%	35.9%
11	204	Other non-traumatic joint disorders	775	2.3%	38.3%
12	159	Urinary tract infections	762	2.3%	40.5%
13	197	Skin and subcutaneous tissue infections	654	2.0%	42.5%
14	133	Other lower respiratory disease	652	1.9%	44.4%
15	236	Open wounds of extremities	616	1.8%	46.3%
16	7	Viral infection	602	1.8%	48.1%
17	235	Open wounds of head; neck; and trunk	594	1.8%	49.8%
18	154	Noninfectious gastroenteritis	566	1.7%	51.5%
19	660	Alcohol-related disorders	559	1.7%	53.2%
20	246	Fever of unknown origin	545	1.6%	54.8%
21	155	Other gastrointestinal disorders	526	1.6%	56.4%
22	257	Other aftercare	508	1.5%	57.9%
23	253	Allergic reactions	504	1.5%	59.4%
24	92	Otitis media and related conditions	478	1.4%	60.9%
25	136	Disorders of teeth and jaw	404	1.2%	62.1%
		All Other	12,693	37.9%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents in Ward 5  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	2,392	6.0%	6.0%
2	239	Superficial injury; contusion	1,803	4.5%	10.5%
3	232	Sprains and strains	1,622	4.1%	14.6%
4	251	Abdominal pain	1,560	3.9%	18.5%
5	102	Nonspecific chest pain	1,328	3.3%	21.8%
6	244	Other injuries and conditions due to external causes	1,318	3.3%	25.2%
7	205	Spondylosis; intervertebral disc disorders; other	1,232	3.1%	28.2%
8	211	Other connective tissue disease	1,156	2.9%	31.1%
9	660	Alcohol-related disorders	1,120	2.8%	34.0%
10	204	Other non-traumatic joint disorders	1,027	2.6%	36.5%
11	128	Asthma	1,018	2.6%	39.1%
12	84	Headache; including migraine	864	2.2%	41.3%
13	159	Urinary tract infections	821	2.1%	43.3%
14	133	Other lower respiratory disease	814	2.0%	45.4%
15	197	Skin and subcutaneous tissue infections	812	2.0%	47.4%
16	253	Allergic reactions	673	1.7%	49.1%
17	7	Viral infection	668	1.7%	50.8%
18	235	Open wounds of head; neck; and trunk	662	1.7%	52.4%
19	236	Open wounds of extremities	648	1.6%	54.0%
20	155	Other gastrointestinal disorders	583	1.5%	55.5%
21	257	Other aftercare	543	1.4%	56.9%
22	136	Disorders of teeth and jaw	531	1.3%	58.2%
23	259	Residual codes; unclassified	519	1.3%	59.5%
24	154	Noninfectious gastroenteritis	518	1.3%	60.8%
25	83	Epilepsy; convulsions	499	1.3%	62.1%
		All Other	15,122	37.9%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents in Ward 6  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	1,667	5.3%	5.3%
2	239	Superficial injury; contusion	1,403	4.5%	9.7%
3	251	Abdominal pain	1,278	4.1%	13.8%
4	232	Sprains and strains	1,255	4.0%	17.8%
5	244	Other injuries and conditions due to external causes	1,081	3.4%	21.2%
6	660	Alcohol-related disorders	1,070	3.4%	24.6%
7	102	Nonspecific chest pain	1,011	3.2%	27.8%
8	205	Spondylosis; intervertebral disc disorders; other	998	3.2%	31.0%
9	211	Other connective tissue disease	950	3.0%	34.0%
10	204	Other non-traumatic joint disorders	803	2.5%	36.5%
11	128	Asthma	797	2.5%	39.1%
12	84	Headache; including migraine	707	2.2%	41.3%
13	133	Other lower respiratory disease	657	2.1%	43.4%
14	197	Skin and subcutaneous tissue infections	655	2.1%	45.5%
15	159	Urinary tract infections	587	1.9%	47.3%
16	235	Open wounds of head; neck; and trunk	582	1.8%	49.2%
17	236	Open wounds of extremities	560	1.8%	51.0%
18	257	Other aftercare	508	1.6%	52.6%
19	155	Other gastrointestinal disorders	504	1.6%	54.2%
20	253	Allergic reactions	478	1.5%	55.7%
21	7	Viral infection	470	1.5%	57.2%
22	83	Epilepsy; convulsions	454	1.4%	58.6%
23	259	Residual codes; unclassified	444	1.4%	60.0%
24	154	Noninfectious gastroenteritis	389	1.2%	61.3%
25	136	Disorders of teeth and jaw	388	1.2%	62.5%
		All Other	11,817	37.5%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents in Ward 7  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	3,567	7.4%	7.4%
2	239	Superficial injury; contusion	2,226	4.6%	12.0%
3	232	Sprains and strains	2,113	4.4%	16.4%
4	251	Abdominal pain	1,909	4.0%	20.3%
5	128	Asthma	1,724	3.6%	23.9%
6	102	Nonspecific chest pain	1,572	3.3%	27.2%
7	244	Other injuries and conditions due to external causes	1,520	3.1%	30.3%
8	205	Spondylosis; intervertebral disc disorders; other	1,493	3.1%	33.4%
9	211	Other connective tissue disease	1,248	2.6%	36.0%
10	197	Skin and subcutaneous tissue infections	1,087	2.3%	38.2%
11	133	Other lower respiratory disease	1,086	2.3%	40.5%
12	7	Viral infection	997	2.1%	42.6%
13	84	Headache; including migraine	991	2.1%	44.6%
14	204	Other non-traumatic joint disorders	965	2.0%	46.6%
15	159	Urinary tract infections	899	1.9%	48.5%
16	253	Allergic reactions	824	1.7%	50.2%
17	235	Open wounds of head; neck; and trunk	800	1.7%	51.8%
18	155	Other gastrointestinal disorders	749	1.6%	53.4%
19	154	Noninfectious gastroenteritis	708	1.5%	54.9%
20	246	Fever of unknown origin	695	1.4%	56.3%
21	236	Open wounds of extremities	680	1.4%	57.7%
22	90	Inflammation; infection of eye	676	1.4%	59.1%
23	257	Other aftercare	672	1.4%	60.5%
24	92	Otitis media and related conditions	657	1.4%	61.9%
25	125	Acute bronchitis	628	1.3%	63.2%
		All Other	17,786	36.8%	

Source: DC Hospital Association.



**Outpatient ED Visits - DC Residents in Ward 8  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	3,938	9.0%	9.0%
2	239	Superficial injury; contusion	2,161	4.9%	13.9%
3	128	Asthma	1,773	4.0%	17.9%
4	232	Sprains and strains	1,671	3.8%	21.7%
5	251	Abdominal pain	1,523	3.5%	25.2%
6	244	Other injuries and conditions due to external causes	1,351	3.1%	28.3%
7	102	Nonspecific chest pain	1,237	2.8%	31.1%
8	205	Spondylosis; intervertebral disc disorders; other	1,140	2.6%	33.7%
9	7	Viral infection	1,064	2.4%	36.1%
10	211	Other connective tissue disease	995	2.3%	38.4%
11	253	Allergic reactions	951	2.2%	40.5%
12	197	Skin and subcutaneous tissue infections	917	2.1%	42.6%
13	133	Other lower respiratory disease	890	2.0%	44.7%
14	235	Open wounds of head; neck; and trunk	878	2.0%	46.7%
15	92	Otitis media and related conditions	856	2.0%	48.6%
16	84	Headache; including migraine	839	1.9%	50.5%
17	90	Inflammation; infection of eye	823	1.9%	52.4%
18	246	Fever of unknown origin	800	1.8%	54.2%
19	154	Noninfectious gastroenteritis	756	1.7%	55.9%
20	204	Other non-traumatic joint disorders	742	1.7%	57.6%
21	155	Other gastrointestinal disorders	711	1.6%	59.3%
22	159	Urinary tract infections	708	1.6%	60.9%
23	257	Other aftercare	623	1.4%	62.3%
24	236	Open wounds of extremities	586	1.3%	63.6%
25	125	Acute bronchitis	580	1.3%	64.9%
		All Other	15,394	35.1%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents Ages 0-17  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	10,223	14.8%	14.8%
2	239	Superficial injury; contusion	3,922	5.7%	20.5%
3	128	Asthma	3,872	5.6%	26.2%
4	246	Fever of unknown origin	3,014	4.4%	30.5%
5	244	Other injuries and conditions due to external causes	2,962	4.3%	34.8%
6	92	Otitis media and related conditions	2,794	4.1%	38.9%
7	7	Viral infection	2,540	3.7%	42.6%
8	235	Open wounds of head; neck; and trunk	2,348	3.4%	46.0%
9	154	Noninfectious gastroenteritis	2,256	3.3%	49.3%
10	253	Allergic reactions	2,221	3.2%	52.5%
11	232	Sprains and strains	1,946	2.8%	55.3%
12	90	Inflammation; infection of eye	1,798	2.6%	57.9%
13	155	Other gastrointestinal disorders	1,687	2.5%	60.4%
14	125	Acute bronchitis	1,347	2.0%	62.4%
15	197	Skin and subcutaneous tissue infections	1,247	1.8%	64.2%
16	133	Other lower respiratory disease	1,191	1.7%	65.9%
17	229	Fracture of upper limb	1,172	1.7%	67.6%
18	236	Open wounds of extremities	1,041	1.5%	69.1%
19	251	Abdominal pain	1,031	1.5%	70.6%
20	134	Other upper respiratory disease	1,019	1.5%	72.1%
21	250	Nausea and vomiting	900	1.3%	73.4%
22	4	Mycoses	900	1.3%	74.7%
23	255	Administrative/social admission	809	1.2%	75.9%
24	257	Other aftercare	803	1.2%	77.0%
25	200	Other skin disorders	755	1.1%	78.1%
		All Other	15,055	21.9%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents Ages 18-44  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED	% of Total	Cumulative %
			Visits		
1	251	Abdominal pain	5,209	5.5%	5.5%
2	232	Sprains and strains	4,757	5.0%	10.6%
3	239	Superficial injury; contusion	4,338	4.6%	15.2%
4	126	Other upper respiratory infections	3,873	4.1%	19.3%
5	102	Nonspecific chest pain	3,139	3.3%	22.6%
6	244	Other injuries and conditions due to external causes	2,951	3.1%	25.7%
7	84	Headache; including migraine	2,862	3.0%	28.8%
8	205	Spondylosis; intervertebral disc disorders; other	2,826	3.0%	31.7%
9	159	Urinary tract infections	2,633	2.8%	34.5%
10	181	Other complications of pregnancy	2,633	2.8%	37.3%
11	236	Open wounds of extremities	2,506	2.7%	40.0%
12	211	Other connective tissue disease	2,503	2.7%	42.6%
13	660	Alcohol-related disorders	2,362	2.5%	45.1%
14	197	Skin and subcutaneous tissue infections	2,337	2.5%	47.6%
15	257	Other aftercare	1,826	1.9%	49.6%
16	136	Disorders of teeth and jaw	1,725	1.8%	51.4%
17	128	Asthma	1,712	1.8%	53.2%
18	133	Other lower respiratory disease	1,707	1.8%	55.0%
19	235	Open wounds of head; neck; and trunk	1,605	1.7%	56.7%
20	204	Other non-traumatic joint disorders	1,571	1.7%	58.4%
21	7	Viral infection	1,469	1.6%	59.9%
22	182	Hemorrhage during pregnancy; abruptio placenta; pl	1,314	1.4%	61.3%
23	253	Allergic reactions	1,285	1.4%	62.7%
24	661	Substance-related disorders	1,225	1.3%	64.0%
25	168	Inflammatory diseases of female pelvic organs	1,207	1.3%	65.3%
		All Other	32,780	34.7%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents Ages 45-64**  
**Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED	% of Total	Cumulative %
			Visits		
1	660	Alcohol-related disorders	3,939	5.9%	5.9%
2	205	Spondylosis; intervertebral disc disorders; other	3,471	5.2%	11.1%
3	102	Nonspecific chest pain	3,470	5.2%	16.2%
4	251	Abdominal pain	3,029	4.5%	20.8%
5	232	Sprains and strains	2,895	4.3%	25.1%
6	211	Other connective tissue disease	2,832	4.2%	29.3%
7	204	Other non-traumatic joint disorders	2,703	4.0%	33.3%
8	239	Superficial injury; contusion	2,633	3.9%	37.3%
9	126	Other upper respiratory infections	1,876	2.8%	40.1%
10	244	Other injuries and conditions due to external causes	1,853	2.8%	42.8%
11	133	Other lower respiratory disease	1,603	2.4%	45.2%
12	84	Headache; including migraine	1,591	2.4%	47.6%
13	197	Skin and subcutaneous tissue infections	1,412	2.1%	49.7%
14	128	Asthma	1,287	1.9%	51.6%
15	95	Other nervous system disorders	1,241	1.9%	53.5%
16	259	Residual codes; unclassified	1,204	1.8%	55.3%
17	159	Urinary tract infections	1,106	1.7%	56.9%
18	127	Chronic obstructive pulmonary disease and bronchie	1,101	1.6%	58.6%
19	93	Conditions associated with dizziness or vertigo	977	1.5%	60.0%
20	257	Other aftercare	906	1.4%	61.4%
21	98	Essential hypertension	902	1.3%	62.7%
22	83	Epilepsy; convulsions	854	1.3%	64.0%
23	236	Open wounds of extremities	834	1.2%	65.2%
24	136	Disorders of teeth and jaw	710	1.1%	66.3%
25	253	Allergic reactions	684	1.0%	67.3%
		All Other	21,915	32.7%	

Source: DC Hospital Association.

**Outpatient ED Visits - DC Residents Ages 65 and Older**  
**Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED	% of Total	Cumulative %
			Visits		
1	102	Nonspecific chest pain	1,181	4.4%	4.4%
2	205	Spondylosis; intervertebral disc disorders; other	1,081	4.0%	8.4%
3	239	Superficial injury; contusion	1,081	4.0%	12.4%
4	244	Other injuries and conditions due to external causes	1,081	4.0%	16.5%
5	251	Abdominal pain	1,048	3.9%	20.4%
6	204	Other non-traumatic joint disorders	1,043	3.9%	24.2%
7	211	Other connective tissue disease	970	3.6%	27.8%
8	133	Other lower respiratory disease	823	3.1%	30.9%
9	159	Urinary tract infections	768	2.9%	33.8%
10	93	Conditions associated with dizziness or vertigo	754	2.8%	36.6%
11	155	Other gastrointestinal disorders	726	2.7%	39.3%
12	232	Sprains and strains	647	2.4%	41.7%
13	259	Residual codes; unclassified	643	2.4%	44.1%
14	98	Essential hypertension	590	2.2%	46.3%
15	245	Syncope	573	2.1%	48.4%
16	163	Genitourinary symptoms and ill-defined conditions	520	1.9%	50.3%
17	84	Headache; including migraine	498	1.9%	52.2%
18	126	Other upper respiratory infections	453	1.7%	53.9%
19	235	Open wounds of head; neck; and trunk	429	1.6%	55.5%
20	197	Skin and subcutaneous tissue infections	423	1.6%	57.0%
21	127	Chronic obstructive pulmonary disease and bronchie	416	1.5%	58.6%
22	95	Other nervous system disorders	411	1.5%	60.1%
23	660	Alcohol-related disorders	410	1.5%	61.6%
24	55	Fluid and electrolyte disorders	395	1.5%	63.1%
25	252	Malaise and fatigue	387	1.4%	64.6%
		All Other	9,526	35.4%	

Source: DC Hospital Association.

**Outpatient ED Visits - Black DC Residents  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	13,333	6.9%	6.9%
2	239	Superficial injury; contusion	8,936	4.6%	11.5%
3	232	Sprains and strains	7,936	4.1%	15.6%
4	251	Abdominal pain	7,464	3.9%	19.5%
5	128	Asthma	6,331	3.3%	22.7%
6	102	Nonspecific chest pain	6,270	3.2%	26.0%
7	244	Other injuries and conditions due to external causes	6,161	3.2%	29.2%
8	205	Spondylosis; intervertebral disc disorders; other	6,064	3.1%	32.3%
9	211	Other connective tissue disease	5,450	2.8%	35.1%
10	204	Other non-traumatic joint disorders	4,671	2.4%	37.5%
11	133	Other lower respiratory disease	4,177	2.2%	39.7%
12	197	Skin and subcutaneous tissue infections	4,131	2.1%	41.8%
13	84	Headache; including migraine	4,036	2.1%	43.9%
14	660	Alcohol-related disorders	3,907	2.0%	45.9%
15	7	Viral infection	3,707	1.9%	47.9%
16	159	Urinary tract infections	3,639	1.9%	49.7%
17	253	Allergic reactions	3,312	1.7%	51.4%
18	235	Open wounds of head; neck; and trunk	3,124	1.6%	53.1%
19	155	Other gastrointestinal disorders	2,958	1.5%	54.6%
20	257	Other aftercare	2,695	1.4%	56.0%
21	236	Open wounds of extremities	2,663	1.4%	57.4%
22	154	Noninfectious gastroenteritis	2,654	1.4%	58.7%
23	90	Inflammation; infection of eye	2,625	1.4%	60.1%
24	259	Residual codes; unclassified	2,590	1.3%	61.4%
25	136	Disorders of teeth and jaw	2,540	1.3%	62.7%
		All Other	72,077	37.3%	

Source: DC Hospital Association.

**Outpatient ED Visits - White DC Residents  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	239	Superficial injury; contusion	1,584	5.2%	5.2%
2	244	Other injuries and conditions due to external causes	1,492	4.9%	10.2%
3	236	Open wounds of extremities	1,290	4.3%	14.4%
4	251	Abdominal pain	1,275	4.2%	18.6%
5	660	Alcohol-related disorders	1,158	3.8%	22.5%
6	232	Sprains and strains	1,154	3.8%	26.3%
7	235	Open wounds of head; neck; and trunk	1,131	3.7%	30.0%
8	102	Nonspecific chest pain	925	3.1%	33.1%
9	126	Other upper respiratory infections	842	2.8%	35.8%
10	229	Fracture of upper limb	789	2.6%	38.5%
11	84	Headache; including migraine	761	2.5%	41.0%
12	205	Spondylosis; intervertebral disc disorders; other	739	2.4%	43.4%
13	197	Skin and subcutaneous tissue infections	737	2.4%	45.8%
14	211	Other connective tissue disease	714	2.4%	48.2%
15	257	Other aftercare	598	2.0%	50.2%
16	159	Urinary tract infections	597	2.0%	52.1%
17	133	Other lower respiratory disease	584	1.9%	54.1%
18	204	Other non-traumatic joint disorders	501	1.7%	55.7%
19	253	Allergic reactions	484	1.6%	57.3%
20	245	Syncope	474	1.6%	58.9%
21	93	Conditions associated with dizziness or vertigo	415	1.4%	60.3%
22	250	Nausea and vomiting	414	1.4%	61.6%
23	155	Other gastrointestinal disorders	397	1.3%	62.9%
24	230	Fracture of lower limb	392	1.3%	64.2%
25	95	Other nervous system disorders	350	1.2%	65.4%
		All Other	10,474	34.6%	

Source: DC Hospital Association.

**Outpatient ED Visits - Hispanic DC Residents  
Utilization by Top Health Conditions, 2013**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	1,443	7.3%	7.3%
2	251	Abdominal pain	921	4.6%	11.9%
3	232	Sprains and strains	833	4.2%	16.1%
4	660	Alcohol-related disorders	794	4.0%	20.1%
5	239	Superficial injury; contusion	779	3.9%	24.1%
6	244	Other injuries and conditions due to external causes	628	3.2%	27.2%
7	205	Spondylosis; intervertebral disc disorders; other	566	2.9%	30.1%
8	92	Otitis media and related conditions	536	2.7%	32.8%
9	154	Noninfectious gastroenteritis	534	2.7%	35.5%
10	102	Nonspecific chest pain	466	2.3%	37.8%
11	128	Asthma	442	2.2%	40.0%
12	211	Other connective tissue disease	436	2.2%	42.2%
13	84	Headache; including migraine	428	2.2%	44.4%
14	246	Fever of unknown origin	409	2.1%	46.5%
15	133	Other lower respiratory disease	401	2.0%	48.5%
16	204	Other non-traumatic joint disorders	395	2.0%	50.5%
17	235	Open wounds of head; neck; and trunk	386	1.9%	52.4%
18	155	Other gastrointestinal disorders	382	1.9%	54.4%
19	7	Viral infection	369	1.9%	56.2%
20	159	Urinary tract infections	365	1.8%	58.1%
21	197	Skin and subcutaneous tissue infections	354	1.8%	59.8%
22	236	Open wounds of extremities	346	1.7%	61.6%
23	253	Allergic reactions	336	1.7%	63.3%
24	257	Other aftercare	303	1.5%	64.8%
25	125	Acute bronchitis	286	1.4%	66.2%
		All Other	6,694	33.8%	

Source: DC Hospital Association.



Children's National Health System

<b>Inpatient Hospital Discharges - Children's National Health System</b> <b>Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	13,925	14,659	14,457	14,941	14,680	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	6,586	6,755	6,590	6,780	6,972	47%	46%	46%	45%	47%
Male	7,339	7,904	7,867	8,161	7,708	53%	54%	54%	55%	53%
<b>Age Group</b>										
00-17	13,216	13,820	13,752	14,226	13,925	95%	94%	95%	95%	95%
18-44	701	831	691	705	745	5%	6%	5%	5%	5%
45-64	8	8	13	10	9	0%	0%	0%	0%	0%
65+	0	0	1	0	1	0%	0%	0%	0%	0%
<b>State of Residence</b>										
DC	3,768	4,017	3,891	3,667	3,754	27%	27%	27%	25%	26%
MD	8,037	8,320	8,083	8,390	8,134	58%	57%	56%	56%	55%
VA	1,683	1,968	2,069	2,408	2,322	12%	13%	14%	16%	16%
OT	437	354	414	476	470	3%	2%	3%	3%	3%
<b>Race</b>										
Asian	263	333	338	378	269	2%	2%	2%	3%	2%
Black	7,152	7,530	7,141	7,331	6,986	51%	51%	49%	49%	48%
White	2,960	3,290	3,541	3,832	3,835	21%	22%	24%	26%	26%
Other/Unknown	3,550	3,506	3,437	3,400	3,590	25%	24%	24%	23%	24%
<b>Ethnicity</b>										
Hispanic	2,175	2,350	2,459	1,928		16%	16%	17%	13%	
Non-Hispanic	11,056	11,921	11,768	12,898	N/A	79%	81%	81%	86%	N/A
Unknown	694	388	230	115		5%	3%	2%	1%	
<b>Insurance</b>										
Commercial	6,096	6,341	6,160	6,591	6,465	44%	43%	43%	44%	44%
Medicaid	7,602	7,992	8,025	8,047	7,944	55%	55%	56%	54%	54%
Medicare	67	72	64	67	46	0%	0%	0%	0%	0%
Other/Unknown	160	254	208	236	225	1%	2%	1%	2%	2%
<b>DC Ward*</b>										
Ward 1	432	389	410	339	346	11%	10%	11%	9%	9%
Ward 2	155	158	168	141	151	4%	4%	4%	4%	4%
Ward 3	118	138	177	169	161	3%	3%	5%	5%	4%
Ward 4	577	587	523	574	506	15%	15%	13%	16%	13%
Ward 5	493	523	504	424	493	13%	13%	13%	12%	13%
Ward 6	417	405	372	347	380	11%	10%	10%	9%	10%
Ward 7	777	861	809	800	843	21%	21%	21%	22%	22%
Ward 8	792	949	924	869	871	21%	24%	24%	24%	23%
*Ward percentages based on DC counts. Source: DC Hospital Association.										

**Inpatient Hospital Discharges - Children's National Health System  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	657	Mood disorders	779	5.3%	5.3%
2	128	Asthma	732	5.0%	10.3%
3	83	Epilepsy; convulsions	722	4.9%	15.2%
4	122	Pneumonia (except that caused by TB or STI)	657	4.5%	19.7%
5	61	Sickle cell anemia	629	4.3%	24.0%
6	125	Acute bronchitis	519	3.5%	27.5%
7	224	Other perinatal conditions	420	2.9%	30.4%
8	45	Maintenance chemotherapy; radiotherapy	415	2.8%	33.2%
9	217	Other congenital anomalies	387	2.6%	35.8%
10	213	Cardiac and circulatory congenital anomalies	343	2.3%	38.2%
11	237	Complication of device; implant or graft	315	2.1%	40.3%
12	131	Respiratory failure; insufficiency; arrest (adult)	280	1.9%	42.2%
13	58	Other nutritional; endocrine; and metabolic disord	266	1.8%	44.0%
14	55	Fluid and electrolyte disorders	252	1.7%	45.7%
15	126	Other upper respiratory infections	251	1.7%	47.5%
16	155	Other gastrointestinal disorders	243	1.7%	49.1%
17	197	Skin and subcutaneous tissue infections	242	1.6%	50.8%
18	2	Septicemia (except in labor)	210	1.4%	52.2%
19	238	Complications of surgical procedures or medical ca	210	1.4%	53.6%
20	142	Appendicitis and other appendiceal conditions	209	1.4%	55.0%
21	159	Urinary tract infections	192	1.3%	56.4%
22	95	Other nervous system disorders	190	1.3%	57.6%
23	50	Diabetes mellitus with complications	176	1.2%	58.8%
24	135	Intestinal infection	167	1.1%	60.0%
25	63	Diseases of white blood cells	167	1.1%	61.1%
		All Other	5,707	38.9%	

Source: DC Hospital Association.

**Outpatient ED Visits - Children's National Health System  
Utilization by Demographics, 2010-2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	75,669	98,193	106,072	105,426	109,968	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	35,693	46,722	50,309	50,074	52,275	47%	48%	47%	47%	48%
Male	39,976	51,471	55,763	55,352	57,693	53%	52%	53%	53%	52%
<b>Age Group</b>										
00-17	72,903	95,486	102,950	102,318	106,927	96%	97%	97%	97%	97%
18-44	2,652	2,602	3,012	2,998	2,937	4%	3%	3%	3%	3%
45-64	84	78	90	89	87	0%	0%	0%	0%	0%
65+	30	27	20	21	17	0%	0%	0%	0%	0%
<b>State of Residence</b>										
DC	45,474	60,889	63,735	62,187	64,218	60%	62%	60%	59%	58%
MD	27,340	34,423	38,679	39,401	41,533	36%	35%	36%	37%	38%
VA	1,493	1,705	1,989	2,090	2,153	2%	2%	2%	2%	2%
OT	1,362	1,176	1,669	1,748	2,064	2%	1%	2%	2%	2%
<b>Race</b>										
Asian	485	571	718	820	740	1%	1%	1%	1%	1%
Black	51,538	71,629	78,932	77,817	79,004	68%	73%	74%	74%	72%
White	3,173	4,025	5,514	5,836	6,031	4%	4%	5%	6%	5%
Other/Unknown	20,473	21,968	20,908	20,953	24,193	27%	22%	20%	20%	22%
<b>Ethnicity</b>										
Hispanic	12,495	14,929	17,491	15,487		17%	15%	16%	15%	
Non-Hispanic	56,506	78,243	87,431	88,976	N/A	75%	80%	82%	84%	N/A
Unknown	6,668	5,021	1,150	963		9%	5%	1%	1%	
<b>Insurance</b>										
Commercial	17,150	19,266	21,047	20,564	19,900	23%	20%	20%	20%	18%
Medicaid	56,056	75,210	81,266	81,034	85,964	74%	77%	77%	77%	78%
Medicare	19	33	40	25	23	0%	0%	0%	0%	0%
Other/Unknown	2,444	3,684	3,719	3,803	4,081	3%	4%	4%	4%	4%
<b>DC Ward*</b>										
Ward 1	5,105	5,702	5,392	5,089	5,150	11%	9%	8%	8%	8%
Ward 2	1,710	1,984	1,933	1,861	1,806	4%	3%	3%	3%	3%
Ward 3	494	475	539	541	613	1%	1%	1%	1%	1%
Ward 4	6,873	7,842	8,150	7,810	8,047	15%	13%	13%	13%	13%
Ward 5	6,700	7,843	7,866	7,561	7,843	15%	13%	12%	12%	12%
Ward 6	5,076	5,784	6,026	5,738	5,771	11%	9%	9%	9%	9%
Ward 7	9,802	13,423	14,107	14,362	15,034	22%	22%	22%	23%	23%
Ward 8	9,599	17,699	19,641	19,144	19,886	21%	29%	31%	31%	31%

\*Ward percentages based on DC counts.

Source: DC Hospital Association.

**Outpatient ED Visits - Children's National Health System**  
**Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	126	Other upper respiratory infections	16,108	14.6%	14.6%
2	128	Asthma	6,028	5.5%	20.1%
3	239	Superficial injury; contusion	5,378	4.9%	25.0%
4	246	Fever of unknown origin	5,156	4.7%	29.7%
5	92	Otitis media and related conditions	4,337	3.9%	33.7%
6	7	Viral infection	4,169	3.8%	37.4%
7	244	Other injuries and conditions due to external causes	4,104	3.7%	41.2%
8	154	Noninfectious gastroenteritis	4,077	3.7%	44.9%
9	253	Allergic reactions	3,237	2.9%	47.8%
10	155	Other gastrointestinal disorders	3,099	2.8%	50.6%
11	235	Open wounds of head; neck; and trunk	3,051	2.8%	53.4%
12	232	Sprains and strains	2,501	2.3%	55.7%
13	90	Inflammation; infection of eye	2,419	2.2%	57.9%
14	125	Acute bronchitis	2,233	2.0%	59.9%
15	229	Fracture of upper limb	2,120	1.9%	61.9%
16	251	Abdominal pain	1,897	1.7%	63.6%
17	197	Skin and subcutaneous tissue infections	1,892	1.7%	65.3%
18	133	Other lower respiratory disease	1,826	1.7%	67.0%
19	134	Other upper respiratory disease	1,551	1.4%	68.4%
20	83	Epilepsy; convulsions	1,447	1.3%	69.7%
21	250	Nausea and vomiting	1,414	1.3%	71.0%
22	255	Administrative/social admission	1,319	1.2%	72.2%
23	236	Open wounds of extremities	1,278	1.2%	73.3%
24	84	Headache; including migraine	1,233	1.1%	74.5%
25	4	Mycoses	1,188	1.1%	75.5%
		All Other	26,906	24.5%	

Source: DC Hospital Association.

**Inpatient Hospital Discharges - George Washington University Hospital  
Utilization by Demographics, 2010-2014**

	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	18,000	19,427	20,045	20,654	21,454	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	9,691	10,510	11,161	11,723	12,319	54%	54%	56%	57%	57%
Male	8,309	8,917	8,884	8,931	9,135	46%	46%	44%	43%	43%
<b>Age Group</b>										
00-17	1,549	1,989	2,397	2,652	3,112	9%	10%	12%	13%	15%
18-44	5,832	6,419	6,792	7,193	7,413	32%	33%	34%	35%	35%
45-64	6,403	6,627	6,530	6,552	6,489	36%	34%	33%	32%	30%
65+	4,216	4,392	4,326	4,257	4,440	23%	23%	22%	21%	21%
<b>State of Residence</b>										
DC	10,995	12,387	12,804	13,257	13,604	61%	64%	64%	64%	63%
MD	4,218	4,079	3,998	4,042	4,457	23%	21%	20%	20%	21%
VA	1,983	2,190	2,459	2,597	2,581	11%	11%	12%	13%	12%
OT	804	771	784	758	812	4%	4%	4%	4%	4%
<b>Race</b>										
Asian	360	378	424	425	471	2%	2%	2%	2%	2%
Black	9,706	10,237	10,216	10,597	10,846	54%	53%	51%	51%	51%
White	5,848	6,326	6,755	6,847	7,041	32%	33%	34%	33%	33%
Other/Unknown	2,086	2,486	2,650	2,785	3,096	12%	13%	13%	13%	14%
<b>Ethnicity</b>										
Hispanic	631	807	215	35		4%	4%	1%	0%	
Non-Hispanic	17,124	18,190	19,188	20,033	N/A	95%	94%	96%	97%	N/A
Unknown	245	430	642	586		1%	2%	3%	3%	
<b>Insurance</b>										
Commercial	8,692	9,305	8,900	10,761	12,441	48%	48%	44%	52%	58%
Medicaid	3,454	4,071	5,202	3,795	3,120	19%	21%	26%	18%	15%
Medicare	4,692	5,008	4,952	5,061	4,954	26%	26%	25%	25%	23%
Other/Unknown	1,162	1,043	991	1,037	939	6%	5%	5%	5%	4%
<b>DC Ward*</b>										
Ward 1	1,253	1,403	1,486	1,550	1,498	11%	11%	12%	12%	11%
Ward 2	1,601	1,773	1,804	1,960	1,774	15%	14%	14%	15%	13%
Ward 3	671	743	817	732	760	6%	6%	6%	6%	6%
Ward 4	945	1,046	1,100	1,061	1,124	9%	8%	9%	8%	8%
Ward 5	1,042	1,239	1,249	1,310	1,403	9%	10%	10%	10%	10%
Ward 6	1,982	2,275	2,230	2,260	2,271	18%	18%	17%	17%	17%
Ward 7	1,540	1,810	1,967	2,053	2,233	14%	15%	15%	15%	16%
Ward 8	1,883	2,021	2,076	2,245	2,474	17%	16%	16%	17%	18%

\*Ward percentages based on DC counts.

Source: DC Hospital Association.

**Inpatient Hospital Discharges - George Washington University Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	3,056	14.2%	14.2%
2	193	OB-related trauma to perineum and vulva	674	3.1%	17.4%
3	657	Mood disorders	622	2.9%	20.3%
4	195	Other complications of birth; puerperium affecting	522	2.4%	22.7%
5	185	Prolonged pregnancy	520	2.4%	25.1%
6	205	Spondylosis; intervertebral disc disorders; other	480	2.2%	27.4%
7	109	Acute cerebrovascular disease	431	2.0%	29.4%
8	108	Congestive heart failure; nonhypertensive	426	2.0%	31.4%
9	181	Other complications of pregnancy	421	2.0%	33.3%
10	50	Diabetes mellitus with complications	362	1.7%	35.0%
11	2	Septicemia (except in labor)	345	1.6%	36.6%
12	237	Complication of device; implant or graft	343	1.6%	38.2%
13	659	Schizophrenia and other psychotic disorders	326	1.5%	39.8%
14	203	Osteoarthritis	286	1.3%	41.1%
15	122	Pneumonia (except that caused by TB or STI)	278	1.3%	42.4%
16	238	Complications of surgical procedures or medical ca	277	1.3%	43.7%
17	100	Acute myocardial infarction	276	1.3%	45.0%
18	254	Rehabilitation care; fitting of prostheses; and ad	273	1.3%	46.2%
19	197	Skin and subcutaneous tissue infections	267	1.2%	47.5%
20	233	Intracranial injury	265	1.2%	48.7%
21	83	Epilepsy; convulsions	249	1.2%	49.9%
22	58	Other nutritional; endocrine; and metabolic disord	240	1.1%	51.0%
23	55	Fluid and electrolyte disorders	237	1.1%	52.1%
24	159	Urinary tract infections	231	1.1%	53.2%
25	189	Previous C-section	214	1.0%	54.2%
		All Other	9,833	45.8%	

Source: DC Hospital Association.

**Outpatient ED Visits - George Washington University Hospital  
Utilization by Demographics, 2010-2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	57,240	60,462	58,271	59,911	64,888	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	31,299	33,123	31,793	32,365	34,970	55%	55%	55%	54%	54%
Male	25,941	27,339	26,478	27,546	29,918	45%	45%	45%	46%	46%
<b>Age Group</b>										
00-17	1,659	1,690	1,387	1,344	1,318	3%	3%	2%	2%	2%
18-44	33,305	35,213	34,098	34,556	35,788	58%	58%	59%	58%	55%
45-64	17,938	19,074	18,341	19,137	21,452	31%	32%	31%	32%	33%
65+	4,338	4,485	4,445	4,874	6,330	8%	7%	8%	8%	10%
<b>State of Residence</b>										
DC	37,419	39,594	38,656	40,037	44,537	65%	65%	66%	67%	69%
MD	8,519	8,863	8,538	8,647	9,167	15%	15%	15%	14%	14%
VA	4,777	5,205	4,750	4,770	4,739	8%	9%	8%	8%	7%
OT	6,525	6,800	6,327	6,457	6,445	11%	11%	11%	11%	10%
<b>Race</b>										
Asian	849	979	1,061	1,102	1,311	1%	2%	2%	2%	2%
Black	31,127	32,713	31,939	33,501	37,665	54%	54%	55%	56%	58%
White	18,539	19,628	17,914	17,341	17,528	32%	32%	31%	29%	27%
Other/Unknown	6,725	7,142	7,357	7,967	8,384	12%	12%	13%	13%	13%
<b>Ethnicity</b>										
Hispanic	2,469	2,809	693	224		4%	5%	1%	0%	
Non-Hispanic	54,686	57,473	56,962	58,956	N/A	96%	95%	98%	98%	N/A
Unknown	85	180	616	731		0%	0%	1%	1%	
<b>Insurance</b>										
Commercial	30,742	30,807	25,634	32,428	36,797	54%	51%	44%	54%	57%
Medicaid	10,507	13,241	17,011	12,318	11,135	18%	22%	29%	21%	17%
Medicare	5,459	5,906	5,871	6,355	8,099	10%	10%	10%	11%	12%
Other/Unknown	10,532	10,508	9,755	8,810	8,857	18%	17%	17%	15%	14%
<b>DC Ward*</b>										
Ward 1	4,831	4,954	4,645	4,760	4,967	13%	13%	12%	12%	11%
Ward 2	5,694	6,095	6,316	6,386	6,689	15%	15%	16%	16%	15%
Ward 3	1,643	1,709	1,565	1,655	1,567	4%	4%	4%	4%	4%
Ward 4	2,625	2,739	2,538	2,728	3,080	7%	7%	7%	7%	7%
Ward 5	3,741	3,930	3,766	3,870	4,460	10%	10%	10%	10%	10%
Ward 6	6,523	6,823	6,484	6,401	7,236	17%	17%	17%	16%	16%
Ward 7	5,784	6,443	6,414	6,849	8,067	15%	16%	17%	17%	18%
Ward 8	6,090	6,378	6,491	6,912	8,010	16%	16%	17%	17%	18%

\*Ward percentages based on DC counts.

Source: DC Hospital Association.

**Outpatient ED Visits - George Washington University Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	251	Abdominal pain	3,679	5.7%	5.7%
2	102	Nonspecific chest pain	3,441	5.3%	11.0%
3	232	Sprains and strains	3,422	5.3%	16.2%
4	239	Superficial injury; contusion	3,066	4.7%	21.0%
5	205	Spondylosis; intervertebral disc disorders; other	2,522	3.9%	24.9%
6	660	Alcohol-related disorders	2,160	3.3%	28.2%
7	126	Other upper respiratory infections	1,890	2.9%	31.1%
8	84	Headache; including migraine	1,873	2.9%	34.0%
9	211	Other connective tissue disease	1,778	2.7%	36.7%
10	197	Skin and subcutaneous tissue infections	1,655	2.6%	39.3%
11	236	Open wounds of extremities	1,619	2.5%	41.8%
12	244	Other injuries and conditions due to external causes	1,483	2.3%	44.1%
13	133	Other lower respiratory disease	1,455	2.2%	46.3%
14	257	Other aftercare	1,443	2.2%	48.5%
15	159	Urinary tract infections	1,437	2.2%	50.7%
16	204	Other non-traumatic joint disorders	1,383	2.1%	52.9%
17	235	Open wounds of head; neck; and trunk	1,272	2.0%	54.8%
18	93	Conditions associated with dizziness or vertigo	1,023	1.6%	56.4%
19	245	Syncope	1,018	1.6%	58.0%
20	253	Allergic reactions	988	1.5%	59.5%
21	95	Other nervous system disorders	875	1.3%	60.8%
22	229	Fracture of upper limb	838	1.3%	62.1%
23	181	Other complications of pregnancy	823	1.3%	63.4%
24	250	Nausea and vomiting	809	1.2%	64.7%
25	128	Asthma	798	1.2%	65.9%
		All Other	22,138	34.1%	

Source: DC Hospital Association.



<b>Inpatient Hospital Discharges - Georgetown University Hospital</b> <b>Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	16,107	16,148	16,770	17,018	17,019	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	9,065	9,084	9,353	9,501	9,306	56%	56%	56%	56%	55%
Male	7,041	7,064	7,417	7,511	7,705	44%	44%	44%	44%	45%
<b>Age Group</b>										
00-17	2,629	2,796	2,883	2,932	3,022	16%	17%	17%	17%	18%
18-44	4,309	4,154	4,254	4,322	4,177	27%	26%	25%	25%	25%
45-64	5,338	5,544	5,588	5,547	5,614	33%	34%	33%	33%	33%
65+	3,831	3,654	4,045	4,217	4,206	24%	23%	24%	25%	25%
<b>State of Residence</b>										
DC	4,787	4,918	5,341	5,590	5,704	30%	30%	32%	33%	34%
MD	6,914	6,856	7,042	7,187	7,296	43%	42%	42%	42%	43%
VA	3,712	3,708	3,777	3,552	3,442	23%	23%	23%	21%	20%
OT	694	666	610	689	577	4%	4%	4%	4%	3%
<b>Race</b>										
Asian	167	12	38	42	31	1%	0%	0%	0%	0%
Black	5,081	5,132	5,253	5,360	5,925	32%	32%	31%	31%	35%
White	7,673	7,015	7,192	7,105	7,420	48%	43%	43%	42%	44%
Other/Unknown	3,186	3,989	4,287	4,511	3,643	20%	25%	26%	27%	21%
<b>Ethnicity</b>										
Hispanic			625	408		0%	0%	4%	2%	
Non-Hispanic	14,316	13,729	13,571	13,633	N/A	89%	85%	81%	80%	N/A
Unknown	1,791	2,419	2,574	2,977		11%	15%	15%	17%	
<b>Insurance</b>										
Commercial	9,742	9,890	10,165	10,303	10,298	60%	61%	61%	61%	61%
Medicaid	1,052	1,206	1,249	1,339	1,462	7%	7%	7%	8%	9%
Medicare	4,530	4,423	4,768	4,800	4,830	28%	27%	28%	28%	28%
Other/Unknown	783	629	588	576	429	5%	4%	4%	3%	3%
<b>DC Ward*</b>										
Ward 1	627	607	641	646	737	13%	12%	12%	12%	13%
Ward 2	691	691	771	808	785	14%	14%	14%	14%	14%
Ward 3	847	952	972	1,002	940	18%	19%	18%	18%	16%
Ward 4	499	544	640	655	690	10%	11%	12%	12%	12%
Ward 5	504	504	501	540	594	11%	10%	9%	10%	10%
Ward 6	638	578	626	679	679	13%	12%	12%	12%	12%
Ward 7	481	475	597	623	640	10%	10%	11%	11%	11%
Ward 8	460	517	551	589	593	10%	11%	10%	11%	10%
*Ward percentages based on DC counts. Source: DC Hospital Association.										

**Inpatient Hospital Discharges - Georgetown University Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	1,056	6.2%	6.2%
2	237	Complication of device; implant or graft	778	4.6%	10.8%
3	205	Spondylosis; intervertebral disc disorders; other	723	4.2%	15.0%
4	203	Osteoarthritis	547	3.2%	18.2%
5	238	Complications of surgical procedures or medical ca	527	3.1%	21.3%
6	2	Septicemia (except in labor)	440	2.6%	23.9%
7	42	Secondary malignancies	338	2.0%	25.9%
8	122	Pneumonia (except that caused by TB or STI)	323	1.9%	27.8%
9	109	Acute cerebrovascular disease	319	1.9%	29.7%
10	50	Diabetes mellitus with complications	294	1.7%	31.4%
11	95	Other nervous system disorders	287	1.7%	33.1%
12	83	Epilepsy; convulsions	278	1.6%	34.7%
13	195	Other complications of birth; puerperium affecting	273	1.6%	36.3%
14	657	Mood disorders	254	1.5%	37.8%
15	149	Biliary tract disease	237	1.4%	39.2%
16	197	Skin and subcutaneous tissue infections	232	1.4%	40.6%
17	45	Maintenance chemotherapy; radiotherapy	231	1.4%	41.9%
18	157	Acute and unspecified renal failure	224	1.3%	43.3%
19	151	Other liver diseases	213	1.3%	44.5%
20	159	Urinary tract infections	211	1.2%	45.7%
21	128	Asthma	188	1.1%	46.8%
22	152	Pancreatic disorders (not diabetes)	181	1.1%	47.9%
23	153	Gastrointestinal hemorrhage	179	1.1%	49.0%
24	55	Fluid and electrolyte disorders	179	1.1%	50.0%
25	185	Prolonged pregnancy	173	1.0%	51.0%
		All Other	8,334	49.0%	

Source: DC Hospital Association.

**Outpatient ED Visits - Georgetown University Hospital  
Utilization by Demographics, 2010-2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	28,126	27,935	28,277	27,406	26,851	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	15,577	15,628	15,773	15,184	14,709	55%	56%	56%	55%	55%
Male	12,548	12,307	12,504	12,221	12,141	45%	44%	44%	45%	45%
<b>Age Group</b>										
00-17	3,516	3,496	3,330	3,116	2,938	13%	13%	12%	11%	11%
18-44	13,880	13,735	13,827	13,263	12,593	49%	49%	49%	48%	47%
45-64	7,802	7,781	8,039	7,929	7,988	28%	28%	28%	29%	30%
65+	2,928	2,923	3,081	3,098	3,332	10%	10%	11%	11%	12%
<b>State of Residence</b>										
DC	16,056	15,996	16,148	15,883	15,916	57%	57%	57%	58%	59%
MD	5,787	5,880	5,972	5,743	5,646	21%	21%	21%	21%	21%
VA	3,417	3,359	3,430	3,136	2,763	12%	12%	12%	11%	10%
OT	2,866	2,700	2,727	2,644	2,526	10%	10%	10%	10%	9%
<b>Race</b>										
Asian	301	34	43	47	46	1%	0%	0%	0%	0%
Black	11,833	11,534	10,950	10,660	12,075	42%	41%	39%	39%	45%
White	11,542	11,149	10,509	9,742	9,720	41%	40%	37%	36%	36%
Other/Unknown	4,450	5,218	6,775	6,957	5,010	16%	19%	24%	25%	19%
<b>Ethnicity</b>										
Hispanic	0	0	809	873		0%	0%	3%	3%	
Non-Hispanic	26,431	25,351	23,480	22,418	N/A	94%	91%	83%	82%	N/A
Unknown	1,695	2,584	3,988	4,115		6%	9%	14%	15%	
<b>Insurance</b>										
Commercial	18,625	18,685	18,641	17,226	16,221	66%	67%	66%	63%	60%
Medicaid	2,218	2,080	2,105	2,884	3,652	8%	7%	7%	11%	14%
Medicare	3,473	3,505	3,743	3,753	3,898	12%	13%	13%	14%	15%
Other/Unknown	3,810	3,665	3,788	3,543	3,080	14%	13%	13%	13%	11%
<b>DC Ward*</b>										
Ward 1	2,167	2,115	2,119	2,007	1,917	13%	13%	13%	13%	12%
Ward 2	2,713	2,645	2,646	2,655	2,529	17%	17%	16%	17%	16%
Ward 3	2,982	3,045	3,012	2,807	2,774	19%	19%	19%	18%	17%
Ward 4	1,462	1,552	1,507	1,549	1,592	9%	10%	9%	10%	10%
Ward 5	1,543	1,502	1,512	1,533	1,534	10%	9%	9%	10%	10%
Ward 6	1,882	1,764	1,811	1,798	1,775	12%	11%	11%	11%	11%
Ward 7	1,556	1,633	1,711	1,656	1,794	10%	10%	11%	10%	11%
Ward 8	1,525	1,476	1,541	1,596	1,690	9%	9%	10%	10%	11%

\*Ward percentages based on DC counts.  
Source: DC Hospital Association.

**Outpatient ED Visits - Georgetown University Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	244	Other injuries and conditions due to external causes	1,864	6.9%	6.9%
2	660	Alcohol-related disorders	1,659	6.2%	13.1%
3	251	Abdominal pain	1,574	5.9%	19.0%
4	239	Superficial injury; contusion	955	3.6%	22.5%
5	102	Nonspecific chest pain	865	3.2%	25.8%
6	232	Sprains and strains	849	3.2%	28.9%
7	205	Spondylosis; intervertebral disc disorders; other	832	3.1%	32.0%
8	84	Headache; including migraine	790	2.9%	35.0%
9	211	Other connective tissue disease	752	2.8%	37.8%
10	126	Other upper respiratory infections	747	2.8%	40.5%
11	133	Other lower respiratory disease	627	2.3%	42.9%
12	236	Open wounds of extremities	577	2.1%	45.0%
13	250	Nausea and vomiting	534	2.0%	47.0%
14	235	Open wounds of head; neck; and trunk	518	1.9%	48.9%
15	159	Urinary tract infections	517	1.9%	50.9%
16	204	Other non-traumatic joint disorders	488	1.8%	52.7%
17	245	Syncope	483	1.8%	54.5%
18	197	Skin and subcutaneous tissue infections	443	1.6%	56.1%
19	259	Residual codes; unclassified	439	1.6%	57.8%
20	95	Other nervous system disorders	386	1.4%	59.2%
21	229	Fracture of upper limb	365	1.4%	60.6%
22	155	Other gastrointestinal disorders	360	1.3%	61.9%
23	246	Fever of unknown origin	353	1.3%	63.2%
24	93	Conditions associated with dizziness or vertigo	312	1.2%	64.4%
25	7	Viral infection	293	1.1%	65.5%
		All Other	9,269	34.5%	

Source: DC Hospital Association.

Inpatient Hospital Discharges - Howard University Hospital Utilization by Demographics, 2010-2014										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	13,039	12,537	11,067	9,691	9,555	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	6,918	6,660	5,898	5,275	5,115	53%	53%	53%	54%	54%
Male	6,121	5,877	5,169	4,416	4,440	47%	47%	47%	46%	46%
<b>Age Group</b>										
00-17	1,157	1,199	997	1,104	1,051	9%	10%	9%	11%	11%
18-44	4,354	4,202	3,636	3,261	3,313	33%	34%	33%	34%	35%
45-64	5,066	4,838	4,237	3,532	3,463	39%	39%	38%	36%	36%
65+	2,462	2,298	2,197	1,794	1,728	19%	18%	20%	19%	18%
<b>State of Residence</b>										
DC	11,121	10,829	9,593	8,418	8,396	85%	86%	87%	87%	88%
MD	1,507	1,371	1,165	1,015	937	12%	11%	11%	10%	10%
VA	190	154	151	143	91	1%	1%	1%	1%	1%
OT	221	183	158	115	131	2%	1%	1%	1%	1%
<b>Race</b>										
Asian	62	57	63	27	12	0%	0%	1%	0%	0%
Black	11,334	10,728	9,402	8,277	8,049	87%	86%	85%	85%	84%
White	448	440	411	377	402	3%	4%	4%	4%	4%
Other/Unknown	1,195	1,312	1,191	1,010	1,092	9%	10%	11%	10%	11%
<b>Ethnicity</b>										
Hispanic	703	749	781	536		5%	6%	7%	6%	
Non-Hispanic	12,058	11,423	10,063	9,022	N/A	92%	91%	91%	93%	N/A
Unknown	278	365	223	133		2%	3%	2%	1%	
<b>Insurance</b>										
Commercial	2,036	1,899	1,589	1,365	1,255	16%	15%	14%	14%	13%
Medicaid	7,089	6,899	6,011	5,305	5,355	54%	55%	54%	55%	56%
Medicare	3,169	3,061	2,819	2,389	2,257	24%	24%	25%	25%	24%
Other/Unknown	745	678	648	632	688	6%	5%	6%	7%	7%
<b>DC Ward*</b>										
Ward 1	1,423	1,353	1,233	1,015	1,007	13%	12%	13%	12%	12%
Ward 2	800	797	703	555	585	7%	7%	7%	7%	7%
Ward 3	66	62	50	40	41	1%	1%	1%	0%	0%
Ward 4	1,247	1,205	1,119	991	960	11%	11%	12%	12%	11%
Ward 5	1,794	1,696	1,445	1,239	1,252	16%	16%	15%	15%	15%
Ward 6	1,856	1,700	1,472	1,309	1,273	17%	16%	15%	16%	15%
Ward 7	2,144	2,217	1,918	1,764	1,760	19%	20%	20%	21%	21%
Ward 8	1,678	1,694	1,584	1,439	1,462	15%	16%	17%	17%	17%
*Ward percentages based on DC counts.										
Source: DC Hospital Association.										

**Inpatient Hospital Discharges - Howard University Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	970	10.2%	10.2%
2	2	Septicemia (except in labor)	326	3.4%	13.6%
3	657	Mood disorders	320	3.3%	16.9%
4	50	Diabetes mellitus with complications	298	3.1%	20.0%
5	61	Sickle cell anemia	262	2.7%	22.8%
6	659	Schizophrenia and other psychotic disorders	214	2.2%	25.0%
7	181	Other complications of pregnancy	206	2.2%	27.2%
8	99	Hypertension with complications and secondary hype	195	2.0%	29.2%
9	55	Fluid and electrolyte disorders	194	2.0%	31.2%
10	108	Congestive heart failure; nonhypertensive	190	2.0%	33.2%
11	122	Pneumonia (except that caused by TB or STI)	174	1.8%	35.0%
12	195	Other complications of birth; puerperium affecting	173	1.8%	36.9%
13	189	Previous C-section	158	1.7%	38.5%
14	233	Intracranial injury	156	1.6%	40.1%
15	102	Nonspecific chest pain	153	1.6%	41.7%
16	127	Chronic obstructive pulmonary disease and bronchie	141	1.5%	43.2%
17	128	Asthma	140	1.5%	44.7%
18	228	Skull and face fractures	133	1.4%	46.1%
19	101	Coronary atherosclerosis and other heart disease	131	1.4%	47.5%
20	197	Skin and subcutaneous tissue infections	129	1.4%	48.8%
21	237	Complication of device; implant or graft	129	1.4%	50.2%
22	185	Prolonged pregnancy	127	1.3%	51.5%
23	660	Alcohol-related disorders	117	1.2%	52.7%
24	109	Acute cerebrovascular disease	111	1.2%	53.9%
25	106	Cardiac dysrhythmias	109	1.1%	55.0%
		All Other	4,299	45.0%	

Source: DC Hospital Association.

**Outpatient ED Visits - Howard University Hospital  
Utilization by Demographics, 2010-2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	44,341	44,976	44,022	42,089	42,830	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	22,188	22,447	21,778	20,936	21,006	50%	50%	49%	50%	49%
Male	22,153	22,529	22,244	21,153	21,824	50%	50%	51%	50%	51%
<b>Age Group</b>										
00-17	3,026	2,993	2,566	2,425	2,105	7%	7%	6%	6%	5%
18-44	23,024	23,172	23,173	21,771	21,994	52%	52%	53%	52%	51%
45-64	15,548	16,143	15,652	15,106	15,434	35%	36%	36%	36%	36%
65+	2,743	2,668	2,631	2,787	3,297	6%	6%	6%	7%	8%
<b>State of Residence</b>										
DC	37,546	38,399	37,493	36,053	36,616	85%	85%	85%	86%	85%
MD	5,036	4,865	4,983	4,619	4,607	11%	11%	11%	11%	11%
VA	777	835	782	682	777	2%	2%	2%	2%	2%
OT	982	877	764	735	830	2%	2%	2%	2%	2%
<b>Race</b>										
Asian	232	246	216	91	52	1%	1%	0%	0%	0%
Black	38,151	38,208	37,613	35,993	36,344	86%	85%	85%	86%	85%
White	2,072	2,171	2,132	2,091	2,317	5%	5%	5%	5%	5%
Other/Unknown	3,886	4,351	4,061	3,914	4,117	9%	10%	9%	9%	10%
<b>Ethnicity</b>										
Hispanic	2,727	2,954	2,801	1,965		6%	7%	6%	5%	
Non-Hispanic	41,261	41,495	40,822	39,589	N/A	93%	92%	93%	94%	N/A
Unknown	353	527	399	535		1%	1%	1%	1%	
<b>Insurance</b>										
Commercial	8,011	7,866	7,900	7,142	7,290	18%	17%	18%	17%	17%
Medicaid	24,381	26,345	25,781	24,261	24,036	55%	59%	59%	58%	56%
Medicare	4,264	4,572	4,690	4,816	5,622	10%	10%	11%	11%	13%
Other/Unknown	7,685	6,193	5,651	5,870	5,882	17%	14%	13%	14%	14%
<b>DC Ward*</b>										
Ward 1	5,462	5,729	5,333	4,966	4,901	15%	15%	14%	14%	13%
Ward 2	3,088	3,184	3,027	2,952	3,027	8%	8%	8%	8%	8%
Ward 3	199	204	198	209	229	1%	1%	1%	1%	1%
Ward 4	4,461	4,760	4,712	4,446	4,376	12%	12%	13%	12%	12%
Ward 5	5,623	5,871	5,755	5,498	5,622	15%	15%	15%	15%	15%
Ward 6	6,322	6,227	6,023	5,700	5,831	17%	16%	16%	16%	16%
Ward 7	6,513	6,551	6,662	6,628	6,889	17%	17%	18%	18%	19%
Ward 8	5,116	5,262	5,237	5,135	5,208	14%	14%	14%	14%	14%

\*Ward percentages based on DC counts.

Source: DC Hospital Association.

**Outpatient ED Visits - Howard University Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	239	Superficial injury; contusion	2,336	5.5%	5.5%
2	232	Sprains and strains	2,256	5.3%	10.7%
3	211	Other connective tissue disease	1,852	4.3%	15.0%
4	660	Alcohol-related disorders	1,763	4.1%	19.2%
5	126	Other upper respiratory infections	1,560	3.6%	22.8%
6	205	Spondylosis; intervertebral disc disorders; other	1,502	3.5%	26.3%
7	251	Abdominal pain	1,329	3.1%	29.4%
8	102	Nonspecific chest pain	1,204	2.8%	32.2%
9	136	Disorders of teeth and jaw	1,147	2.7%	34.9%
10	204	Other non-traumatic joint disorders	1,104	2.6%	37.5%
11	128	Asthma	1,020	2.4%	39.9%
12	235	Open wounds of head; neck; and trunk	969	2.3%	42.1%
13	244	Other injuries and conditions due to external causes	961	2.2%	44.4%
14	159	Urinary tract infections	923	2.2%	46.5%
15	236	Open wounds of extremities	900	2.1%	48.6%
16	84	Headache; including migraine	780	1.8%	50.4%
17	197	Skin and subcutaneous tissue infections	660	1.5%	52.0%
18	661	Substance-related disorders	636	1.5%	53.5%
19	95	Other nervous system disorders	629	1.5%	54.9%
20	83	Epilepsy; convulsions	615	1.4%	56.4%
21	127	Chronic obstructive pulmonary disease and bronchie	613	1.4%	57.8%
22	181	Other complications of pregnancy	599	1.4%	59.2%
23	257	Other aftercare	598	1.4%	60.6%
24	259	Residual codes; unclassified	598	1.4%	62.0%
25	7	Viral infection	596	1.4%	63.4%
		All Other	15,680	36.6%	

Source: DC Hospital Association.



## National Rehabilitation Hospital

<b>Inpatient Hospital Discharges - National Rehabilitation Hospital</b> <b>Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	2,157	2,145	2,042	2,221	2,176	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	1,070	1,021	986	1,064	985	50%	48%	48%	48%	45%
Male	1,087	1,124	1,056	1,155	1,184	50%	52%	52%	52%	54%
<b>Age Group</b>										
00-17	79	78	87	93	94	4%	4%	4%	4%	4%
18-44	330	351	288	316	308	15%	16%	14%	14%	14%
45-64	915	888	794	926	844	42%	41%	39%	42%	39%
65+	833	828	873	886	930	39%	39%	43%	40%	43%
<b>State of Residence</b>										
DC	874	880	856	976	895	41%	41%	42%	44%	41%
MD	1,081	1,024	969	1,017	1,065	50%	48%	47%	46%	49%
VA	145	184	168	181	154	7%	9%	8%	8%	7%
OT	57	57	49	47	62	3%	3%	2%	2%	3%
<b>Race</b>										
Asian	79	78	23	6		4%	4%	1%	0%	0%
Black	1,239	1,143	1,059	1,254	1,300	57%	53%	52%	56%	60%
White	529	467	453	460	523	25%	22%	22%	21%	24%
Other/Unknown	310	457	507	501	353	14%	21%	25%	23%	16%
<b>Ethnicity</b>										
Hispanic	11	4	6	1		1%	0%	0%	0%	
Non-Hispanic	1,870	1,691	1,538	1,468	N/A	87%	79%	75%	66%	N/A
Unknown	276	450	498	752		13%	21%	24%	34%	
<b>Insurance</b>										
Commercial	922	895	859	915	810	43%	42%	42%	41%	37%
Medicaid	304	314	236	299	326	14%	15%	12%	13%	15%
Medicare	891	887	903	959	996	41%	41%	44%	43%	46%
Other/Unknown	40	49	44	48	44	2%	2%	2%	2%	2%
<b>DC Ward*</b>										
Ward 1	91	86	74	88	86	10%	10%	9%	9%	10%
Ward 2	61	66	57	61	58	7%	7%	7%	6%	6%
Ward 3	46	53	59	51	59	5%	6%	7%	5%	7%
Ward 4	128	127	130	153	149	15%	14%	15%	16%	17%
Ward 5	178	150	147	184	154	20%	17%	17%	19%	17%
Ward 6	119	102	95	102	91	14%	12%	11%	10%	10%
Ward 7	133	154	165	186	170	15%	18%	19%	19%	19%
Ward 8	115	134	123	143	126	13%	15%	14%	15%	14%
*Ward percentages based on DC counts. Source: DC Hospital Association.										

**Inpatient Hospital Discharges - National Rehabilitation Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	254	Rehabilitation care; fitting of prostheses; and ad	2,159	99.2%	99.2%
2	109	Acute cerebrovascular disease	3	0.1%	99.4%
3	2620	E Codes: Unspecified	3	0.1%	99.5%
4	233	Intracranial injury	2	0.1%	99.6%
5	113	Late effects of cerebrovascular disease	1	0.0%	99.6%
6	203	Osteoarthritis	1	0.0%	99.7%
7	208	Acquired foot deformities	1	0.0%	99.7%
8	212	Other bone disease and musculoskeletal deformities	1	0.0%	99.8%
9	230	Fracture of lower limb	1	0.0%	99.8%
10	237	Complication of device; implant or graft	1	0.0%	99.9%
11	653	Delirium, dementia, and amnestic and other cogniti	1	0.0%	99.9%
12	7	Viral infection	1	0.0%	100.0%
13	77	Encephalitis (except that caused by TB or STI)	1	0.0%	100.0%

Source: DC Hospital Association.

<b>Inpatient Hospital Discharges - Providence Hospital Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	15,022	14,047	14,068	12,823	12,378	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	9,456	8,718	8,668	7,918	7,708	63%	62%	62%	62%	62%
Male	5,566	5,329	5,399	4,904	4,669	37%	38%	38%	38%	38%
<b>Age Group</b>										
00-17	2,128	2,001	2,230	2,157	2,112	14%	14%	16%	17%	17%
18-44	4,417	4,124	4,091	3,793	3,641	29%	29%	29%	30%	29%
45-64	4,227	3,975	3,931	3,560	3,565	28%	28%	28%	28%	29%
65+	4,250	3,947	3,816	3,313	3,060	28%	28%	27%	26%	25%
<b>State of Residence</b>										
DC	11,002	10,200	10,018	8,987	8,759	73%	73%	71%	70%	71%
MD	3,138	3,623	3,861	3,656	3,431	21%	26%	27%	29%	28%
VA	74	55	55	65	58	0%	0%	0%	1%	0%
OT	808	169	134	115	130	5%	1%	1%	1%	1%
<b>Race</b>										
Asian	76	231	124	137	128	1%	2%	1%	1%	1%
Black	11,378	10,246	10,036	9,052	8,657	76%	73%	71%	71%	70%
White	457	401	435	466	510	3%	3%	3%	4%	4%
Other/Unknown	3,111	3,169	3,473	3,168	3,083	21%	23%	25%	25%	25%
<b>Ethnicity</b>										
Hispanic	2,800	2,823	3,116	3,396		19%	20%	22%	26%	
Non-Hispanic	12,222	11,224	10,952	8,898	N/A	81%	80%	78%	69%	N/A
Unknown				529		0%	0%	0%	4%	
<b>Insurance</b>										
Commercial	1,526	1,490	1,618	1,456	1,353	10%	11%	12%	11%	11%
Medicaid	7,321	6,103	6,536	6,518	6,759	49%	43%	46%	51%	55%
Medicare	4,848	4,611	4,635	4,072	3,887	32%	33%	33%	32%	31%
Other/Unknown	1,327	1,843	1,279	777	379	9%	13%	9%	6%	3%
<b>DC Ward*</b>										
Ward 1	882	755	795	639	629	8%	7%	8%	7%	7%
Ward 2	324	309	317	234	240	3%	3%	3%	3%	3%
Ward 3	67	75	59	52	42	1%	1%	1%	1%	0%
Ward 4	2,085	1,938	1,953	1,749	1,699	19%	19%	19%	19%	19%
Ward 5	3,210	2,863	2,838	2,460	2,405	29%	28%	28%	27%	27%
Ward 6	1,247	1,140	1,092	993	914	11%	11%	11%	11%	10%
Ward 7	2,165	2,118	1,981	1,954	1,911	20%	21%	20%	22%	22%
Ward 8	992	965	932	860	890	9%	9%	9%	10%	10%
*Ward percentages based on DC counts. Source: DC Hospital Association.										

**Inpatient Hospital Discharges - Providence Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	2,013	16.3%	16.3%
2	659	Schizophrenia and other psychotic disorders	521	4.2%	20.5%
3	657	Mood disorders	460	3.7%	24.2%
4	2	Septicemia (except in labor)	444	3.6%	27.8%
5	108	Congestive heart failure; nonhypertensive	414	3.3%	31.1%
6	195	Other complications of birth; puerperium affecting	408	3.3%	34.4%
7	660	Alcohol-related disorders	365	2.9%	37.4%
8	185	Prolonged pregnancy	326	2.6%	40.0%
9	181	Other complications of pregnancy	283	2.3%	42.3%
10	203	Osteoarthritis	255	2.1%	44.3%
11	661	Substance-related disorders	246	2.0%	46.3%
12	189	Previous C-section	220	1.8%	48.1%
13	157	Acute and unspecified renal failure	208	1.7%	49.8%
14	109	Acute cerebrovascular disease	206	1.7%	51.5%
15	58	Other nutritional; endocrine; and metabolic disord	194	1.6%	53.0%
16	122	Pneumonia (except that caused by TB or STI)	183	1.5%	54.5%
17	237	Complication of device; implant or graft	182	1.5%	56.0%
18	99	Hypertension with complications and secondary hype	182	1.5%	57.4%
19	50	Diabetes mellitus with complications	177	1.4%	58.9%
20	127	Chronic obstructive pulmonary disease and bronchie	165	1.3%	60.2%
21	193	OB-related trauma to perineum and vulva	163	1.3%	61.5%
22	128	Asthma	158	1.3%	62.8%
23	152	Pancreatic disorders (not diabetes)	138	1.1%	63.9%
24	183	Hypertension complicating pregnancy; childbirth an	134	1.1%	65.0%
25	55	Fluid and electrolyte disorders	134	1.1%	66.1%
		All Other	4,199	33.9%	

Source: DC Hospital Association.

**Outpatient ED Visits - Providence Hospital  
Utilization by Demographics, 2010-2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	37,507	38,517	38,043	35,542	35,330	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	22,226	22,557	22,167	20,599	20,479	59%	59%	58%	58%	58%
Male	15,281	15,959	15,872	14,942	14,851	41%	41%	42%	42%	42%
<b>Age Group</b>										
00-17	1,325	1,322	1,218	973	882	4%	3%	3%	3%	2%
18-44	17,097	17,445	17,681	15,998	15,783	46%	45%	46%	45%	45%
45-64	13,593	14,192	13,770	13,055	12,834	36%	37%	36%	37%	36%
65+	5,492	5,558	5,374	5,516	5,831	15%	14%	14%	16%	17%
<b>State of Residence</b>										
DC	30,515	31,255	30,802	28,740	28,422	81%	81%	81%	81%	80%
MD	6,061	6,532	6,483	6,104	6,253	16%	17%	17%	17%	18%
VA	285	265	322	271	285	1%	1%	1%	1%	1%
OT	646	465	436	427	370	2%	1%	1%	1%	1%
<b>Race</b>										
Asian	118	510	417	523	460	0%	1%	1%	1%	1%
Black	32,550	32,803	32,438	30,103	29,538	87%	85%	85%	85%	84%
White	1,379	1,295	1,354	1,408	1,235	4%	3%	4%	4%	3%
Other/Unknown	3,460	3,909	3,834	3,508	4,097	9%	10%	10%	10%	12%
<b>Ethnicity</b>										
Hispanic	2,937	3,182	3,267	8,745		8%	8%	9%	25%	
Non-Hispanic	34,570	35,335	34,776	26,797	N/A	92%	92%	91%	75%	N/A
Unknown	0	0	0	0		0%	0%	0%	0%	
<b>Insurance</b>										
Commercial	5,957	6,402	7,221	6,927	6,968	16%	17%	19%	19%	20%
Medicaid	18,854	19,385	18,028	16,375	17,022	50%	50%	47%	46%	48%
Medicare	6,576	7,123	7,277	7,356	7,666	18%	18%	19%	21%	22%
Other/Unknown	6,120	5,607	5,517	4,884	3,674	16%	15%	15%	14%	10%
<b>DC Ward*</b>										
Ward 1	1,618	1,709	1,586	1,452	1,447	5%	5%	5%	5%	5%
Ward 2	715	718	697	650	630	2%	2%	2%	2%	2%
Ward 3	149	129	104	85	97	0%	0%	0%	0%	0%
Ward 4	5,721	5,814	5,808	5,303	5,152	19%	19%	19%	18%	18%
Ward 5	10,055	10,231	10,025	9,250	9,073	33%	33%	33%	32%	32%
Ward 6	3,518	3,712	3,627	3,377	3,244	12%	12%	12%	12%	11%
Ward 7	6,078	6,335	6,210	6,089	6,183	20%	20%	20%	21%	22%
Ward 8	2,557	2,493	2,614	2,401	2,495	8%	8%	8%	8%	9%

\*Ward percentages based on DC counts.

Source: DC Hospital Association.

**Outpatient ED Visits - Providence Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	232	Sprains and strains	2,098	5.9%	5.9%
2	239	Superficial injury; contusion	1,690	4.8%	10.7%
3	251	Abdominal pain	1,575	4.5%	15.2%
4	126	Other upper respiratory infections	1,543	4.4%	19.5%
5	205	Spondylosis; intervertebral disc disorders; other	1,499	4.2%	23.8%
6	102	Nonspecific chest pain	1,195	3.4%	27.2%
7	204	Other non-traumatic joint disorders	1,159	3.3%	30.5%
8	211	Other connective tissue disease	1,073	3.0%	33.5%
9	159	Urinary tract infections	963	2.7%	36.2%
10	660	Alcohol-related disorders	838	2.4%	38.6%
11	197	Skin and subcutaneous tissue infections	799	2.3%	40.8%
12	84	Headache; including migraine	787	2.2%	43.1%
13	128	Asthma	774	2.2%	45.3%
14	244	Other injuries and conditions due to external causes	707	2.0%	47.3%
15	133	Other lower respiratory disease	683	1.9%	49.2%
16	661	Substance-related disorders	566	1.6%	50.8%
17	259	Residual codes; unclassified	561	1.6%	52.4%
18	253	Allergic reactions	526	1.5%	53.9%
19	98	Essential hypertension	509	1.4%	55.3%
20	127	Chronic obstructive pulmonary disease and bronchie	508	1.4%	56.8%
21	93	Conditions associated with dizziness or vertigo	501	1.4%	58.2%
22	83	Epilepsy; convulsions	482	1.4%	59.5%
23	125	Acute bronchitis	471	1.3%	60.9%
24	236	Open wounds of extremities	471	1.3%	62.2%
25	155	Other gastrointestinal disorders	453	1.3%	63.5%
		All Other	12,899	36.5%	

Source: DC Hospital Association.

<b>Inpatient Hospital Discharges - Sibley Memorial Hospital</b> <b>Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	14,877	14,738	14,062	12,854	11,914	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	9,863	9,913	9,458	8,828	8,225	66%	67%	67%	69%	69%
Male	5,014	4,825	4,604	4,026	3,687	34%	33%	33%	31%	31%
<b>Age Group</b>										
00-17	3,584	3,682	3,477	2,544	1,912	24%	25%	25%	20%	16%
18-44	4,695	4,813	4,665	4,554	4,390	32%	33%	33%	35%	37%
45-64	2,190	2,185	2,136	1,941	1,773	15%	15%	15%	15%	15%
65+	4,408	4,058	3,784	3,815	3,839	30%	28%	27%	30%	32%
<b>State of Residence</b>										
DC	6,546	6,517	6,299	5,801	5,622	44%	44%	45%	45%	47%
MD	5,701	5,536	5,282	4,676	4,267	38%	38%	38%	36%	36%
VA	2,421	2,487	2,272	2,139	1,829	16%	17%	16%	17%	15%
OT	209	198	209	238	196	1%	1%	1%	2%	2%
<b>Race</b>										
Asian	696	651	701	474	396	5%	4%	5%	4%	3%
Black	2,151	2,147	1,931	1,758	1,697	14%	15%	14%	14%	14%
White	10,724	10,672	10,256	8,631	7,202	72%	72%	73%	67%	60%
Other/Unknown	1,306	1,268	1,174	1,991	2,619	9%	9%	8%	15%	22%
<b>Ethnicity</b>										
Hispanic	573	583	564	451		4%	4%	4%	4%	
Non-Hispanic	14,097	14,044	13,418	12,183	N/A	95%	95%	95%	95%	N/A
Unknown	207	111	80	220		1%	1%	1%	2%	
<b>Insurance</b>										
Commercial	10,094	10,240	9,815	8,552	7,607	68%	69%	70%	67%	64%
Medicaid	219	208	204	241	346	1%	1%	1%	2%	3%
Medicare	4,100	3,781	3,521	3,622	3,621	28%	26%	25%	28%	30%
Other/Unknown	464	509	522	439	340	3%	3%	4%	3%	3%
<b>DC Ward*</b>										
Ward 1	759	783	759	669	624	12%	12%	12%	12%	11%
Ward 2	973	956	927	840	802	15%	15%	15%	14%	14%
Ward 3	2,614	2,483	2,284	2,121	2,066	40%	38%	36%	37%	37%
Ward 4	816	869	829	806	761	12%	13%	13%	14%	14%
Ward 5	424	439	475	442	456	6%	7%	8%	8%	8%
Ward 6	642	677	786	666	627	10%	10%	12%	11%	11%
Ward 7	145	146	102	128	138	2%	2%	2%	2%	2%
Ward 8	126	127	88	99	123	2%	2%	1%	2%	2%
*Ward percentages based on DC counts. Source: DC Hospital Association.										

**Inpatient Hospital Discharges - Sibley Memorial Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	1,880	15.8%	15.8%
2	203	Osteoarthritis	881	7.4%	23.2%
3	195	Other complications of birth; puerperium affecting	682	5.7%	28.9%
4	193	OB-related trauma to perineum and vulva	630	5.3%	34.2%
5	189	Previous C-section	433	3.6%	37.8%
6	657	Mood disorders	431	3.6%	41.4%
7	185	Prolonged pregnancy	312	2.6%	44.1%
8	191	Polyhydramnios and other problems of amniotic cavi	305	2.6%	46.6%
9	181	Other complications of pregnancy	236	2.0%	48.6%
10	2	Septicemia (except in labor)	215	1.8%	50.4%
11	122	Pneumonia (except that caused by TB or STI)	209	1.8%	52.2%
12	183	Hypertension complicating pregnancy; childbirth an	190	1.6%	53.8%
13	187	Malposition; malpresentation	185	1.6%	55.3%
14	237	Complication of device; implant or graft	182	1.5%	56.8%
15	197	Skin and subcutaneous tissue infections	167	1.4%	58.2%
16	205	Spondylosis; intervertebral disc disorders; other	161	1.4%	59.6%
17	108	Congestive heart failure; nonhypertensive	154	1.3%	60.9%
18	145	Intestinal obstruction without hernia	149	1.3%	62.1%
19	226	Fracture of neck of femur (hip)	139	1.2%	63.3%
20	159	Urinary tract infections	137	1.1%	64.4%
21	157	Acute and unspecified renal failure	136	1.1%	65.6%
22	659	Schizophrenia and other psychotic disorders	130	1.1%	66.7%
23	190	Fetal distress and abnormal forces of labor	128	1.1%	67.8%
24	58	Other nutritional; endocrine; and metabolic disord	123	1.0%	68.8%
25	106	Cardiac dysrhythmias	122	1.0%	69.8%
		All Other	3,597	30.2%	

Source: DC Hospital Association.



**Outpatient ED Visits - Sibley Memorial Hospital  
Utilization by Demographics, 2010-2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	22,060	26,528	28,559	29,133	30,638	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	12,744	15,236	16,545	16,768	17,385	58%	57%	58%	58%	57%
Male	9,316	11,292	12,014	12,352	13,234	42%	43%	42%	42%	43%
<b>Age Group</b>										
00-17	1,887	2,364	2,376	2,258	2,394	9%	9%	8%	8%	8%
18-44	8,579	10,334	11,300	11,443	11,747	39%	39%	40%	39%	38%
45-64	6,335	7,388	7,773	7,949	8,381	29%	28%	27%	27%	27%
65+	5,259	6,442	7,110	7,483	8,116	24%	24%	25%	26%	26%
<b>State of Residence</b>										
DC	12,812	15,411	16,770	16,730	17,785	58%	58%	59%	57%	58%
MD	7,000	8,372	8,789	8,916	9,046	32%	32%	31%	31%	30%
VA	1,570	2,009	2,043	1,988	1,925	7%	8%	7%	7%	6%
OT	678	736	957	1,499	1,882	3%	3%	3%	5%	6%
<b>Race</b>										
Asian	464	523	575	588	588	2%	2%	2%	2%	2%
Black	5,343	6,426	7,228	7,716	8,577	24%	24%	25%	26%	28%
White	14,127	16,979	17,887	17,748	17,839	64%	64%	63%	61%	58%
Other/Unknown	2,126	2,600	2,869	3,081	3,634	10%	10%	10%	11%	12%
<b>Ethnicity</b>										
Hispanic	1,039	1,313	1,490	1,549		5%	5%	5%	5%	
Non-Hispanic	20,965	25,157	26,981	27,509	N/A	95%	95%	94%	94%	N/A
Unknown	56	58	88	75		0%	0%	0%	0%	
<b>Insurance</b>										
Commercial	13,761	16,509	17,663	17,164	16,566	62%	62%	62%	59%	54%
Medicaid	864	940	956	1,814	3,131	4%	4%	3%	6%	10%
Medicare	4,738	5,873	6,559	7,001	7,523	21%	22%	23%	24%	25%
Other/Unknown	2,697	3,206	3,381	3,154	3,418	12%	12%	12%	11%	11%
<b>DC Ward*</b>										
Ward 1	1,074	1,298	1,448	1,443	1,516	8%	8%	9%	9%	9%
Ward 2	1,278	1,665	1,790	1,772	1,909	10%	11%	11%	11%	11%
Ward 3	6,159	7,211	7,623	7,329	7,815	48%	47%	45%	44%	44%
Ward 4	1,900	2,260	2,540	2,638	2,737	15%	15%	15%	16%	15%
Ward 5	713	894	959	1,110	1,166	6%	6%	6%	7%	7%
Ward 6	706	855	962	1,043	1,111	6%	6%	6%	6%	6%
Ward 7	447	527	628	639	786	3%	3%	4%	4%	4%
Ward 8	366	455	555	627	672	3%	3%	3%	4%	4%

\*Ward percentages based on DC counts.

Source: DC Hospital Association.

**Outpatient ED Visits - Sibley Memorial Hospital  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	239	Superficial injury; contusion	1,440	4.7%	4.7%
2	232	Sprains and strains	1,369	4.5%	9.2%
3	251	Abdominal pain	1,314	4.3%	13.5%
4	660	Alcohol-related disorders	1,190	3.9%	17.3%
5	236	Open wounds of extremities	1,116	3.6%	21.0%
6	205	Spondylosis; intervertebral disc disorders; other	1,098	3.6%	24.6%
7	244	Other injuries and conditions due to external causes	1,090	3.6%	28.1%
8	235	Open wounds of head; neck; and trunk	831	2.7%	30.8%
9	197	Skin and subcutaneous tissue infections	789	2.6%	33.4%
10	102	Nonspecific chest pain	775	2.5%	35.9%
11	211	Other connective tissue disease	772	2.5%	38.5%
12	84	Headache; including migraine	754	2.5%	40.9%
13	126	Other upper respiratory infections	750	2.4%	43.4%
14	204	Other non-traumatic joint disorders	747	2.4%	45.8%
15	159	Urinary tract infections	686	2.2%	48.0%
16	229	Fracture of upper limb	676	2.2%	50.3%
17	133	Other lower respiratory disease	668	2.2%	52.4%
18	95	Other nervous system disorders	560	1.8%	54.3%
19	257	Other aftercare	481	1.6%	55.8%
20	93	Conditions associated with dizziness or vertigo	454	1.5%	57.3%
21	155	Other gastrointestinal disorders	452	1.5%	58.8%
22	253	Allergic reactions	442	1.4%	60.2%
23	245	Syncope	425	1.4%	61.6%
24	250	Nausea and vomiting	413	1.3%	63.0%
25	160	Calculus of urinary tract	384	1.3%	64.2%
		All Other	10,962	35.8%	

Source: DC Hospital Association.

<b>Inpatient Hospital Discharges - United Medical Center</b> <b>Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	5,460	5,587	5,709	6,176	6,906	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	3,113	3,167	3,316	3,450	3,987	57%	57%	58%	56%	58%
Male	2,347	2,420	2,393	2,726	2,919	43%	43%	42%	44%	42%
<b>Age Group</b>										
00-17	463	542	576	458	505	8%	10%	10%	7%	7%
18-44	1,718	1,781	1,958	2,036	2,261	31%	32%	34%	33%	33%
45-64	2,148	2,128	2,098	2,381	2,723	39%	38%	37%	39%	39%
65+	1,131	1,136	1,077	1,301	1,417	21%	20%	19%	21%	21%
<b>State of Residence</b>										
DC	4,865	4,921	5,041	5,432	5,680	89%	88%	88%	88%	82%
MD	531	593	591	663	1,114	10%	11%	10%	11%	16%
VA	30	27	24	38	51	1%	0%	0%	1%	1%
OT	34	46	53	43	61	1%	1%	1%	1%	1%
<b>Race</b>										
Asian	17	15	11	6	16	0%	0%	0%	0%	0%
Black	5,186	5,304	5,448	5,896	6,615	95%	95%	95%	95%	96%
White	151	138	129	165	164	3%	2%	2%	3%	2%
Other/Unknown	106	130	121	109	111	2%	2%	2%	2%	2%
<b>Ethnicity</b>										
Hispanic	37	41	36	3,203		1%	1%	1%	52%	
Non-Hispanic	5,383	5,498	5,633	1,489	N/A	99%	98%	99%	24%	N/A
Unknown	40	48	40	1,484		1%	1%	1%	24%	
<b>Insurance</b>										
Commercial	228	237	224	585	732	4%	4%	4%	9%	11%
Medicaid	2,730	3,015	3,088	3,164	3,555	50%	54%	54%	51%	51%
Medicare	1,662	1,756	1,822	2,057	2,290	30%	31%	32%	33%	33%
Other/Unknown	840	579	575	370	329	15%	10%	10%	6%	5%
<b>DC Ward*</b>										
Ward 1	61	77	78	78	70	1%	2%	2%	1%	1%
Ward 2	45	50	33	52	51	1%	1%	1%	1%	1%
Ward 3	11	6	11	9	13	0%	0%	0%	0%	0%
Ward 4	49	89	77	77	82	1%	2%	2%	1%	1%
Ward 5	148	150	154	164	159	3%	3%	3%	3%	3%
Ward 6	351	293	321	353	313	7%	6%	6%	6%	6%
Ward 7	1,028	1,074	1,049	1,102	1,212	21%	22%	21%	20%	21%
Ward 8	3,154	3,172	3,302	3,577	3,772	65%	64%	66%	66%	66%
*Ward percentages based on DC counts. Source: DC Hospital Association.										

**Inpatient Hospital Discharges - United Medical Center  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	659	Schizophrenia and other psychotic disorders	580	8.4%	8.4%
2	657	Mood disorders	556	8.1%	16.4%
3	218	Liveborn	475	6.9%	23.3%
4	108	Congestive heart failure; nonhypertensive	347	5.0%	28.4%
5	128	Asthma	249	3.6%	32.0%
6	122	Pneumonia (except that caused by TB or STI)	240	3.5%	35.4%
7	50	Diabetes mellitus with complications	237	3.4%	38.9%
8	2	Septicemia (except in labor)	190	2.8%	41.6%
9	157	Acute and unspecified renal failure	175	2.5%	44.2%
10	83	Epilepsy; convulsions	161	2.3%	46.5%
11	55	Fluid and electrolyte disorders	151	2.2%	48.7%
12	102	Nonspecific chest pain	149	2.2%	50.8%
13	99	Hypertension with complications and secondary hype	145	2.1%	52.9%
14	127	Chronic obstructive pulmonary disease and bronchie	138	2.0%	54.9%
15	152	Pancreatic disorders (not diabetes)	135	2.0%	56.9%
16	131	Respiratory failure; insufficiency; arrest (adult)	125	1.8%	58.7%
17	181	Other complications of pregnancy	112	1.6%	60.3%
18	197	Skin and subcutaneous tissue infections	108	1.6%	61.9%
19	159	Urinary tract infections	104	1.5%	63.4%
20	195	Other complications of birth; puerperium affecting	92	1.3%	64.7%
21	106	Cardiac dysrhythmias	89	1.3%	66.0%
22	153	Gastrointestinal hemorrhage	88	1.3%	67.3%
23	59	Deficiency and other anemia	73	1.1%	68.3%
24	238	Complications of surgical procedures or medical ca	69	1.0%	69.3%
25	660	Alcohol-related disorders	66	1.0%	70.3%
		All Other	2,052	29.7%	

Source: DC Hospital Association.

Washington Hospital Center

<b>Inpatient Hospital Discharges - Washington Hospital Center</b> <b>Utilization by Demographics, 2010-2014</b>										
	All Discharges					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	40,149	40,365	41,485	41,044	38,397	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	22,750	22,691	23,311	22,590	21,061	57%	56%	56%	55%	55%
Male	17,398	17,674	18,173	18,412	17,287	43%	44%	44%	45%	45%
<b>Age Group</b>										
00-17	4,630	4,138	3,915	3,676	3,476	12%	10%	9%	9%	9%
18-44	10,522	10,417	10,755	10,245	9,529	26%	26%	26%	25%	25%
45-64	12,490	12,956	13,209	13,419	12,616	31%	32%	32%	33%	33%
65+	12,507	12,854	13,606	13,704	12,776	31%	32%	33%	33%	33%
<b>State of Residence</b>										
DC	22,600	22,699	23,718	23,351	21,678	56%	56%	57%	57%	56%
MD	15,462	15,728	15,878	15,726	14,813	39%	39%	38%	38%	39%
VA	1,427	1,341	1,328	1,321	1,279	4%	3%	3%	3%	3%
OT	660	597	561	646	627	2%	1%	1%	2%	2%
<b>Race</b>										
Asian	1,158	415	345	283	279	3%	1%	1%	1%	1%
Black	27,651	28,369	29,009	28,557	26,342	69%	70%	70%	70%	69%
White	6,916	7,136	7,234	7,378	7,052	17%	18%	17%	18%	18%
Other/Unknown	4,424	4,445	4,897	4,826	4,724	11%	11%	12%	12%	12%
<b>Ethnicity</b>										
Hispanic	2,065	37	1,743	1,829		5%	0%	4%	4%	
Non-Hispanic	35,930	36,038	36,675	36,258	N/A	89%	89%	88%	88%	N/A
Unknown	2,154	4,290	3,067	2,957		5%	11%	7%	7%	
<b>Insurance</b>										
Commercial	17,228	17,868	17,990	16,766	15,427	43%	44%	43%	41%	40%
Medicaid	7,075	6,183	6,108	6,753	6,995	18%	15%	15%	16%	18%
Medicare	14,557	15,076	15,947	16,212	15,254	36%	37%	38%	39%	40%
Other/Unknown	1,289	1,238	1,440	1,313	721	3%	3%	3%	3%	2%
<b>DC Ward*</b>										
Ward 1	3,004	2,965	3,034	2,832	2,678	13%	13%	13%	12%	12%
Ward 2	1,091	1,082	1,079	1,049	947	5%	5%	5%	4%	4%
Ward 3	359	336	364	351	301	2%	1%	2%	2%	1%
Ward 4	3,618	3,626	4,002	3,905	3,665	16%	16%	17%	17%	17%
Ward 5	3,879	4,094	4,233	4,285	4,003	17%	18%	18%	18%	18%
Ward 6	2,872	2,846	2,955	2,816	2,661	13%	13%	12%	12%	12%
Ward 7	4,181	4,220	4,285	4,470	4,152	19%	19%	18%	19%	19%
Ward 8	3,509	3,445	3,663	3,547	3,184	16%	15%	15%	15%	15%
*Ward percentages based on DC counts. Source: DC Hospital Association.										

**Inpatient Hospital Discharges - Washington Hospital Center  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	Discharges	% of Total	Cummulative %
1	218	Liveborn	3,306	8.6%	8.6%
2	108	Congestive heart failure; nonhypertensive	1,796	4.7%	13.3%
3	100	Acute myocardial infarction	1,362	3.5%	16.8%
4	237	Complication of device; implant or graft	1,197	3.1%	20.0%
5	101	Coronary atherosclerosis and other heart disease	1,020	2.7%	22.6%
6	109	Acute cerebrovascular disease	922	2.4%	25.0%
7	657	Mood disorders	851	2.2%	27.2%
8	106	Cardiac dysrhythmias	834	2.2%	29.4%
9	659	Schizophrenia and other psychotic disorders	742	1.9%	31.3%
10	195	Other complications of birth; puerperium affecting	706	1.8%	33.2%
11	122	Pneumonia (except that caused by TB or STI)	684	1.8%	35.0%
12	50	Diabetes mellitus with complications	664	1.7%	36.7%
13	55	Fluid and electrolyte disorders	622	1.6%	38.3%
14	96	Heart valve disorders	621	1.6%	39.9%
15	238	Complications of surgical procedures or medical ca	604	1.6%	41.5%
16	2	Septicemia (except in labor)	528	1.4%	42.9%
17	185	Prolonged pregnancy	506	1.3%	44.2%
18	157	Acute and unspecified renal failure	492	1.3%	45.5%
19	99	Hypertension with complications and secondary hype	481	1.3%	46.7%
20	159	Urinary tract infections	479	1.2%	48.0%
21	181	Other complications of pregnancy	470	1.2%	49.2%
22	193	OB-related trauma to perineum and vulva	445	1.2%	50.3%
23	205	Spondylosis; intervertebral disc disorders; other	442	1.2%	51.5%
24	102	Nonspecific chest pain	424	1.1%	52.6%
25	197	Skin and subcutaneous tissue infections	409	1.1%	53.7%
		All Other	17,790	46.3%	

Source: DC Hospital Association.

**Outpatient ED Visits - Washington Hospital Center  
Utilization by Demographics, 2010-2014**

	Outpatient ED Visits					% of Total				
	2010	2011	2012	2013	2014	2010	2011	2012	2013	2014
<b>Total</b>	66,509	69,228	70,568	66,394	66,988	100%	100%	100%	100%	100%
<b>Gender</b>										
Female	40,441	42,302	43,216	39,624	39,530	61%	61%	61%	60%	59%
Male	26,068	26,926	27,352	26,757	27,439	39%	39%	39%	40%	41%
<b>Age Group</b>										
00-17	988	915	846	636	537	1%	1%	1%	1%	1%
18-44	34,061	35,635	36,578	34,262	33,906	51%	51%	52%	52%	51%
45-64	21,913	22,837	23,338	22,049	22,492	33%	33%	33%	33%	34%
65+	9,547	9,841	9,806	9,447	10,053	14%	14%	14%	14%	15%
<b>State of Residence</b>										
DC	50,284	52,769	53,781	50,336	51,396	76%	76%	76%	76%	77%
MD	13,804	13,927	14,264	13,525	13,031	21%	20%	20%	20%	19%
VA	1,230	1,240	1,312	1,324	1,281	2%	2%	2%	2%	2%
OT	1,191	1,292	1,211	1,209	1,280	2%	2%	2%	2%	2%
<b>Race</b>										
Asian	981	313	252	298	259	1%	0%	0%	0%	0%
Black	53,555	55,358	56,797	52,465	51,815	81%	80%	80%	79%	77%
White	4,980	5,327	5,379	5,425	5,606	7%	8%	8%	8%	8%
Other/Unknown	6,993	8,230	8,140	8,206	9,308	11%	12%	12%	12%	14%
<b>Ethnicity</b>										
Hispanic	4,981	305	4,475	4,638		7%	0%	6%	7%	
Non-Hispanic	59,751	61,182	62,518	59,265	N/A	90%	88%	89%	89%	N/A
Unknown	1,777	7,741	3,575	2,491		3%	11%	5%	4%	
<b>Insurance</b>										
Commercial	35,561	38,017	38,571	30,152	26,554	53%	55%	55%	45%	40%
Medicaid	14,151	10,330	10,423	15,818	20,674	21%	15%	15%	24%	31%
Medicare	11,805	12,355	12,558	12,438	13,275	18%	18%	18%	19%	20%
Other/Unknown	4,992	8,526	9,016	7,986	6,485	8%	12%	13%	12%	10%
<b>DC Ward*</b>										
Ward 1	7,603	8,485	8,196	7,412	7,732	15%	16%	15%	15%	15%
Ward 2	2,369	2,473	2,476	2,228	2,364	5%	5%	5%	4%	5%
Ward 3	466	460	465	409	431	1%	1%	1%	1%	1%
Ward 4	7,917	8,478	8,595	8,427	8,479	16%	16%	16%	17%	16%
Ward 5	9,633	10,153	10,573	9,851	10,154	19%	19%	20%	20%	20%
Ward 6	6,766	6,925	7,213	6,597	6,544	13%	13%	13%	13%	13%
Ward 7	8,981	9,206	9,501	9,016	9,521	18%	17%	18%	18%	19%
Ward 8	6,329	6,381	6,535	6,101	5,945	13%	12%	12%	12%	12%

\*Ward percentages based on DC counts.

Source: DC Hospital Association.

**Outpatient ED Visits - Washington Hospital Center  
Utilization by Top Health Conditions, 2014**

Rank	CCS Category	Description	ED Visits	% of Total	Cummulative %
1	251	Abdominal pain	3,679	5.5%	5.5%
2	102	Nonspecific chest pain	3,509	5.2%	10.7%
3	244	Other injuries and conditions due to external causes	3,472	5.2%	15.9%
4	205	Spondylosis; intervertebral disc disorders; other	2,451	3.7%	19.6%
5	239	Superficial injury; contusion	2,334	3.5%	23.1%
6	232	Sprains and strains	2,296	3.4%	26.5%
7	126	Other upper respiratory infections	2,033	3.0%	29.5%
8	211	Other connective tissue disease	2,025	3.0%	32.5%
9	84	Headache; including migraine	1,996	3.0%	35.5%
10	204	Other non-traumatic joint disorders	1,915	2.9%	38.4%
11	133	Other lower respiratory disease	1,667	2.5%	40.9%
12	159	Urinary tract infections	1,387	2.1%	42.9%
13	259	Residual codes; unclassified	1,371	2.0%	45.0%
14	197	Skin and subcutaneous tissue infections	1,290	1.9%	46.9%
15	236	Open wounds of extremities	1,282	1.9%	48.8%
16	257	Other aftercare	1,232	1.8%	50.7%
17	181	Other complications of pregnancy	1,180	1.8%	52.4%
18	660	Alcohol-related disorders	1,175	1.8%	54.2%
19	136	Disorders of teeth and jaw	1,067	1.6%	55.8%
20	93	Conditions associated with dizziness or vertigo	1,010	1.5%	57.3%
21	128	Asthma	1,002	1.5%	58.8%
22	7	Viral infection	882	1.3%	60.1%
23	95	Other nervous system disorders	854	1.3%	61.4%
24	245	Syncope	826	1.2%	62.6%
25	235	Open wounds of head; neck; and trunk	825	1.2%	63.8%
		All Other	24,228	36.2%	

Source: DC Hospital Association.



## Appendix 11: Community Health Center Profile Reports

### Community of Hope

Health Center Profile - Community of Hope Utilization by Demographics, 2012 - 2014			
	2012	2013	2014
<b>Total</b>			
Patients Served	6,712	7,100	9,054
Cost Per Patient	\$683	\$712	\$953
<b>Age Group (% of total patients)</b>			
00-17	28%	29%	29%
18-64	68%	67%	66%
65+	4%	4%	5%
<b>Race &amp; Ethnicity (% known)</b>			
Non-Hispanic White	11%	11%	9%
Racial and/or Ethnic Minority	90%	89%	92%
Hispanic/Latino Ethnicity	17%	17%	13%
Black/African American <sup>1</sup>	75%	71%	78%
Asian <sup>1</sup>	2%	2%	2%
<b>Income Status (% of patients with known income)</b>			
Patients at or below 200% of poverty	88%	87%	89%
Patients at or below 100% of poverty	69%	67%	71%
<b>Insurance (% of total patients)</b>			
Uninsured	20%	15%	15%
Medicaid/CHIP <sup>2</sup>	58%	59%	62%
Medicare	2%	3%	4%
Other Third Party	20%	24%	20%
<b>Services (% of patients)</b>			
Medical	85%	89%	88%
Dental	23%	22%	25%
Mental Health	2%	2%	1%
Substance Abuse	0%	-	-
<b>Medical Conditions (% of patients with medical conditions)</b>			
Hypertension <sup>3</sup>	14%	15%	15%
Diabetes <sup>4</sup>	8%	9%	10%
Asthma	9%	10%	11%
HIV	1%	1%	1%
<b>Prenatal</b>			
Prenatal Patients	524	465	477
Prenatal patients who delivered	354	286	294
<b>Quality of Care Measures - Preventive Health Screening &amp; Services</b>			
Cervical Cancer Screening	66%	72%	72%
Adolescent Weight Screening and Follow Up	72%	85%	82%
Adult Weight Screening and Follow Up	50%	60%	58%
Adults Screened for Tobacco Use and Receiving Cessation Intervention	-	-	91%
Colorectal Cancer Screening	39%	40%	34%
Childhood Immunization <sup>5</sup>	-	83%	83%
Depression Screening	-	-	20%
<b>Quality of Care Measures - Chronic Disease Management</b>			
Asthma Treatment (Appropriate Treatment Plan)	83%	81%	76%
Cholesterol Treatment (Lipid Therapy for Coronary Artery Disease Patients)	86%	91%	73%

Heart Attack/Stroke Treatment (Aspirin Therapy for Ischemic Vascular Disease Patients)	62%	46%	90%
Blood Pressure Control (Hypertensive Patients with Blood Pressure < 140/90)	64%	66%	63%
Diabetes Control (diabetic patients with HbA1c <= 9%)	82%	82%	81%
HIV Linkage to Care	-	-	89%

Notes:

1. Includes Hispanic/Latino and Non-Hispanic/Latino.
2. Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP.
3. Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.
4. Diabetic adults as a percent of estimated adult medical patients of ages 18-75.
5. The Childhood Immunizations measure was revised in 2013 and is not comparable to prior years.

Source: HRSA Health Center Program Grantee Profiles (Uniform Data System).

## Family and Medical Counseling Service

<b>Health Center Profile - Family and Medical Counseling Service</b> <b>Utilization by Demographics, 2012-2014</b>			
	2012	2013	2014
<b>Total</b>			
Patients Served	2,643	2,889	2,178
Cost Per Patient	\$2,350	\$2,306	\$3,191
<b>Age Group (% of total patients)</b>			
00-17	0%	0%	-
18-64	96%	95%	95%
65+	4%	5%	5%
<b>Race &amp; Ethnicity (% known)</b>			
Non-Hispanic White	1%	1%	1%
Racial and/or Ethnic Minority	100%	100%	99%
Hispanic/Latino Ethnicity	1%	1%	2%
Black/African American <sup>1</sup>	96%	99%	95%
Asian <sup>1</sup>	0%	0%	0%
<b>Income Status (% of patients with known income)</b>			
Patients at or below 200% of poverty	98%	95%	95%
Patients at or below 100% of poverty	94%	85%	82%
<b>Insurance (% of total patients)</b>			
Uninsured	40%	33%	22%
Medicaid/CHIP <sup>2</sup>	46%	47%	57%
Medicare	8%	11%	15%
Other Third Party	6%	10%	5%
<b>Services (% of patients)</b>			
Medical	54%	51%	54%
Dental	0%	0%	0%
Mental Health	3%	3%	8%
Substance Abuse	38%	33%	28%
<b>Medical Conditions (% of patients with medical conditions)</b>			
Hypertension <sup>3</sup>	36%	48%	32%
Diabetes <sup>4</sup>	14%	19%	12%
Asthma	12%	15%	11%
HIV	77%	59%	56%
<b>Prenatal</b>			
Prenatal Patients	-	-	5
Prenatal patients who delivered	-	-	-
<b>Quality of Care Measures - Preventive Health Screening &amp; Services</b>			
Cervical Cancer Screening	63%	59%	94%
Adolescent Weight Screening and Follow Up	-	0%	-
Adult Weight Screening and Follow Up	13%	0%	18%
Adults Screened for Tobacco Use and Receiving Cessation Intervention	-	-	63%
Colorectal Cancer Screening	17%	69%	72%
Childhood Immunization <sup>5</sup>	-	-	-
Depression Screening	-	-	28%
<b>Quality of Care Measures - Chronic Disease Management</b>			
Asthma Treatment (Appropriate Treatment Plan)	65%	38%	93%

Cholesterol Treatment (Lipid Therapy for Coronary Artery Disease Patients)	50%	33%	58%
Heart Attack/Stroke Treatment (Aspirin Therapy for Ischemic Vascular Disease Patients)	78%	28%	34%
Blood Pressure Control (Hypertensive Patients with Blood Pressure < 140/90)	72%	63%	70%
Diabetes Control (diabetic patients with HbA1c <= 9%)	56%	71%	83%
HIV Linkage to Care	-	-	28%

Notes:

1. Includes Hispanic/Latino and Non-Hispanic/Latino.
2. Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP.
3. Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.
4. Diabetic adults as a percent of estimated adult medical patients of ages 18-75.
5. The Childhood Immunizations measure was revised in 2013 and is not comparable to prior years.

Source: HRSA Health Center Program Grantee Profiles (Uniform Data System).

<b>Health Center Profile - La Clinica Del Pueblo</b> <b>Utilization by Demographics, 2012-2014</b>			
	2012	2013	2014
<b>Total</b>			
Patients Served	2,369	3,140	3,402
Cost Per Patient	\$3,163	\$2,353	\$2,067
<b>Age Group (% of total patients)</b>			
00-17	16%	13%	14%
18-64	75%	79%	77%
65+	9%	8%	9%
<b>Race &amp; Ethnicity (% known)</b>			
Non-Hispanic White	8%	10%	12%
Racial and/or Ethnic Minority	99%	98%	98%
Hispanic/Latino Ethnicity	93%	91%	91%
Black/African American <sup>1</sup>	37%	26%	31%
Asian <sup>1</sup>	1%	1%	1%
<b>Income Status (% of patients with known income)</b>			
Patients at or below 200% of poverty	95%	93%	93%
Patients at or below 100% of poverty	56%	49%	47%
<b>Insurance (% of total patients)</b>			
Uninsured	45%	42%	32%
Medicaid/CHIP <sup>2</sup>	26%	25%	29%
Medicare	7%	6%	6%
Other Third Party	23%	27%	32%
<b>Services (% of patients)</b>			
Medical	89%	86%	95%
Dental	2%	9%	4%
Mental Health	16%	5%	11%
Substance Abuse	6%	5%	2%
<b>Medical Conditions (% of patients with medical conditions)</b>			
Hypertension <sup>3</sup>	25%	22%	22%
Diabetes <sup>4</sup>	14%	14%	14%
Asthma	4%	6%	5%
HIV	11%	10%	8%
<b>Prenatal</b>			
Prenatal Patients	59	60	85
Prenatal patients who delivered	32	43	45
<b>Quality of Care Measures - Preventive Health Screening &amp; Services</b>			
Cervical Cancer Screening	86%	86%	89%
Adolescent Weight Screening and Follow Up	96%	30%	27%
Adult Weight Screening and Follow Up	74%	86%	80%
Adults Screened for Tobacco Use and Receiving Cessation Intervention	-	-	7%
Colorectal Cancer Screening	70%	64%	63%
Childhood Immunization <sup>5</sup>	-	96%	100%
Depression Screening	-	-	56%
<b>Quality of Care Measures - Chronic Disease Management</b>			
Asthma Treatment (Appropriate Treatment Plan)	94%	88%	91%

Cholesterol Treatment (Lipid Therapy for Coronary Artery Disease Patients)	75%	80%	92%
Heart Attack/Stroke Treatment (Aspirin Therapy for Ischemic Vascular Disease Patients)	88%	96%	85%
Blood Pressure Control (Hypertensive Patients with Blood Pressure < 140/90)	74%	69%	67%
Diabetes Control (diabetic patients with HbA1c <= 9%)	83%	78%	73%
HIV Linkage to Care	-	-	100%

Notes:

1. Includes Hispanic/Latino and Non-Hispanic/Latino.
2. Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP.
3. Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.
4. Diabetic adults as a percent of estimated adult medical patients of ages 18-75.
5. The Childhood Immunizations measure was revised in 2013 and is not comparable to prior years.

Source: HRSA Health Center Program Grantee Profiles (Uniform Data System).

Mary's Center for Maternal & Child Care

<b>Health Center Profile - Mary's Center for Maternal &amp; Child Care</b> <b>Utilization by Demographics, 2012-2014</b>			
	2012	2013	2014
<b>Total</b>			
Patients Served	28,540	32,146	34,116
Cost Per Patient	\$960	\$774	\$759
<b>Age Group (% of total patients)</b>			
00-17	33%	37%	40%
18-64	64%	61%	58%
65+	2%	2%	2%
<b>Race &amp; Ethnicity (% known)</b>			
Non-Hispanic White	5%	6%	7%
Racial and/or Ethnic Minority	96%	95%	95%
Hispanic/Latino Ethnicity	71%	70%	71%
Black/African American <sup>1</sup>	24%	24%	23%
Asian <sup>1</sup>	1%	1%	1%
<b>Income Status (% of patients with known income)</b>			
Patients at or below 200% of poverty	98%	97%	98%
Patients at or below 100% of poverty	50%	66%	66%
<b>Insurance (% of total patients)</b>			
Uninsured	36%	34%	26%
Medicaid/CHIP <sup>2</sup>	44%	47%	52%
Medicare	2%	1%	1%
Other Third Party	17%	18%	21%
<b>Services (% of patients)</b>			
Medical	81%	80%	82%
Dental	24%	29%	34%
Mental Health	9%	8%	4%
Substance Abuse	0%	0%	-
<b>Medical Conditions (% of patients with medical conditions)</b>			
Hypertension <sup>3</sup>	9%	11%	11%
Diabetes <sup>4</sup>	7%	7%	6%
Asthma	6%	6%	6%
HIV	0%	0%	0%
<b>Prenatal</b>			
Prenatal Patients	2,669	2,703	2,332
Prenatal patients who delivered	1,229	1,142	1,070
<b>Quality of Care Measures - Preventive Health Screening &amp; Services</b>			
Cervical Cancer Screening	73%	72%	69%
Adolescent Weight Screening and Follow Up	63%	81%	81%
Adult Weight Screening and Follow Up	64%	60%	73%
Adults Screened for Tobacco Use and Receiving Cessation Intervention	-	-	75%
Colorectal Cancer Screening	25%	24%	26%
Childhood Immunization <sup>5</sup>	-	90%	91%
Depression Screening	-	-	56%
<b>Quality of Care Measures - Chronic Disease Management</b>			
Asthma Treatment (Appropriate Treatment Plan)	46%	94%	89%

Cholesterol Treatment (Lipid Therapy for Coronary Artery Disease Patients)	72%	81%	95%
Heart Attack/Stroke Treatment (Aspirin Therapy for Ischemic Vascular Disease Patients)	78%	83%	94%
Blood Pressure Control (Hypertensive Patients with Blood Pressure < 140/90)	66%	64%	66%
Diabetes Control (diabetic patients with HbA1c <= 9%)	74%	72%	70%
HIV Linkage to Care	-	-	92%

Notes:

1. Includes Hispanic/Latino and Non-Hispanic/Latino.
2. Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP.
3. Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.
4. Diabetic adults as a percent of estimated adult medical patients of ages 18-75.
5. The Childhood Immunizations measure was revised in 2013 and is not comparable to prior years.

Source: HRSA Health Center Program Grantee Profiles (Uniform Data System).



<b>Health Center Profile - Unity Health Care</b> <b>Utilization by Demographics, 2012-2014</b>			
	2012	2013	2014
<b>Total</b>			
Patients Served	101,613	105,396	108,595
Cost Per Patient	\$916	\$930	\$946
<b>Age Group (% of total patients)</b>			
00-17	20%	21%	21%
18-64	75%	74%	74%
65+	5%	5%	6%
<b>Race &amp; Ethnicity (% known)</b>			
Non-Hispanic White	3%	3%	3%
Racial and/or Ethnic Minority	98%	97%	97%
Hispanic/Latino Ethnicity	18%	18%	19%
Black/African American <sup>1</sup>	89%	89%	89%
Asian <sup>1</sup>	1%	1%	1%
<b>Income Status (% of patients with known income)</b>			
Patients at or below 200% of poverty	95%	94%	94%
Patients at or below 100% of poverty	78%	78%	76%
<b>Insurance (% of total patients)</b>			
Uninsured	5%	12%	16%
Medicaid/CHIP <sup>2</sup>	63%	61%	61%
Medicare	6%	6%	6%
Other Third Party	26%	21%	17%
<b>Services (% of patients)</b>			
Medical	93%	95%	95%
Dental	16%	16%	15%
Mental Health	12%	9%	11%
Substance Abuse	0%	0%	0%
<b>Medical Conditions (% of patients with medical conditions)</b>			
Hypertension <sup>3</sup>	26%	25%	21%
Diabetes <sup>4</sup>	11%	11%	13%
Asthma	9%	9%	9%
HIV	3%	3%	3%
<b>Prenatal</b>			
Prenatal Patients	2,721	2,864	3,085
Prenatal patients who delivered	1,677	1,775	2,091
<b>Quality of Care Measures - Preventive Health Screening &amp; Services</b>			
Cervical Cancer Screening	60%	58%	62%
Adolescent Weight Screening and Follow Up	70%	75%	84%
Adult Weight Screening and Follow Up	95%	96%	60%
Adults Screened for Tobacco Use and Receiving Cessation Intervention	-	-	87%
Colorectal Cancer Screening	16%	18%	19%
Childhood Immunization <sup>5</sup>	-	67%	69%
Depression Screening	-	-	0%
<b>Quality of Care Measures - Chronic Disease Management</b>			
Asthma Treatment (Appropriate Treatment Plan)	94%	94%	92%

Cholesterol Treatment (Lipid Therapy for Coronary Artery Disease Patients)	70%	75%	78%
Heart Attack/Stroke Treatment (Aspirin Therapy for Ischemic Vascular Disease Patients)	81%	81%	81%
Blood Pressure Control (Hypertensive Patients with Blood Pressure < 140/90)	58%	54%	64%
Diabetes Control (diabetic patients with HbA1c <= 9%)	59%	60%	56%
HIV Linkage to Care	-	-	83%

Notes:

1. Includes Hispanic/Latino and Non-Hispanic/Latino.
2. Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP.
3. Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.
4. Diabetic adults as a percent of estimated adult medical patients of ages 18-75.
5. The Childhood Immunizations measure was revised in 2013 and is not comparable to prior years.

Source: HRSA Health Center Program Grantee Profiles (Uniform Data System).

Health Center Profile - Whitman-Walker Clinic Utilization by Demographics, 2012-2014			
	2012	2013	2014
<b>Total</b>	-	-	
Patients Served			7,038
Cost Per Patient			\$3,841
<b>Age Group (% of total patients)</b>			
00-17	-	-	0%
18-64	-	-	96%
65+	-	-	4%
<b>Race &amp; Ethnicity (% known)</b>			
Non-Hispanic White	-	-	32%
Racial and/or Ethnic Minority	-	-	70%
Hispanic/Latino Ethnicity	-	-	16%
Black/African American <sup>1</sup>	-	-	54%
Asian <sup>1</sup>	-	-	3%
<b>Income Status (% of patients with known income)</b>			
Patients at or below 200% of poverty	-	-	79%
Patients at or below 100% of poverty	-	-	54%
<b>Insurance (% of total patients)</b>			
Uninsured	-	-	13%
Medicaid/CHIP <sup>2</sup>	-	-	38%
Medicare	-	-	13%
Other Third Party	-	-	36%
<b>Services (% of patients)</b>			
Medical	-	-	93%
Dental	-	-	17%
Mental Health	-	-	25%
Substance Abuse	-	-	-
<b>Medical Conditions (% of patients with medical conditions)</b>			
Hypertension <sup>3</sup>	-	-	19%
Diabetes <sup>4</sup>	-	-	8%
Asthma	-	-	7%
HIV	-	-	46%
<b>Prenatal</b>			
Prenatal Patients	-	-	5
Prenatal patients who delivered	-	-	1
<b>Quality of Care Measures - Preventive Health Screening &amp; Services</b>			
Cervical Cancer Screening	-	-	59%
Adolescent Weight Screening and Follow Up	-	-	-
Adult Weight Screening and Follow Up	-	-	51%
Adults Screened for Tobacco Use and Receiving Cessation Intervention	-	-	62%
Colorectal Cancer Screening	-	-	31%
Childhood Immunization <sup>5</sup>	-	-	-
Depression Screening	-	-	30%
<b>Quality of Care Measures - Chronic Disease Management</b>			
Asthma Treatment (Appropriate Treatment Plan)	-	-	33%

Cholesterol Treatment (Lipid Therapy for Coronary Artery Disease Patients)	-	-	73%
Heart Attack/Stroke Treatment (Aspirin Therapy for Ischemic Vascular Disease Patients)	-	-	82%
Blood Pressure Control (Hypertensive Patients with Blood Pressure < 140/90)	-	-	69%
Diabetes Control (diabetic patients with HbA1c <= 9%)	-	-	71%
HIV Linkage to Care	-	-	98%

Notes:

1. Includes Hispanic/Latino and Non-Hispanic/Latino.
2. Includes Medicaid, Medicaid CHIP, and Other Public Insurance CHIP.
3. Hypertensive adults as a percent of estimated adult medical patients of ages 18-85.
4. Diabetic adults as a percent of estimated adult medical patients of ages 18-75.
5. The Childhood Immunizations measure was revised in 2013 and is not comparable to prior years.

Source: HRSA Health Center Program Grantee Profiles (Uniform Data System).